Zoological Record

Vol. 88, Sect. 2, 1951

PROTOZOA

COMPILED BY

CECIL A. HOARE, D.Sc., F.R.S., and R. H. CUMMINGS, Ph.D., B.Sc.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK, LONDON, N.W.1.

PRICE SEVEN SHILLINGS AND SIXPENCE August, 1953

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

							8.	d.
1.	Comprehensive	Zoolog	y		••	• •	2	6
2.	Protozoa						7	6
3.	Porifera						2	0
4.	Coelenterata						4	0
5.	Echinoderma						2	6
6.	Vermes						10	0
7.	Brachiopoda						3	0
8.	Bryozoa						2	0
9.	Mollusca				• •		10	0
10.	Crustacea						5	0
11.	Trilobita			• •		=	3	0
12.	Arachnida						7	6
*13.	Insecta						30	0
14.	Protochordata						2	0
15.	Pisces						7	0
16.	Amphibia and	Reptilia	a				7	6
	Aves						7	6
18.	Mammalia						7	6
19.	List of New Ge	nera an	d Subg	genera			3	0
			-					

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

2. PROTOZOA

ARRANGED BY

CECIL A. HOARE, D.Sc., F.R.S. and R. H. CUMMINGS, Ph.D., B.Sc.

CONTENTS

					PAGE					
I. TITLES			•••		2					
II. Subject Index:—										
General			***		59					
Structure	(***********************************				61					
Physiology					64					
Development					68					
Evolution and Genetics		•••			69					
Ecology			•••	•••	69					
Economics			•••		76					
Distribution		•••			82					
III. Systematic Index :—										
General					86					
1. Rhizopoda					86					
2. Mastigophora		***		•••	100					
3. Sporozoa				P.T. 1	101					
4. Ciliophora					103					

FOREWORD

2

Papers dealing with Protozoa entirely from a medical or veterinary standpoint (clinical, therapeutic, etc.) are omitted, but notices of these will be found in *Tropical Diseases Bulletin* and *Veterinary Bulletin*.

I—TITLES

- 1.—Anon. Article 25 (status of a holotype or lectotype in relation to an inadequate original description). [Trypanosoma suis]. Bull. zool. Nomenel. 4 1950 pp. 292–293.
- 2.—Anon. Diplodinium Schuberg, 1888 (Class Ciliophora): trivial name of type species. Bull. zool. Nomencl. 4 1950 pp. 379–381.
- 3.—Anon. The species commonly treated as having been named Piroplasma annulatum by Dschunkowsky and Luhs in 1904 (Class Sporozoa, order Coccidiida). Bull. zool. Nomencl. 4 1950 pp. 431-433.
- 4.—Anon, Schwagerina von Möller 1877 (Class Rhizopoda, order Foraminifera): determination of type species. Bull. zool. Nomencl. 4 1950 pp. 461–464.
- **5.—Anon.** Generic and trivial names of human malaria parasites. Bull. zool. Nomencl. **4** 1950 pp. 594–624.
- 6.—Anon. Prof. Dr. Charles F. Craig—Prof. Dr. Martin Mayer. Bol. Inform. Parasit. Chilen. 6 1951 p. 12.
- 7.—Anon. Parasitosis en el medio escolar. Bol. Inform. Parasit. Chilen. 6 1951 p. 61.
- 8.—Anon. Professor Dr. Emilio Brumpt. Bol. Inform. Parasit. Chilen. 6 1951 p. 61.
- 9.—Anon. Demonstration of malaria parasites. Brit. med J. i 1951 p. 149.
- 10.—Anon. Trichomonas vaginalis Brit. med. J. ii 1951 p. 189.

11.—Anon. How drugs act on trypanosomes. Brit. med. J. ii 1951 pp. 1138–1139.

[1951]

- 12.—Anon. Charles Donovan, M.D. Lieutenant-Colonel, I.M.S. Brit. med. J. ii 1951 p. 1286.
- 13.—Anon. Chemotherapy of malaria—a fundamental approach. Curr. Sci. 20 2 1951 p. 35.
- 14.—Anon. Symptomless and symptomatic amoebiasis. J. trop. Med. Hyg. 54 1951 pp. 181–182.
- 15.—Anon. West African Institute for Trypanosomiasis Research. Nature, London 167 1951 pp. 542-543 fig.

Abdallah, A. see Halawani, A. Abd El-Ghaffar, M. see Abd El-Ghaffar, V.

- 16.—Abd El-Ghaffar, V. & Abd El-Ghaffar, M. A study of the bacterial flora in amoebic infections of the intestines. J. R. Egypt. med. Ass. 34 1951 pp. 530-540.
- 17.—Abrard, R. Développements tératologiques chez des Orbitoides crétacés. C.R. Acad. Sci., Paris 232 1951 pp. 1369-1370 figs.
- 18.—Accordi, B. Su di un caso di "convergenza" fia Foraminiferi e Briozoi fossili. Rev. ital. Paleont. 57 1951 pp. 21-22 figs.
- 19.—Adam, K. M. G. The quantity and distribution of the ciliate protozoa in the large intestine of the horse. Parasitology 41 1951 pp. 301-311 figs.
- 20.—Agosin, M., Christen, R., Jarpa, A. & Atias, W. Ensayos de quimioterapia en la enfermedad de Chagas experimental, V. Terramicina. Bol. Inform. Parasit. Chilen. 6 1957 pp. 5-6. [English summary.]

Agosin, M. see Cariola, J.

Agosin, M. see Christen, R.

Agosin, M. see Jarpa, A.

Agosin, M. see Neghme, A.

- 21.—Aguayo, C. G. Lamparas animadas. Bol. Hist. nat. Soc. Habana 2 1951 pp. 61-80 figs.
- 22.—Alberti, A. Observazioni sul Miocene medio e superiore nell' Appennino Centrale. [Foraminifera.] Boll. Serv. geol. Ital. 72 1960 [1951] pp. 103-109.
- 23.—Alderson, L. E. Internal parasites of the elk in Wyoming. Univ. Wyo. Publ. 16 (1-4) 1951 pp. 77-78.
- 24.—Allemann, F. & Blaser, R. Vorläufige Mitteilungen über die Flyschbildungen im Fürstentum Liechtenstein. [Foraminifera]. Ecl. geol. helv. 43 1950 [1951] pp. 187–200.
- 25.—Allemann, F., Blaser, R. & Nänny, P. Neuere Untersuchungen in der Voralberger Flyschzone [Foraminifera]. Ecl. geol. helv. 44 1951 pp. 159–168 figs.
- 26.—Alliata, E. di N. News-Italy. [Foraminifera & Radiolaria]. Micropaleontologist, N.Y. 5 (1) 1951 pp. 6-10.
- 27.—Altinli, J. E. The geology of the Western portion of Filipos River [Foraminifera]. Rev. Fac. Sci. Univ. Istanbul 16B (2) 1951 pp. 153–188 figs.
- 28.—Altinli, J. E. Geology of the Iliksu Region (Zonguldak-Turkey). [Foraminifera]. Rev. Fac. Sci. Univ. Istanbul 16B 4 1951 pp. 301–323 figs.

Alwar, V. S. see Ramanujachari, G.

- 29.—Amaral, A. D. F. Processos laboratoriais diretos e indiretos para o diagnóstico da amebiase. Folia clin. biol., S. Paulo 17 1951 pp. 157–164.
- 30.—Amaral, A. D. F. & Leal, R. A. Sôbre uma endamoeba semelhante à Endamoeba histolytica encontrado em materiál de esgôto. On an Endamoeba similar to E. histolytica found in digested sludge of sewage. Rev. Paulista Med. 34 1949 pp. 173–176. fig. [Portuguese with English summary.]

Amaral, A. D. F. see Barbosa, A. G.

VOL. 88

- 31.—Amrein, Y. U. The transmission of non-cyst-forming intestinal flagellates in the Yucca Nightlizard Xantusia vigilis. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 30.
- 32.—Amrein, Y. U. Effects of tyrocidine on *Trypanosoma cruzi* cultures. Proc. Soc. exp. Biol. 76 1951 pp. 744–746 figs.
- 33.—Andersen, H. V. Two new genera of Foraminifera from Recent deposits in Louisiana. J. Paleont. 25 (1) 1951 pp. 31-34 figs.
- 34.—Andersen, H. V. An Addenda to Arenoparallela and Arenoparallela mexicana (Kornfeld). Contr. Cushman Fdn. 2 (3) 1951 pp. 97-105 figs.
- 35.—Anderson, H. H. Pharmacologic evaluation and clinical application of amebacides (with special reference to the thioarsenites). H. Most (ed.). Parasitic infections in man. New York 1951 pp. 163-186.

Anderson, H. H. see Nakamura, M. Anderson, N. L. see Wingo, W. J.

36.—Andrescu, N., Engel, F. & Holter, H. Succinic dehydrogenase and cytochrome oxidase in *Chaos chaos*. C.R. Lab. Carlsberg, Copenh. Ser. Chim. 27 1951 pp. 408-420 figs.

Ansari, A. R. see Brumpt, L. C.

37.—Ansari, M. A. R. Contribution à l'étude du genre Giardia Kunstler, 1882 (Mastigophora, Octomitidae) I.—Tableau synoptique de espèces connues et de quatre espèces nouvelles. Ann. Parasit, hum. comp. 26 1951 pp. 477–490 fig.

Ansari, N. see Oberling, C. Aoyama, A. see Inoki, S.

38.—Archetti, I. Haemoprotozoa. Riv. Biol. Colon. 7 1946 pp. 127-136 figs.

Armstrong, T. G. see Wilmot, A. J.

- 39.—Arnold, Z. M. Occurrence of Gromia oviformis Dujardin in California (Testacea). Wasmann J. Biol. 9 1951 pp. 351-353.
- 40.—Asami, K. & Nakamura, N. Morphology and taxonomical position of an amoeba which spontaneously contaminated an agar plate of Shigella culture. Kitasato Arch. exp. Med. 24 1951 pp. 215-218.

41.—Atchley, F. O. Leucocytozoon andrewsi n. sp., from chickens observed in a survey of blood parasites in domestic animals in South Carolina. J. Parasit. 37 1951 pp. 483-488 figs.

Atias, A. V. see Christen, R. Atias, A. V. see Jarpa, A.

Atias, A. V. see Neghme, A.

Atias, W. see Agosin, M.

- 42.—Austin, M. L. Sensitivity to Paramecin in Paramecium aurelia in relation to stock, serotype and mating type. Physiol. Zool. 24 1951 pp. 196-204 figs.
- 43.—Avnimelech, M. News-Israel [Foraminifera]. Micropaleontologist, N.Y. 5 (1) 1951 p. 15.

Babcock, W. E. see Dickinson, E. M.

44.—Backhouse, T. C. & Bolliger, A. Transmission of Chagas' disease to the Australian marsupial *Trichosurus vulpecula*. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 521–533 figs.

Badinez, O. see Christen, R.

- **45.—Baer,** J. G. Ecology of animal parasites. [Including protozoa.] Urbana **1951** 224 pp. figs.
- 46.—Baez, M. M. El Professor Emile Brumpt y la parasitologia en America. Rev. Soc. Mexic. Hist. nat. 12 1951 pp. 351-361.
- 47.—Bailenger, J., Neuzil, E. & Le Hir, A. Utilisation de l'alginate de sedium dans les techniques de montage biologique. C.R. Soc. Biol. Paris 145 1951 pp. 574-576.
- 48.—Bairati, A. Qualche considerazione sulle imagini elettroniche del protoplasma della *Amoeba proteus*, Monit. 2001. ital. 59 Suppl. 1951 pp. 95–96.
- 49.—Bairati, A. & Lehmann, F. E. Diversi costituenti della Amoeba proteus (plasmalemma, isoplasma, vacuoli) esaminati al microscopio elettronico. Publ. Staz. zool. Napoli 23 Suppl. 1951 pp. 192–206 figs. [English summary] p. 201.
- 50.—Bairati, A. & Lehmann, F. E. Über die Feinstruktur des Hyaloplasmas von Amoeba proteus. Rev. suisse Zool. 58 1951 pp. 443–449 figs. [English summary.]

- 51.—Baker, W. H. V. A simple technique for extracting microfossils [Foraminifera]. Micropaleontologist, N.Y. 5 1951 pp. 39-40.
- 52.—Balamuth, W. Biological studies on *Entamoeba histolytica*. III. Induced encystation in several mediums, including an account of a new procedure. J. infect. Dis. 88 1951 pp. 230–236.
- 53.—Balamuth, W. & Brent, M. Comparative osmoregulatory responses of human intestinal amoebae. Proc. Amer. Soc. Protozool. 2 1951 p. 10.
- 54.—Balamuth, W. & Brent, W. M. Biological studies on Entamoeba histolytica. IV. Direct action of the antibiotic, prodigiosin. Proc. Soc. exp. Biol. 75 1950 pp. 374-378.
- 55.—Balamuth, W. & Wieboldt, M. L. Comparative growth cycles of Endamoeba histolytica with different combinations of bacteria. Amer. J. trop. Med. 31 1951 pp. 192–205 figs.
- 56.—Ball, G. H. The occurrence of a Porosporid gregarine, Nematopsis sp., in the Striped Shore crab, Pachygrapsus crassipes. Proc. Amer. Soc. Protozool. 2 1951 p. 18.
- 57.—Ball, G. H. Gregarines from Bermuda marine crustaceans. Univ. California Publ. Zool. 47 (14) 1951 pp. 351–368 figs.
- **58.—Ballard,** A. C. Observations on pond life. VI. *Paramecium bursaria*. Microscope **8** 1951 pp. 165–172 figs.
- 59.—Ballarini, G. Sul modo di moltiplicazione del *Trichomonas vitu*lae Mazzanti 1900, nel terreno L.E.S. m. Boll. Soc. Ital. Biol. sper. 27 1951 pp. 568-971.
- 60.—Ballarini, G. Glicogeno endocellulare e variazioni delle sostanze riducenti del mezzo colturale di un ceppo di *Trichomonas vitulae* Mazzanti 1900, coltivato in purezza su L.E.S. m. Boll. Soc. Ital. Biol. sper. 27 1951 pp. 977–980.
- 61.—Ballerini, T. Relazione delle vorticelle a traumi sperimentali del peduncolo. Rev. Biol. Milano N.S. 54 1951 pp. 153–165 figs. [English summary.]

- 62.—Band, C.-A. & Morard, J.-C. Ultrastructure et systematique des amibiens. Bull. Soc. linn. Lyon 20 1951 pp. 236–238.
- 63.—Bandy, O. L. Upper Cretaceous foraminifera from the Carlsbad area, San Diego County, California. J. Paleont. 25 1951 pp. 488-513 figs.
- 64.—Bandy, O. L. & Burnside, R. J. The genus Siphogenerina Schlumberger. Contr. Cushman Fdn. 2 (1) 1951 pp. 13-15.
- 65.—Baranger, P. La chimie dans la lutte contre la malaria. Bull. Soc. fribourg. Sci. nat. 39 1950 pp. 7-12.
- 66.—Baranger, P. & Filer, M. K. Action du quinquina sur les formes exo-érythrocytiques de P. gallinaceum. Acta Tropica 8 1951 pp. 52-59.
- 67.—Baranger, P. & Filer, M. K. Action de dérivés minéraux et organiques simples sur *P. gallinaceum*. Rôle possible des systèmes oxydo-réducteurs. Acta Tropica 8 1951 pp. 144–150.
- 68.—Barbaro, A. d'A. Sulla possibilità di riproduzione degli infusori ciliati del contenuto del rumine in vitro. Boll. Soc. Ital. Biol. sper. 26 1951 pp. 1467–1468.
- 69.—Barbaro, A. d'A. Azione di antibiotici e sulfamidici sugli infusori ciliati che vivono nell' apparato digerente degli erbivori. Boll. Soc. Ital. Biol. sper. 26 1951 pp. 1468– 1470.
- 70.—Barbosa, A. G. & Amaral, A. D. F. Sôbre a presença de flagelados do gênero *Trichomonas* no pulmão. (On the presence of *Trichomonas* in the lungs.) Folia clinbiol., S. Paulo 16 1950 pp. 169–179 figs. [English summary.]
- **71.—Bareggi**, G. Pathogènie de la trichomoniase chez le taureau. Bull. Off. int. Epiz. **33** 1950 pp. 406–418.
- 72.—Barnes, E. A. Effect of benzene and six selected salicylates on the development of immunity in *Trypanosoma lewisi* infections. Iowa St. Coll. J. Sci. 25 (2) 1951 pp. 150–152.

- 73.—Barnes, E. A. Effect of benzene and six selected salicylates on the development of immunity in *Trypanosoma lewisi* infection and on various aspects of the blood picture. Iowa St. Coll. J. Sci. 26 1951 pp. 1–17 figs.
- 74.—Barrow, jr, J. H. The basophilia of *Trypanosoma diemyctyli*. Anat. Rec. 111 1951 p. 464.
- 75.—Bartenstein, H. & Brand, E. Mikropalaontologische Untersuchungen zur Stratigraphie des nordwestdeutschen Valendis. Abh. senckenb. naturf. Ges. No. 485 1951 pp. 239–336 figs.
 - Bass, E. see Corrias, --.
- 76.—Bataller, J. R. La paleontologia en el Instituto Geológico—Formas fósiles dedicados a nuestros géologos. [Foraminifera]. Inst. geol. España, Libro Jubilar (1849–1949) 1 1951 p. 173.

Batista, S. see Muniz, J.

Batten, jr., P. J. see De Giusti, D. L.

Baylet, R. see Monnet, A.

- 77.—Beale, G. H. Nuclear and cytoplasmic determinants of here-ditary characters in *Paramecium aurelia*. Nature, London 167 1951 pp. 256-258.
- 78.—Beams, H. W. The effects of ultracentrifugal force on the cell with special reference to division. Ann. N.Y. Acad. Sci. 51 1951 pp. 1349–1364.

Bearse, G. E. see Berg, L. R.

- 79.—Becker, E. R. Bacterial nomenclature and taxonomy. The legitimacy of certain generic homonyms in bacteriology and protozoology. Int. Bull. bact. Nomencl. & Taxon. 1 (3) 1951 pp. 103-112.
- 80.—Becker, E. R. The course of blood-induced *P. lophurae* malaria in young goslings and guinea fowl chicks. J. Parasit. 37 (5: Sec. 2, Suppl.) 1951 p. 12.
- 81.—Becker, E. R. Duplication of generic names in bacteriology and protozoology. Proc. Amer. Soc. Protozool. 2 1951 p. 10.

- 82.—Becker, E. R. Mortality in relation to age in young white Pekin ducks with blood-induced Plasmodium lophurae infection. Proc. Iowa Acad. Sci. 57 [1951] pp. 435–438.
- 83.—Becker, E. R. & Schwink, T. M. A substance from the plasma of ducks immunized to *Plasmodium lophurae* possessing haemagglutinin—inhibiting and sparing properties. Proc. Amer. Soc. Protozool. 2 1951 p. 18.
- 84.—Becker, E. R., Schwink, T. M. & Brodine, C. E. The distribution of sparing and protective factors in plasma fractions of ducks recovered from lophurae malaria. J. infect. Dis. 89 1951 pp. 16-25 fig.
- 85.—Becker, E. R., Schwink, T. M. & Prather, jr., R. M. Hemagglutinin—inhibiting property of duck plasma exhibited in agglutination reactions involving duck erythrocytes and plasma of chicks recovered from lophurae malaria. J. infect. Dis. 89 1951 pp. 95–102 1 fig.

Becker, E. R. see Schwink, T. M.

- 86.—Beckmann, H. Hilfsmittel zum Schleifen von Mikrofossilien. Paläont. Z., Berlin 24 (1-2) 1951 pp. 91-94 figs.
- 87.—Bellen, R. C. van. News— Near East [Foraminifera]. Micropaleontologist, N.Y. 5 1951 pp. 16-17. Belsky, M. M. see Zittler, J. H.
- 88.—Beltran, E. Nomenclature of protozoan and other parasites of man: need for stabilization. Bull. Zool. Nomencl. 4 1950 pp. 235–237.
- 89.—Beltran, E. El Profesor Emile Brumpt (1877–1951) miembro honorario de la Sociedad Mexicana de Historia Natural. Rev. Soc. Mexic. Hist. nat. 12 1951 pp. 343–349.
- 90.—Ben Harel, S. The phagocytic activity against *Plasmodium lophurae* of macrophages from ducks of varying degrees of natural resistance to this parasite. Amer. J. Hyg. **53** 1951 pp. 1–10 figs.

- 91.—Berg, L. R., Hamilton, C. M. & Bearse, G. E. The effect of coccidiosis (caused by *Eimeria maxima*) on egg quality. Poultry Sci. 30 1951 pp. 298-301.
 - Bergue, C. E. de see Morini, E. G.
- 92.—Bermudez, P. J. Heminwayina, un genero nuevo de los foraminiferos rotaliformes, y sus especies. Mem. Soc. Cienc. nat. La Salle 11 1951 pp. 325–329 figs.
- 93.—Bettinotti, C. M. Estudio "in vitro" de la acción de seis antibioticos sobre el *Trypanosoma cruzi*. Sem. med., B. Aires 99 1951 pp. 617–623.

Bhattacharya, D. L. see Sen Gupta, P. C.

- 94.—Bieda, F. Regionalna geologia Polski: Karpaty. 6. Starszy trzeciorzed. Polsk. Tow. Geol. 1 1951 pp. 113–155 figs.
- 95.—Biegeleisen, J. Z. & Shaffer, J. G. The in vitro effect of aureomycin and chloromycetin on cultures of Endamoeba histolytica and Trichomonas hominis. II. The disappearance of organisms from cultures treated with the antibiotics. Amer. J. Hyg. 53 1951 pp. 146-151.

Biegeleisen, J. Z. see Shaffer, J. G. Binder, T. see Sicé, A.

- 96.—Bishop, A. Drug-resistance in malaria. Brit. med. Bull. 8 1951 pp. 47–50.
- 97.—Bishop, A. & McConnachie, E. W. The inhibition by p-aminobenzoic acid of the development of paludrine-resistance as produced by sulphonamides in Plasmodium gallinaceum. Parasitology 41 1951 pp. 105-109.

Biswas, T. C. see Ghosh, S. M.

- 98.—Black, R. H. The effect of neoarsphenamine on *Plasmodium berghei* infections in the mouse and rat: inhibition of the antimalarial action of neoarsphenamine by British anti-lewisite. Ann. trop. Med. Parasit. 45 1951 pp. 127-136.
- 99.—Black, R. H. Parasitic recrudescences in trophozoite-induced *Plasmodium berghei* infections in the albino rat. Ann. trop. Med. Parasit. 45 1951 pp. 199-206.

- 100.—Black, Z. W. C. Microincineration studies of *Flabellula mira* Schaeffer. Proc. Amer. Soc. Protozool. 2 1951 p. 9.
- 101.—Blanc, G. & Bruneau, J. Préparation d'un sérum animal neutralisant le virus de la toxoplasmose. Bull. Acad. Nat. Méd. 134 1950 pp. 240-244 figs.
- 102.—Blanc, G. & Bruneau, J. Préparation d'un sérum animal neutralisant le virus de la toxoplasmose. Arch. Inst. Pasteur Maroc 4 (4) 1951 pp. 291–297.
- 103.—Blanc, G., Bruneau, J. & Chabaud, A. Quelques essais de transmission de la toxoplasmose par arthropodes piqueurs. Arch. Inst. Pasteur Maroc 4 1951 pp. 298–303.

Blanc, G. see Chatton, E.

104.—Blanc-Brude, R., Dragesco, J. & Hermet, J. P. Microscopie éléctronique des tentacules de l'Acinétien Discophrya piriformis Guilcher. Bull. Microsc. appl. (2 ser.) 1 1951 pp. 29-30 figs.

Blaser, R. see Allemann, F.

- 105.—Blumberg, A. J. & Loefer, J. B. Effect of neomycin on two species of free-living protozoa. Proc. Amer. Soc. Protozool. 2 1951 p. 7.
- 106.—Boccadoro, B. Comportamento del pH nelle colturi di Trichomonas vitulae in L.E.S. M.—II Trichomonas vitulae coltivato in L.E.S. M., reso inadatto con sostanze inibenti allo sviluppo del flagellato. Condiziona la sua moltiplicazione alla presenza di una muffa o di uno schizomicete. Boll. Soc. Ital. Biol. sper. 27 1951 pp. 765-766.
- 107. Bolli, H. Zur Altersbestimmung von Tertiärschiefen aus dem Helvetikum der Schweizer Alpen mittels Kleinforaminiferen. Ecl. geol. helv. 43 1950 [1951] pp. 105-114.
- 108.—Bolli, H. Notes on the direction coiling of Rotalid Foraminifera. Contr. Cushman Fdn. 2 (4) 1951 pp. 139-143 figs.
- 109.—Bolli, H. The genus Globotruncana in Trinidad, B.W.I. Notes on occurrence, nomenclature and relationships between species. J. Paleont. 25 1951 pp. 187–199 figs.

Bolliger, A. see Backhouse, T. C.

- 110.—Borchert, R. & Helmcke, J.-G. Beobachtung eines photosensibilisierenden Effekts von Akridinorange bei *Paramecium caudatum*. Naturwissenschaften, Berlin 38 1951 p. 48 fig.
- 111.—Bordi, M. Ricerche sul potere di penetrazione di un ceppo di "Trypanosoma brucei" attraverso le mucose del topino. R.C. Acad. Lincei (8) 11 1951 pp. 403-407.
- 112.—Borovikov, L. I. [Upper Silurian deposits in Betpak-Dala and their graptolitic facies] [Radiolaria]. C.R. Acad. Sci. URSS. N.S. 78 1951 pp. 561-563. [In Russian.]

Borrotchin, M. see Pellegrino, J.

- 113.—Boto, R. La trichomoniase bovine en Espagne. Bull. Off. int. Epiz. 33 1950 pp. 359-360.
- 114.—Bourrelly, P. & Georges, G. Un nouvel Euglénien incolore, Gyropaigne lefevrei. Bull. Mus. Hist. nat. Paris 23 1951 pp. 453-455 figs.

Boutet, R. see Galliard, H.

- 115.—Bovee, E. C. A proposal for the transfer of the protozoan Amoeba limicola (Rhumbler) to the genus Pelomyxa. Anat. Rec. 111 1951 p. 585.
- 116.—Bovee, E. C. A proposal for the transfer of the organism Amoeba saphirina (Penard) to the genus Subulamoeba nov. gen. as type species. Anat. Rec. 111 1951 pp. 585–586.
- 117.—Bovee, E. C. A proposal for the erection of a new genus, *Phloxamoebu*, nov. gen., for monoflagellated, ameboid protozoans otherwise resembling the biflagellated *Dimastigamoeba* (Naegleria). Anat. Rec. 111 191 p. 586.
- 118.—Bovee, E. C. A proposed dichotomy of the genus *Vexillifera* Schaeffer, 1925, based on types of waving pseudopods. Proc. Amer. Soc. Protozool. 2 1951 pp. 4–5.
- 119.—Bovee, E. C. The non-existence of and suggested abolishment of *Amoeba radiosa* as a separate and taxonomically valid species. Proc. Amer. Soc. Protozool. 2 1951 p. 5.

- 120.—Bovee, E. C. Some observations on *Trichamoeba osseosaccus* (Schaeffer). Trans. Amer. Micr. Soc. 70 1951 pp. 47–56 figs.
- 121.—Boyarinova, L. A. & Ilin, V. D. [New data on the stratigraphy of the Jurassic deposits in the region of Lake Elfon] [Foraminifera]. C.R. Acad. Sci. URSS. N.S. 78 1951 pp. 111-112. [In Russian.]
- 122.—Boyd, E. M. A survey of parasitism of the starling Sturnus vulgaris L. in North America. [Intestinal protozoa]. J. Parasit. 37 1951 pp. 56-84 figs.
- 123.—Boyd, J. S. K. The dysenteries. [Including protozoal infections]. Brit. med. J. i 1951 pp. 1440-1443.
- 124.—Boyd, M. F. [editor]. Malariology: a comprehensive survey of all aspects of this group of diseases from a global standpoint. Philadelphia & London. 2 vols. 1949 pp. 1443 figs.

Boyer, F. see Chedid, L.

125.—Bozicevich, J. Immunological diagnosis of parasitic diseases, [Including protozoal infections]. H. Most (ed.) Parasitic infections in man. New York 1951 pp. 37–55.

Bozicevich, J. see Tobie, J. E.

- 126.—Bozzo, B. Contributo alla conoscenza degli emoparassiti degli uccelli. [Including protozoa.] Ann. Mus. Stor. nat. Genova 64 1951 pp. 305–309.
- 127.—Bradin, jr., J. L. Hyaluronidase production by *Endamoeba* histolytica. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 pp. 10-11.

Bradin, jr., J. L. see Sadun, E. H.

128.—Bradner, W. T. & Rawson, G. W. An *in vitro* method of screening amebicidal agents using the Phillips culture. Science 113 1951 pp. 674-676.

Brand, E. see Bartenstein, H.

129.—Brand, T. von. Metabolism of Trypanosomidae and Bodonidae. A. Lwoff (ed.), Biochemistry and physiology of Protozoa. New York 1 1951 pp. 177–234.

- 130.—Brand, T. von. The physiology of blood flagellates. H. Most (ed.). Parasitic infections in man. New York 1951 pp. 90-113.
- 131.—Brand, T. von. The gaseous exchanges of trypanosome-infected rats. Exp. Parasit. 1 1951 pp. 60-65.
- 132.—Brand, T. von, Tobie, E. J. & Mehlman, B. The failure of cortisone and ACTH to influence gluconeogenesis during trypanosomiasis of the fasting rat. Amer. J. Hyg. 54 1951 pp. 76-81.
- 133.—Brandis, H. & Pöhn, H. P. Zur Darstellung von Amöben. Zbl. Bakt. (I. Orig.) 157 1951 pp. 40-41.

Brandt, C. L. see Giese, A. C.

134.—Bray, R. S. Course of Plasmodium berghei infection in the English bank vole, Clethriomys glareolus brittanicus. Trans. R. Soc. trop. Med. Hyg. 44 1951 p. 362.

Bray, R. S. see Williamson, J. Brener, Z. see Pellegrino, J. Brent, M. see Balamuth, W.

135.—Bressler, G. O. & Gordeuk, jr., S. Effect of cecal coccidiosis on body weight, egg production and hatchability in chickens. Poultry Sci. 30 1951 pp. 509–511.

Bressler, G. O. see Gordeuk, jr., S.

- 136.—Briones, S. Xenodiagnostico para enfermedad da Chagas en niños de la Gobernacion de La Pampa. An. Inst. Med. region, Tucumán 3 1951 pp. 147-152. [English summary.]
- 137.—Brochet, J. Oxygen uptake of nucleated and non-nucleated halves of *Amoeba proteus*. Nature, London 168 1951 p. 205.
- 138.—Brock, C. H. Famous animals 4: Paramecium. New Biology, London 11 1951 pp. 108-121 figs.

Brodine, C. E. see Becker, E. R.

139.—Brönnimann, P. Weitere Beobachtungen an Hantkeninen. [Refer Zool. Record 1950, No. 143.] Ecl. geol. helv. 43 [1951] pp. 245-251 figs.

- **140.—Brönnimann,** P. Bemerkungen über den Bau von *Amphistegina* d'Orbigny. [Refer Zool. Record 1950. No. **145**.] Eel. geol. helv. **43** 1950 [1951] pp. 251–254 figs.
- 141.—Brönnimann, P. Tremastegina, ein neues Genus der Familie Asteriginidae d'Orbigny. [Refer Zool. Record 1950 No. 144.] Ecl. geol. helv. 43 1950 [1951] pp. 255–265 figs.
- 142.—Brönnimann, P. Die Mundoffnungen bei Asterigerina carinata d'Orbigny 1839. Ecl. geol. helv. 44 1951 pp. 469-474 figs.
- 143.—Brönnimann, P. Remarks on the embryonic chambers of Upper Eocene Asterocyclinidae of Trinidad, B.W.I. Ecl. geol. helv. 44 1951 pp. 474-486 figs.
- 144.—Brönnimann, P. Globigerinita naparimaensis n. gen., n. sp. from the Miocene of Trinidad, B.W.I. Contr. Cushman Fdn. 2 (1) 1951 pp. 15–18 figs.
- 145.—Brönnimann, P. Guppyella, Alveovalvulina and Discamminoides, new genera of Arenaceous Foraminifera from the Miocene of Trinidad, B.W.I. Contr. Cushman Fdn. 2 (3) 1951 pp. 97-105 figs.
- 146.—Brönnimann, P. The genus Orbulina d'Orbigny in the Oligo-Miocene of Trinidad, B.W.I. Contr. Cushman Fdn. 2 (4) 1951 pp. 131–138 figs.
- 147.—Brönnimann, P. A model of the internal structure of *Discocyclina* s.s. J. Paleont. 25 1951 pp. 208–211 figs.
- 148.—Brönnimann, P. Internal structure of Cyclammina cancellata. J. Paleont. 25 1951 pp. 756-761 figs.
- 149.—Brönnimann, P. News—West Indies. [Foraminifera.] Micropaleontologist, N.Y. 5 (1) 1951 pp. 3-5.
- 150.—Brotzen, F. News—Scandinavia [Foraminifera.] Micropaleontologist, N.Y. 5 (2) 1951 pp. 12-13.
- 151.—Brouardel, J. Recherches sur la biologie d'un infusoire péritriche commensal des patelles : *Urceolaria patellae* (Cuénot). Ann. Inst. océanogr. Paris N.S. 26 (2) 1951 pp. 115–254 figs.

- 152.—Brown, E. M. [A new parasitic Protozoan the causal organism of a white spot disease in marinefish... Cryptocaryon irritans gen. et sp. n.]. Agenda & Abstr. sci. Meet. zool. Soc. London 1950 No. 11 1951 pp. 1-2.
- 153.—Brown, G. F. The effect of low concentrations of aureomycin on the growth of bacteria-free protozoa. Proc. Amer. Soc. Protozool. 2 1951 p. 7.
- 154.—Brown, H. P. Note on the flagellar structure of *Chilomonas*, a Cryptomonad flagellate. Proc. Amer. Soc. Protozool. 2 1951 p. 11.

Brown, J. A. see Moore, E. N.

- 155.—Browning, I. Cytoplasmic inclusions of the protozoan, *Tetrahymena geleii*. Texas Repts Biol. Med. 9 1951 pp. 3-7.
- Med. 9 1991 pp. 6 ...

 156.—Browning, I., Varnedoe,
 N. B. & Swinford, L. R. Fragility
 of Tetrahymena geleii in different
 salt concentrations. Texas Repts
 Biol. Med. 9 1951 pp. 420-427.

Browning, I. see Wingo, W. J.

- 157.—Bruce-Chwatt, L. J. Malaria in Nigeria. Bull. World Hlth. Organ. 4 (3) 1951 pp. 301–327 figs.
- 158.—Bruce-Chwatt, L. J. Evaluation of synthetic anti-malarial drugs in children from a hyperendemic area in West Africa. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 563-592.
- 159.—Bruce-Chwatt, L. J. Gametocyte rates. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 761-763.
- 160.—Brumpt, L. C. &. Ansari, A. R. Le traitement expérimental de la giardiose. C.R. Soc. Biol., Paris 145 1951 pp. 303-304.

Bruneau, J. see Blanc, G.

- 161.—Brunnschweiler, R. O. Discovery of the Late Jurassic genus Calpionella Lorenz (Oligotrich Infusoria) in Australia. Aust. J. Sci. 14 (3) 1951 p. 94.
 - Bruno-Smiraglia,-C. see Oddo, F. G.
- 162.—Bucco, G. Sulla localizzazione dell' Entamoeba histolytica nellevie urinarie. Arch. Ital. Sci. med. trop. Parassit. 31 1950 pp. 477–500. [English summary.]

163.—Bucco, G. & Chieffi, G. Sulla cultura dell' Entamoeba histolytica. Arch. Ital. Sci. trop. med. Parassit, 32 1951 pp. 448-449.

Bulda, F. E. see Lilly, D. M.

Burbanck, M. P. see Burbanck, W. D.

164.—Burbanck, W. D. & Burbanck, M. P. Autogamy of Paramecium aurelia (Stock 51.7) grown on non-living media. [Abstract of General Scientific Meeting.] Biol. Bull. 101 1951 p. 205.

165.—Burbanck, W. D. & Burbanck, M. P. Autogamy in Paramecium aurelia (Stock 51.7) grown in isolation culture on living and non-living media. Proc. Amer. Soc. Protozool. 2 1951 pp. 13-14.

Burke, jr., A. W. see Cleveland, L. R.

Burnside, R. J. see Bandy, O. L.

166.—Bush, J. Rocks from Straits of Florida. [Foraminifera.] Bull. Amer. Assoc. Petrol. Geol. 35 1951 pp. 102–107.

Butterfield, W. see Metz, C. B.

167.—Buttita, P L. Isolamento nel topolino e nell'uovo embrionato di un ceppo di "Toxoplasma homis" dal liquor di una ammalata a reazioni cutanee e tintoriali positive. Boll. Soc. Ital. sper. 27 1951 p. 83.

168.—Buttitta, P. L. Sulla biologia del *Toxoplasma hominis*, nella cavia, nel topolino e nell' uovo embrionato. Boll. Soc. Ital. Biol. sper. 27 1951 pp. 83–84.

169.—Buttitta, P. L. & Terrana, V. Risultati di intradermoreazione alla toxoplasmina eseguite sistematicamente in un gruppo di ammalati. Boll. Soc. Ital. Biol. sper. 27 1951 pp. 88-90.

170.—C., G. A. Missiroli, M.D. Brit. med. J. ii 1951 p. 1159.

Cabassu, H. see Ranque, J.

Cabrera, D. J. see Jesus, Z. de.

171.—Cagidiaco, M. Considerazioni sull'amebiasi nostrana. Arch. Ital. Sci. trop. med. Parassit. 32 1951 pp. 443-447. 172.—Calcutt, G. The role of radiation in photodynamic action. [Paramecium.] J. exp. Biol. 28 1951 pp. 537-540 figs.

Calhon, J. see Rose, M.

Callender, M. E. see McCowen, M. C.

173.—Cameron, T. W. M. The parasites of domestic animals. A manual for veterinary students and surgeons. London 1951 pp. xvi, 420 figs.

174.—Campbell, A. S. New genera and subgenera of Radiolarida. J. Paleont. 25 1951 pp. 527-530.

175.—Canella, M. F. Contributi alla conoscenza dei Ciliati. I. Gimnostomi dei generi Holophrya, Amphileptus e Lionotus predatori di Carchesium polypinum e di altri Peritrichi fissi. Ann. Univ. Ferrara (N.S., Sect. III) 1 (1) 1951 pp. 1-7 [sep. pag.]

176.—Cantrell, W. F. & McGeachin, R. L. The activity of a new pentavalent arsenical compound, a-4-arsonophenylglycylmonoglyceride, against Trypanosoma equiperdum in mice. J. Parasit. 37 1951 pp. 569–572.

177.—Capocaccia, L. Sulla coltivazione dell' *Entamoeba histolytica*. Arch. Ital. Sci. med. trop. Parassit. 32 1951 pp. 1110-1139 figs.

178.—Cappel, C. H. & Musacchia X. J. An investigation of environmental factors in encystment in *Pelomyxa carolinensis*. Anat. Rec. 111 1951 p. 563.

179.—Cariola, J., Prado, R., Christen, R. & Agosin, M. Susceptibilidad de hamsters (Cricetus auratus) y peromyscus (Peromyscus maniculatus gamboli) a la infeccion experimental por Trypanosoma cruzi, cepa "Tulahuen". Biologica, Santiago Nos. 12-13 1951 pp. 99-108 figs. [English summary,]

180.—Carrera, G. A. Acid phosphatase activity in the intestinal wall in experimental amebic colitis. Proc. Soc. exp. Biol. 73 1950 p. 682 fig.

- 181.—Carri, E. L. & Cellerino, N. A. Regionalizacion de las parasitosis en la República Argentina. Sem. med., B. Aires 99 1951 pp. 482-488.
- 182.—Carrington, H. C., Crowther, A. F., Davey, D. G., Levi, A. A. & Rose, F. L. A metabolite of "paludrine" with high antimalarial activity. Nature, London 169 1951 p. 1080.
- 183.—Carter, D. J. Indigenous and exotic Foraminifera in the Coralline Crag of Sutton, Suffolk. Geol. Mag., London 88 1951 pp. 236-248 figs.
- 184.—Caspers, H. Quantitative Untersuchungen über die Bodentierwelt des Schwarzen Meeres im bulgarischen Küstenbereich. Arch. Hydrobiol., Stuttgart 45 1951 pp. 1–192 figs.
- 185.—Chamot, G. Le lambeau de recouvrement de la Tour de Dain (Bese). Bull, Labs. Univ. Lausanne 101 1951 pp. 1-5.
- 186.—Cates, J. E. & McIlroy, M. B. Diagnosis of trypanosomiasis. Brit, med. J. ii 1951 p. 911.
- 187.—Caullery, M. Le parasitisme et la symbiose, [Including protozoa.] 2nd ed. 1950, Paris.

Causey, C. E. see Causey, O. R.

- 188.—Causey, O. R., Costa, O. & Causey, C. E. Incidência de parasitos intestinais do homem em Belém Pará e visinhanças. Rev. Serv. espec. Saúde Públ. 1 1947 pp. 221–235. [English summary.]
- 189. Cavaceppi, L. Durata del ciclo endoistiocitario del *Plasmodium gallinaceum* determinata mediante ripetute biopsie di corteccia cerebrale. Riv. Parassit. 12 1951 pp. 163–168.

Cayer. D. see McMurray, C. M.

190.—Cebe, J. Chimiotherapie des trypanosomoses animales. Bull. Serv. Élev. Industr. Anim. Afr. Occ. Fr. 4 (1) 1951 pp. 69-107.

Cellerino, N. A. see Carri, E. L. Chaubaud, A. see Blanc, G.

Chambers, R. see Rudzinska, M. A. Chandler, A. C. see Dias, E.

Chang, I. C. see Hunter III, G. W.

- 191.—Chang, N.-C. & Liu, F.-T. Failure of aureomycin in treatment of experimental leishmaniasis. Proc. Soc. exp. Biol. 77 1951 pp. 299-300.
- 192.—Chardez, D. Les Protozoaires. Rev. verviét. Hist. nat. 8 1951 pp. 26–32, 65–71, 74–80 figs.
- 193.—Chatton, E. & Blanc, G. Notes et réflexions sur le toxoplasme et la toxoplasmose du gondi (*Toxoplasma gundii* Ch. Nicolle et Manceaux 1909). [New impression of paper publ. in 1917.] Arch. Inst. Pasteur Maroc 4 1951 pp. 245-290.
- 194.—Chedid, L. & Boyer, F. Action du placenta dans l'infection expérimentale de la souris par Trypanosoma brucei. C.R. Acad. Sci., Paris 233 1951 pp. 443-445.
- 195.—Chen, T. -T. Conjugation in Paramecium bursaria. III. Nuclear changes in conjugation between double monsters and single animals, J. Morph. 88 1951 pp. 245-291 figs.
- 196.—Chen, T.-T. Conjugation in Paramecium bursaria. IV. Nuclear behavior in conjugation between old and young clones. J. Morph. 88 1951 pp. 293–359 figs.
- 197.—Chen, Y.-T. Investigations into the biology of *Peranema tricho-phorum* Stein. Abstr. Diss. Univ. Camb. 1949-50 [1951] pp. 44-45.
- 198.—Chesterman, C. C. Diagnosis of trypanosomiasis. Brit. med. J. ii 1951 p. 546.

Chieffi, G. see Bucco, G.

- 199.—Christen, R. Toxoplasmosis. (Revision de la literatura). Bol. Inform. Parasit. chilen. 6 1951 pp. 44-45.
- 200.—Christen, R., Agosin, M., Badinez, O., Pizarro, O., Neghme, A., Jarpa, A., Gasic, G. & Hoecker, G. Cortisona, Trypanosoma cruzi y tumores. 1.—Acción del Trypanosoma cruzi y del acetato de cortisona sobre un adenocarcinoma mamario trasplantable del ratón. Bol. Inform. Parasit. chilen. 6 1951 pp. 52-54. [English summary.]
- 201.—Christen, R., Agosin, M., Jarpa, A. & Atias, A. V. Ensayos de quimioterapia en la enfermedad de Chagas experimental. VI. Accion

sinergica de la quinina con el fosfato de pentaquina. Bol. Inform. Parasit. chilen. 6 1951 pp. 23-24. [English summary.]

Christen, R. see Agosin, M.

Christen, R. see Cariola, J.

Christen, R. see Jarpa, A.

Christen, R. see Neghme, A.

- 202.—Christiansen, M. & Siim, J. C. Toxoplasmosis in hares in Denmark. Lancet 260 1951 pp. 1201-1203 fig.
- 203.—[Christophers, R.] Charles Donovan, M.D., Lieutenant-Colonel, I.M.S. Brit. med. J. ii 1951 p. 1158.
- 204.—Cirillo, V. P. The utilization of various organic nitrogen compounds for the growth of *Chilomonas paramecium*. Proc. Amer. Soc. Protozool. 2 1951 p. 19.
- 205.—Girillo, V. P. & Danforth, W. The chemical purity and the effects of autoclaving asparagine, glutamine, and ornithine and their influence on the growth of *Chilomonas paramecium*. Proc. Amer. Soc. Protozool. 2 1951 pp. 19–20.
- 206.—Cizancourt, M. de. Grands Foraminifères du Paléocène de l'Eocène inférieur et de l'Eocène moyen du Venezuela. Mem. Soc. géol. Fr., Paléont. 64 1951 pp. 1–68 figs.
- 207.—Cizancourt, M. de. News—France [Foraminifera-Protozoa in general]. Micropaleontologist, N.Y. 5 (3) 1951 pp. 5–8.
- 208.—Clarke, E. de, Prendergast, K. L., Teichert, C., & Fairbridge, R. W. Permian succession and structure in the Northern part and the Irwin Basin, Western Australia. [Foraminifera]. J. Roy. Soc. W. Austr. 35 1951 pp. 31-84 figs.

Clausse, J. see Fabiani, G.

209.—Cleveland, L. R. Hormoneinduced sexual cycles of flagellates. VI. Gametogenesis, fertilization, meiosis, oöcysts, and gametocysts in Leptospironympha. J. Morph. 88 1951 pp. 199-243 figs.

- 210.—Cleveland, L. R. Hormone-induced sexual cycles of flagellates. VII. One-division meiosis and autogamy without cell division in *Urinympha*. J. Morph. 88 1951 pp. 385-439 figs.
- 211.—Cleveland, L. R. Photomicrographs of living cells during division. [Protozoa]. Proc. Amer. Soc. Protozool. 2 1951 p. 10.
- 212.—Cleveland, L. R. & Burke, jr., A. W. Effects of temperature on oxygen toxicity for the protozoa of Cryptocercus. Proc. Amer. Soc. Protozool. 2 1951 p. 12.
- 213.—Cloyd, W. J. & Jones, A. W. The adhesive function of the trichocysts of *Paramecium*. [Abstract]. J. Tenn. Acad. Sci. 26 1951 pp. 148-149.
- 214.—Coatney, G. R. The status of antimalarial drugs. H. Most (ed.), Parasitic infections in man. New York 1951 pp. 187–202.

Coatney, G. R. see Greenberg, J.

Coatney, G. R. see Mercado, T. I.

Coatney, G. R. see Trembley, H. L.

- 215.—Coffin, G. S. Active immunization of birds against malaria. J. infect. Dis. 89 1951 pp. 1-7 figs.
- 216.—Coffin, G. S. Passive immunization of birds against malaria. J. infect. Dis. 89 1951 pp: 8-15.
- 217.—Cole, B. A. The effects, in vitro, of certain antibiotics on the growth of *Trichomonas foetus*. Proc. helminth. Soc., Washington 17 1950 pp. 65–74.
- 218.—Colom, D. G. Micropaleontologia aplicada. Estudio del sondeoprofundo de Oliana (provincia de Lérida). [Foraminifera]. Bol. Inst. geol. Esp. 63 1951 pp. 167-218 figs.
- 219.—Colom, G. Sobre la extensión y importancia de las calizas con "Nannoconus" en el Apenino Central (Italia). Inst. geol. España, Libro Jubilar (1849-1949) 1 1951 pp. 99-112 figs.
- 220.—Colom, G. News-Spain [Foraminifera and Protozoa in general]. Micropaleontologist, N.Y. 5 (3) 1951 pp. 9-11.

221.—Colom, G. Globigerina "ratio".—La distribución y complejidad en los mares Terciaros alrededor de la Meseta Castellana. Publ. Inst. Biol. apl., Barcelona 9 1951 pp. 63-82 figs.

Conner, P. see Young, V. M. Cope, E. J. see Kasper, J. A.

222.—Corbett, J. J. Certain aspects of the lag phase in cultures of Chilomonas paramecium. Anat. Rec. 111 1951 p. 536.

223.—Corliss, J. O. Morphology and systematic status of pure culture strains in the Colpidium-Glaucoma - Leucophrys - Tetrahymena group. Proc. Amer. Soc. Protozool. 2 1951 p. 11.

224.—Corradetti, A. & Verolini, F. Relazioni tra *Plasmodium berghei* e cellule della serie rossa durante l'attacco primario nel ratto albino. Riv. Parassitol. 12 1951 pp. 69-84 figs.

Corrêa, M. O. A. see Meira, J. A.

225.—Corrias, —. & Bass, E. La déviation du complément dans le diagnostic de la trichomoniase bovine. Bull. Off. int. Epiz. 33 1950 pp. 402–405.

226.—Cosgrove, W. B. Growth of Chilomonas paramecium on simple organic compounds. Anat. Rec. 111 1951 pp. 486-487.

Costa, O. see Causey, O. R.

227.—Costa, O. R. da. Incidência de parasitos intestinais em quatro cidades da Amazônia. Rev. Serv. espec. Saúde Públ. 1 1947 pp. 203– 219. [English summary.].

228.—Costa, R. S. Parasitismo intestinal por protozoarios (amibas y flagelados) y su relacion con ciertas dermatosis. An. Inst. Hig. Montevideo 4 1950 pp. 17-47 figs.

229.—Covell, G. Malaria; its recognition, treatment, and prevention. Brit. med. J. ii 1951 pp. 1021–1025.

230.—Covell, G. & Nicol, W. D. Clinical chemotherapeutic and immunological studies on induced malaria. Brit. med. Bull. 8 1951 pp. 51-55.

Covell, G. see Shortt, H. E. Cowperthwaite, J. see Storm, J.

231.—Craig, C. F. Amebiasis and the complement-fixation test, U.S. Armed Forces med. J. 1 1950 pp. 1337–1342.

232.—Graig, C. F. & Faust, E. C. Clinical parasitology. 5th ed. London 1951 1032 pp., figs. [Including protozoa.]

233.—Cross, J. B. Diasone and promin as therapeutic agents in experimental toxoplasmosis. Proc. Soc. exp. Biol. 76 1951 pp. 548-551.

234.—Crouch, R. W. Nodosarella verneuili (D'Orbigny) from the Pliocene of the Los Angeles Basin. Contr. Cushman Fdn. 2 (1) 1951 pp. 9–10 figs.

Crowell, S. see Odell, T. T.

Crowther, A. F. see Carrington, H. C.

235.—Cuboni, E. La toxoplasmosi. Vie di propagazione—procedimenti diagnostici. Ann. Sanità pubbl., Roma 12 1951 pp. 3-12 fig. [French summary.]

236.—Culbertson, J. T. Immunological mechanisms in parasitic infections. [Including protozoal infections]. H. Most (ed.). Parasitic infections in man. New York 1051 pp. 19–36.

237.—Culwick, A. T., Fairbairn, H. & Culwick, R. E. The genetic relationship of the polymorphic trypanosomes and its practical implications. Ann. trop. Med. Parasit. 45 1951 pp. 11-29.

Culwick, R. E. see Culwick, A. T.

238.—Cushman, J. A. & Stainforth, R. M. Tertiary foraminifera of coastal Ecuador: Part 1. Eccene. J. Paleont. 25 1951 pp. 129-164 figs.

239.—Cvjetanović, V. The occurrence of canine leishmaniasis in the city and district of Dubrovnik and its relation to the human Kala-azar. Vet. Arh., Zagreb 20 1950 pp. 387-401 figs. [English summary.]

240.—Cvjetanović, V. Diagnostic value of formol gel test in canine leishmaniasis. Vet. Arh., Zagreb 21 1951 pp. 405-415 figs. [English summary.]

241.—Czekalowski, J. W., Dolby, D. E., Johnstone, K. I., La Touche, C. J. & McLeod, J. W. Observations on the destruction of bacteria by a soil amoeba. J. gen. Microbiol. 5 1951 pp. vii-viii.

242.—Daci, A. Etude paléontologique du Nummulitique entre Küçükçekmece et Çatalca I, et II. Rev. Fac. Sci. Univ. Istanbul. 16B (2-3) 1951 pp. 89-112, 207-245 figs.

243.—Dahl, E. A note on Amallocystis capillosus Fage, an Ellobiopsid parasite of Pasiphaea tarda Kröyer. Ark. Zool., Stockholm (2 Ser.) 1 1951 pp. 519-523 figs.

Daly, J. J. see Lilly, D. M.

244.—Dam, A. ten. Les Foraminifères de L'Albien des Pays-Bas. Mém. Soc. géol. Fr. Paléont., 63 1950 pp. 1-66 figs.

245.—Dam, A. ten. News-North Africa [Foraminifera]. Micropaleontologist, N.Y. 5 (1) 1951 pp. 14-15.

Danforth, W. see Cirillo, V. P.

Danforth, W. see Jahn, T. L.

- 246.—Daniels, E. W. Studies of the effects of X-irradiation upon Pelomyxa carolinensis with special reference to nuclear division and plasmotomy. J. exp. Zool., Philadelphia 117 1951 pp. 189-209 figs.
- 247.—Daniels, E. W. Effects of various experimental plasmogamy combinations on X-irradiated and nitrogen mustard (NH-2) treated *Pelomyxa carolinensis* amoebae. Proc. Amer. Soc. Protozool. 2 1951 pp. 9–10.

Darrow, E. M. see Gingrich, W. D. Das Gupta, N. N. see Sen Gupta, P. C.

Dass, C. M. S. see Seshachar, B. P.

- 248.—Daubney, R. & Said, M. S. Egyptian fever of cattle. The transmission of Theileria annulata (Dzchunkowsky & Luhz 1904) by Hyalomma excavatum, Koch, 1844, Parasitology 41 1951 pp. 249–260.
- 249.—Davey, D. G. L'antrycide. Résumé des renseignements. Bull. Off. int. Epiz. 34 1950 pp. 180–196.

250.—Davey, D. G. Chemotherapy of malaria. Brit. med. Bull. 8 1951 pp. 37-48.

Davey, D. G. see Carrington, H. C. David. A. see Jaswant Singh.

251.—Davis, A. G. Howchinia bradyana (Howchin) and its distribution in the Lower Carboniferous of England. Proc. Geol. Ass. London 62 1951 pp. 248-253 figs.

Davis, D. H. S. see De Meillon, B.

De, N. N. see Rama Rao, R.

De, N. N. see Srinivasan, V. R.

252.—Deane, L. M. Observações sôbre a malária na Amazônia brasileira. Rev. Serv. espec. Saúde Públ. 1 1947 pp. 3–60.

Deckert, K. see Günther, K.

- 253.—Deflandre, G. A propos des Eugléniens et de la structure des flagelles. Arch. Zool. exp. gén. 87 1950 (Notes et Revue), pp. 61-68 [Protistologica CVII].
- 254.—De Giusti, D. L. & Batten jr., P. J. Notes on Haemoproteus metchnikovi in turtles from Wisconsin, Michigan, and Louisiana. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 12.
- 255.—Delepine, G. Studies of the Devonian and Carboniferous of Western Europe and North Africa. [Foraminifera]. Proc. Geol. Ass. London 62 1951 pp. 140-166.
- 256.—Delpy, L. P. Recherches effectuées en Iran sur *Theileria annulata* Dschunkowsky et Luhz, et sa transmission dans les conditions naturelles ou expérimentales. Arch. Inst. Hessarek **6** 1949 pp. 48–57.
- 257.—De Meillon, B. Malariá survey of South West Africa. Bull, World Hlth. Organ. 4 1951 pp. 333– 417.
- 258.—De Meillon, B. & Davis, D. H. S. Human vector-borne diseases of Africa. [Malaria]. Afr. Region. Sci. Conf. 1949, Pretoria 2 [1950] pp. 296-300.

Demuylder, C. see Rodhain, J. Denham, R. L. see Steig, M. H.

259.—Denizot, G. Les anciens rivages de la Mediterranée Française. [Foraminifera]. Bull. Inst. océanogr. Monaco No. 992 1951 pp. 1-56 figs.

Depieds, R. see Ranque, J.

- 260.—Deschiens, R. La nutrition de l'amibe dysentérique. Biologie Méd. 39 1950 pp. 57-91 figs.
- 261.—Deschiens, R. & Lamy, L. L'amibiase dans les territoires de l'Union Française. Les relations avec l'amibiase métropolitaine. Bull. Soc. Path. exot. 44 1951 pp. 24-36.
- 262.—Deschiens, R. & Lamy, L. Infection expérimentale du lapin par Plasmodium berghei, Vincke et Lips, 1948. Bull. Soc. Path. exot. 44 1951 pp. 405-409 figs.
- 263.—Desio, A. Memorial—Alfredo Silvestri 1867-1950. Micropaleontologist, N.Y. 5 (4) 1951 pp. 41-42.
- **264.**—**Desio**, A. Alfredo Silvestri. Riv. Ital. Paleont., Milano **57** (1) 1951 pp. 29–30.

Desmonts, G. see Lelong, M.

265.—Desowitz, R. S. & Watson, H. J. C. Studies on Trypanosoma vivax I: Susceptibility of white rats to infection. Ann. trop. Med. Parasit. 45 1951 pp. 207-219.

Dewey, V. C. see Kidder, G. W.

- **266.**—**Dias,** E. Comments on Chagas' disease. Mem. Inst. Osw. Cruz **47** (3-4) [1951] pp. 679-692.
- 267.—Dias, E. Chagas' disease in the United States, J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 31.
- 268.—Dias, E. & Chandler, A. C. Human diseases transmitted by parasitic bugs. [Including Haemoflagellates]. Mem. Inst. Osw. Cruz 47 (3-4) [1951] pp. 403-441 figs.
- 269.—Dias, J. A. T. S. Hematozoários das aves. Duas novas espècies parasitas do "Pternistes afer swynnertoni" W. L. Sclater, 1921. [Leucocytozoon.] Moçambique No. 67 1951 pp. 71–92 figs. [English summary.]
- 270.—Dias, J. A. T. S. Duas novas espécies de tripanossomas parasitas da tartaruga "Pelusios sinuatus

- zuluensis" Hewitt, 1927. Moçambique No. **68** 1951 pp. 97–113 figs. [English summary.]
- 271.—Dickinson, E. M., Babcock, W. E. & Osebold, J. W. Coccidial immunity studies in chickens. I. Poultry Sci. 30 1951 pp. 76-80.
- 272.—Didkovski, B. A. [Microfauna of the Neogene Deposits in the Moldavian Soviet Republic]. [Foraminifera]. Dopovidy Acad. Sci. Ukrain. Rep. 2 1950 pp. 113-118. [In Ukrainian.]
- 273.—Dietz, C. & Hiltermann, A. Neuere geologische Beobachtungen am Lindener Kreide-einbruch in Hannover. [Foraminifera.] Jber. naturh. Ges. Hannover 99-101 1950-pp. 43-51 figs.
- 274.—Diller, W. F. The relationship of autogamy in single animals to conjugation in *Paramecium aurelia*. Anat. Rec. 111 1951 p. 474.

Dillon, R. see Manwell, R. D.

- 275.—Dobell, C. In memoriam Otto Bütschli (1848–1920), "Architect of Protozoology". Isis 42 1951 pp. 20–22 port.
- 276.—Dogiel, V. A. General protistology. Moscow, 1951 603 pp. 322 figs. [In Russian.]
 - Dolby, D. E. see Czekalowski, J. W.
- 277.—Doran, D. J. Studies on coccidiosis in the Kangaroo rats of Southern California. Proc. Amer. Soc. Protozool. 2 1951 p. 18.

Doucet, B. M. see Ewing, P. L. Dowell, L. B. see Gililland, J.

- 278.—Downing, W. L. Structure and morphogenesis of the cilia and the feeding apparatus in *Paramecium aurelia*. Proc. Amer. Soc. Protozool. 2 1951 pp. 14–15.
- 279.—Dragesco, J. Sur la structure des trichocystes du flagellé cryptomonadine *Chilomonas paramecium*. Bull. Microsc. appl. (2 ser.) 1 1951 pp. 172–175 figs.

Dragesco, J. see Blanc-Brude, R.

280.—Draper, C. & Wall, W. Plasmodium berghei gametocytes, exflagellation and ookinetes. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 4.

Drobeck, H. P. see Manwell, R. D.

- 281.—Drooger, C. W. Foraminifera from the Tertiary of Anguilla, St. Martin and Tintamarre (Leeward Islands, West Indies). Proc. K. ned. Akad. Wet. 54B (1) 1951 pp. 54-65 figs.
- 282.—Drooger, C. W. Upper Cretaceous Foraminifera of the Midden-Curação beds near Hato, Curação (N.W.I.). Proc. K. ned. Akad. Wet. 54B (1) 1951 pp. 66–72 figs.
- 283.—Drooger, C. W. Notes on some representatives of *Miogypsinella*. Proc. K. ned. Akad. Wet. **54B** (4) 1951 pp. 356–365 figs.
- 284.—Dubinina, M. N. [Parasitic fauna of Anser anser L. (including protozoa)]. Mag. Parasit., Moscow 10 1948 pp. 165–187 figs. [In Russian.]
- 285.—Dubinina, M. N. [Influence of hibernation on parasitic fauna of fishes in Volga delta. (Including protozoa)]. Mag. Parasit., Moscow 11 1949 pp. 104–125. [In Russian.]
- 286.—Dubinina, M. N. [Ecological studies on parasitic fauna of *Rana ridibunda* Pall. in Volga delta. (Including protozoa)]. Mag. Parasit., Moscow 12 1950 pp. 300–350 figs. [In Russian.]
- 287.—Dubinski, A. Y. [On Albian-Cenomanian continental deposits in the crust of the ancient acolation in the eastern part of the great Donbas and its southern adjacent territory]. [Foraminifera]. C.R. Acad. Sci. URSS. N.S. 81 (3) 1951 pp. 445-448. [In Russian.]
- 288.—Dubois, A. Le développement de la médecine expérimentale au Congo Belge. [Protozoal diseases] Rapp. Inst. Rech. Scient. Afr. Centr. 2 1949 [1951] pp. 82-147 figs.
- 289.—Duke, H. L. Diagnosis of trypanosomiasis. Brit. med. J. ii 1951 p. 675.
- 290.—Duplan, L. Sur l'âge du flysch de la bordure Sud de la chaîne calcaire de la Kabylie du Djurdjura (Algérie). [Foraminifera]. C.R. Acad. Sci., Paris 233 1951 pp. 70-72.

- 291.—Duran, M. Contribución al estudio de los tintínidos del planeton de las costas de Castellón (Mediterráneo occidental). Pub. Inst. Biol. apl. Barcelona 8 1951 pp. 101-120 figs. [English summary.]
- 292.—Durand, P. & Mathis, M. Sensibilité du hamster doré au Plasmodium berghei Vincke et Lips 1948. C.R. Soc. Biol., Paris 145 1951 pp. 29-31.
- 293.—Durbin, C. G. Attempts to transfer *Plasmodium berghei* Vincke and Lips to domesticated animals. Proc. helm. Soc., Wash. 18 1951 pp. 108-110.
- 294.—Dusenbury, A. N. News—Venezuela [Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 7–10.
- 295.—Du Toit, R., Graf, H. & Theiler, G. Parasitological investigations in relation to animal industry in the Union. [Protozoal diseases]. Afr. Region. Sci. Conf. 1949 Pretoria 2 [1950] pp. 252–257.
- 296.—Dzvelaya, M. F. [Pliocene stratigraphy of the Central Strip of the Kolkhidsk Lowland] [Foraminifera]. C.R. Acad. Sci. URSS. N.S. 81 (2) 1951 pp. 259-260. [In Russian.]

Echandi, C. A. see Trojos, A.

Edelman, M. H. see Spingarn, C. L.

- 297.—Edeson, J. F. B. & Field, J. W. Hepatocystis vassali in the Malayan squirrel. Trans. R. Soc. trop. Med. Hyg. 44 1951 p, 356.
- 298.—Edwards, E. C. The Los Angeles Region [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 35 (2) 1951 pp. 241–248 figs.
- 299.—Ehret, C. F. The effects of visible, ultraviolet, and X-irradiation on the mating reaction in *Paramecium bursaria*. Anat. Rec. 111 1951 p. 528.
- 300.—Einor, O. L. [Stratigraphy of the Permian in Transcaucasus]. [Foraminifera]. C.R. Acad. Sci., URSS. N.S. 78 (5) 1951 pp. 997–999. [In Russian.]

- 301.—Einor, O. L. [Vizeysk Strata of Armenia] [Foraminifera]. C.R. Acad. Sci. URSS. N.S. 78 (6) 1951 pp. 1195–1197. [In Russian.]
- 302.—Elkeles, G. On the life cycle of *Trypanosoma cruzi*. J. Parasit. 37 1951 pp. 379–386 figs.
- 303.—Elkins, J. C. Chagas disease and vectors in North Central Texas. Field & Lab. 19 (2) 1951 pp. 95–99.

El-Kordy, M. I. see Halawani, A.

- 304.—Elliott, A. M. & Hunter, R. L. Phosphatase activity in *Tetrahymena*. Biol. Bull. 100 1951 pp. 165-172 figs.
- 305.—Elliott, A. M. & Slater, J. V. Action of radiations on survival of *Tetrahymena*. Proc. Amer. Soc. Protozool. 2 1951 p. 8.

Elliott, A. M. see Gross, J. A. Elliott, A. M. see Slater, J. V.

306.—Ellis, B. F. A model of *Triticites*. Micropaleontologist, N.Y. **5** (3) 1951 p. 14 fig.

Elsdon-Dew, R. see Wilmot, A. J. Emerson, G. A. see Ewing, P. L.

- **307.**—Emiliani, C. On the species *Homotrema rubrum* (Lamarck). Contr. Cushman Fdn. 2 (4) 1951 pp. 143–147 figs.
- 308.—Emiliani, C. Notes on thin sectioning of smaller foraminifera. J. Paleont. 25 (4) 1951 pp. 531-532.
 Engel, F. see Andrescu, N.
- 309.—Engel, F.-M. Zum Schwimmproblem des Plankton. Mikrokosmos, Stuttgart 41 (3) 1951 pp. 57–60 figs.
- 310.—Enigk, K. Der Einfluss des Klimas auf das Auftreten der Pferdepiroplasmosen. Z. Tropenmed. 2 1951 pp. 401–410. [English summary.]

Epstein, B. see Robertis, E. de.

311.—Erk, A. S. News—Turkey [Foraminifera]. Micropaleontologist, N.Y. 5 (2) 1951 pp. 21-22.

Evans, F. C. see Holdenried, R. Evens, F. see Neujean, G.

312.—Ewing, P. L., Doucet, B. M. & Emerson, G. A. Effets des métabolites des carbohydrates sur l'infection à *Trypanosoma equiperdum* chez

- la souris. Arch. intern. Pharm., Ghent **86** 1951 pp. 371-378. [Non vid.]
- 313.—Eyles, D. E. Studies on Plasmodium gallinaceum I. Characteristics of the infection in the mosquito Aedes aegypti. Amer. J. Hyg. 54 1951 pp. 101-112 figs.
- 314.—Fabiani, G., Izzo, M. A. & Grellet, P. Réveil par la surrénalectomie d'infections sanguines latentes (à hématozoaires et à bartonelles) chez le rat blanc. C.R. Soc. Biol., Paris 145 1951 pp. 1301–1302.
- 315.—Fabiani, G., Jahier, H. & Fulchiron, G. Infection transcutanée des rats et souris nouveaunés par *Plasmodium berghei*. C.R. Soc. Biol., Paris 145 1951 pp. 1154-1155.
- **316.**—Fabiani, G., Jahier, H., Vargues, R. & Fulchiron, G. Réalisation du paludisme congénital chez le rat et la souris par traversée placentaire du *Plasmodium berghei*. C.R. Soc. Biol., Paris **145** 1951 pp. 1158–1159.
- 317.—Fabiani, G. & Vargues, R. Comportement des hématozaires de réinocculation dans le sang du rat guéri d'infection à *Plasmodium berghei*. C.R. Acad. Sci., Paris 233 1951 pp. 502-504.
- 318.—Fabiani, G. & Vargues, R. L'inoculation intrapéritonéale massive de *Plasmodium berghei* chez le rat blanc. C.R. Soc. Biol., Paris 145 1951 pp. 1523-1525.
- 319.—Fabiani, G., Vargues, R., Fulchiron, G. & Grellet, P. Etude des diverses voies d'inoculation expérimentales de *Plasmodium berghei* chez le rat blanc et la souris blanche. C.R. Soc. Biol., Paris 145 1951 pp. 1156–1157.
- 320.—Fabiani, G., Vargues, R., Fulchiron, G., Grellet, P. & Verain, A. Facteurs et signification de la période prépatente dans le paludisme expérimental à *Plasmodium berghei*. Bull. Soc. Path exot. 44 1951 pp. 580-591.

321.—Fabiani, G., Vargues, R., Grellett, P. & Clausse, J. Influence de la splénectomié sur des rats blancs spontanément guéris d'une infection expérimentale à *Plasmodium berghei*. C.R. Soc. Biol., Paris 145 1951, pp. 1131-1134.

Fabiani, G. see Vargues, R.

18

322.—Faiguenbaum, J. Requisitos para recoger en beunas condiciones una muestra coprologica para examen parasitologico. [Intestinal protozoa]. Bol. Inform. Parasit. chilen. 6 1951 pp. 27–28.

Fairbairn, H. see Culwick, A. T. Fairbridge, R. W. see Clarke, E. de. Fairley, N. H. see Shortt, H. E.

- 323.—Fallis, A. M. Life history of Leucocytozoon simondi Mathis and Leger in natural and experimental infections and blood changes produced in the avian host. Canad. J. Zool. 29 1951 pp. 305–328 figs.
- 324.—Fankhauser, R. Toxoplasmose auch beim Huhn. Schweiz. Arch. Tielheilk. 93 1951 pp. 823–828 figs.
- 325.—Fankhauser, R. Toxoplasmose beim Hunde. Schweiz. med. Wschr. 81 (14) 1951 pp. 336-338.
- 326.—Fauré-Fremiet, E. Morphologie comparée et systématique des Ciliés. Bull. Soc. zool. Fr. 75 1950 pp. 109–122.
- 327.—Fauré-Fremiet, E. Caulobactéries epizoiques associées aux Centrophorella (Ciliés Holotriches). Bull. Soc. zool. Fr. 75 1950 pp. 134– 137.
- 328.—Fauré-Fremiet, E. Une nouvelle Vorticellide libre, Telotrochidium johanninae n. sp. Bull. Soc. zool. Fr. 75 1950 pp. 148–150 fig.
- 329.—Fauré-Fremiet, E. Écologie des protistes littoraux. Année biol., Paris (3) 27 1951 pp. 437-447.
- 330.—Fauré-Fremiet, E. The marine sand-dwelling ciliates of Cape Cod. Biol. Bull. 100 1951 pp. 59-70 figs.
- **331.—Faust**, E. C. Charles Frankline Craig (1872–1950). An appreciation. Amer. J. trop. Med. **31** 1951 pp. 267–269.

332.—Faust, E. C. The history of malaria in the United States. Amer. Scientist. 39 (1) 1951 pp. 121-130.

Faust, E. C. see Craig. C. F. Faust, E. C. see Sadun, E. H. Felsenfeld, O. see Young, V. M.

- 333.—Feng, L. C. The rôle of the peritrophic membrane in leishmania and trypanosome infections of sandflies. Peking Nat. Hist. Bull. 19 1950-1951 pp. 327-334 figs.
- 334.—Fennell, R. A. The relation between growth substances, cytochemical properties of *Tetrahymena geleii*, and lesion induction in the chorioallantois. J. Elisha Mitchell Sci. Soc. 67 (2) 1951 pp. 219–229 figs.
- 335.—Fernandez-Galiano, D. Balantidium galianoi, una nueva especie parasita del intestino del gallipato (Molge (Pleurodeles) waltlii Michah.). Trab. Inst. Cienc. nat. Acosta (Biol.) 3 (3) 1951 pp. 111–158 figs.
- 336.—Feugueur, L. Sur l'Ypresien des bassins français et belge, et l'âge des Sables d'Aeltre. Bull. Soc. belge Géol. Pal. Hydr. 60 (2) 1951 pp. 216-242 figs.
- 337.—Field, J. W. The microscopic diagnosis of human malaria. Part 1. A short descriptive atlas of thick-film diagnosis. Stud. Inst. Med. Res., Fed. of Malaya No. 23 1948 116 pp. figs.

Field, J. W. see Edeson, J. F. B.

- 338.—Fiennes, E. A. Cryptic infections in cattle trypanosomiasis. A preliminary report. Intern. Sci. Cttee. Trypanos. Res., Works and Final Rept. 3rd Session at Bobo, Dioulasso, Upper Volta 1951. In Bur. Perman. Interafric. Tsé-tsé & Trypanosom., Léopoldville, Pt. 1, No. 155-0 1951 pp. 1-3.
- 339.—Fildes, Sir P. The evolution of microbiology (Leeuwenhock lecture). [Including protozoology.] Proc. Roy. Soc. (B) 138 1951 pp. 65-74.

Filer, M. K. see Baranger, P.

340.—Filipponi, A. Su una gregarina (Gregarina larvarum n. sp.) rinvenuta in larve di Blaps gibba ottenute da allevamento. Riv. Parassitol., Roma 12 1951 pp. 85-111 figs.

- 341.—Filipponi, A, Gli Stilocefalidi (Gregarinida) parassiti dei Tenebrioni del genere *Blaps* ed i metodi per il loro studio. Riv. Parassit., Roma 12 1951 pp. 155–161. [English summary.]
- 342.—Filipponi, A. Accrescimento differenziale nei trofozoiti di *Gregarina dimorpha* (Sporozoa). Riv. Parassit., Roma 12 1951 pp. 195-213 figs. [English summary.]
- **343.—F[indlay],** G. M. F. K. Kleine, M.D. Brit. Med. J. i **1951** pp. 954–955.
- 344.—Finley, H. E. Further observations on sexual differentiation in *Rhabdostyla vernalis*. Anat. Rec. 111 1951 pp. 526–527.
- 345.—Finley, H. E. Electron micrographs of *Spirostomum ambiguum*. Anat. Rec. 111 1951 p. 527.
- 346.—Finley, H. E. Further observations on sexual differentiation in *Rhabdostyla vernalis*. Proc. Amer. Soc. Protozool. 2 1951 p. 17.
- **347.—Finley**, H. E. Banner Bill Morgan, 1915–1950. (Necrology). Trans. Amer. micr. Soc. **70** 1951 p. 279.
- 348.—Fisher, O. D. Toxoplasma infection in English children. A survey with toxoplasmin intradermal antigen. Lancet, Nov. 17, 1951, pp. 904-906.

Fisken, R. A. see Gruhzit, O. M.

Fleming, P. J. see Lilly, D. M.

- 349.—Fletcher, L. I., Hodgkiss, W. & Shewan, J. M. The milkiness of Mauretanean Hake and its probable cause. [Myxosporidia]. Fishing News No. 2007 1951 p. 11 figs.
- 350.—Flick, E. W. An electrical response in *Homolozoon vermicularis*. Proc. Amer. Soc. Protozool. 2 1951 p. 14.
- 351.—Florent, —. Diagnostic de la trichomoniase du bétail. Bull. Off. int. Epiz. 33 1950 pp. 375-401.
- 352.—Florent, A. Le phénomène d'agglutination des trichomonas par le mucus vaginal—ou de mucoagglutination dans la trichomoniase du bétail. Ann. Méd. vét. Bruxelles 93 1949 pp. 19–29 figs.

353.—Fonseca, F. da. Plasmódio de primata do Brasil. Mem. Inst. Osw. Cruz **49** 1951 pp. 543–553 figs. [English summary.]

Fowler, J. C. see Ruchman, I.

- 354.—Franc, A. Le zooplancton de la région de Dinard-Saint Malo. Bull. Lab. marit. Dinard 34 1951 pp. 25-40.
- 355.—Franz, H. État de nos connaissances sur la microfaune du sol. Année biol., Paris (3) 27 1951 pp. 241-252.
- 356.—Frebold, H. Geologie des Barentsschelfes. [Foraminifera]. Abh. dtsch. Akad. Wiss. Kl. Math. allg. naturw. 1950 (5) [1951] pp. 1-151 figs.

Freytag, R. E. see Ritchie, L. S.

- 357.—Friedheim, E. A. H. Mel B in the treatment of tryparsamide resistant *T. gambiense* sleeping sickness: Observations on drug resistance in the trypanosomes of the French Cameroun. Amer. J. trop. Med. 31 1951 pp. 218–235.
- 358.—Fritz, W. Über die Möglichkeit einer Übertragung von Toxoplasma vom Hund auf den Menschen und über das Vorkommen des Erregers bei Tieren. Rev. suisse Zool. 58 1951 pp. 449–456.
- 359.—Frizzell, D. L. Notes on a volume of Terquem's "Mémoires" on Jurassic Foraminifera. Micropaleontologist, N.Y. 5 (1) 1951 pp. 22-23.
- 360.—Frye, W. W. Studies on growth and metabolism of *Endamoeba histolytica*. H. Most (ed.) Parasitic infections in man. New York 1951 pp. 76-89.

Fulchiron, G. see Fabiani, G.

Fulchiron, G. see Vargues, R.

- **361.**—Fulton, J. D. The metabolism of malaria parasites. Brit. med. Bull. **8** 1951 pp. 22–27 figs.
- 362.—Fulton, J. D., Joyner, L. P. & Price, I. N. O. Studies on protozoa. Part IV. A complement-fixation test for amoebiasis. J. trop. Med. Hyg. 54 1951 pp. 27-33.

- 363.—Fulton, J. D. —Niven, J. S. Studies on protozoa. Part III—Visceral leishmaniasis in the cotton rat (Sigmodon hispidus). Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 717–728 figs.
- **364.**—Gaffurini-Fenaroli, P. L'affioramento pliocenico di Villa d'Alme (Bergamo). Riv. Ital. Paleont. **57** (2) 1951 pp. 49–52.

Gaillard, J. A. see Giroud, P. Gaither, N. see Kimball, R. F.

- 365.—Galassi, D. Colorazione del *Trichomonas vitulae* da coltura in L.E.S. M. con il metodo Giemsa-Schmorl modificato. Boll. Soc. ital. Biol. sper. 27 1951 pp. 767-768.
- 366.—Galassi, D. Ciclo evolutivo del *Trichomonas vitulae* coltivato in L.E.S. M., eseguito su strisci colorati con il metodo Giemsa-Schmorl modificato. Boll. Soc. ital. Biol. sper. 27 1951 pp. 768–771.
- 367.—Galavis, S. F. Los organismos siliceos y sus posibles usos en metodos correlativos. [Radiolaria]. Bol. Geol. Venezuela 1 (3) 1951 pp. 313-324 figs.
- 368.—Galliard, H. & Boutet, R. Modifications de l'évolution et de la virulence d'une souche de *Trypanosoma cruzi* Chagas sous l'action de divers produits chimiothérapiques et antibiotiques. Ann. Parasit. hum. comp. 26 1951 pp. 5–18.
- 369.—Galliard, H. & Boutet, R. Effets de la chimiothérapie de l'infection à *Trypanosoma cruzi* Chagas chez les Réduvidés hématophages. C.R. Soc. Biol., Paris 145 1951 pp. 304–307.
- 370.—Galliard, H. & Lapierre, J. Infection à Plasmodium berghei sp. n. chez le rat blanc. Bull. Soc. Path. exot. 44 1951 pp. 185-194.
- 371.—Galliford, A. L. & Williams, E. G. Microscopic organisms of some brackish pools at Leasowe, Wirral, Cheshire. [Includes protozoa]. Northw. Nat. 23 (1-4) [1951] pp. 39-62 figs.

Galofre, E. J. see Morini, E. G. Galtsoff, P. S. see Landau, H.

- 372.—Gandolfi, R. Il lattorfiano del Monteccio di Costozza (Colli Berici), Parte seconda: I foraminiferi. Mem. Mus. Stor. nat. Verona 2 [1951] pp. 211–217.
- 373.—Garnham, P. C. C. Patterns of exoerythrocytic schizogony. Brit. med. Bull. 8 i 1951 pp. 10-15 figs.
- 374.—Garnham, P. C. C. An attempt to find the vectors of Hepatocystis (=Plasmodium) kochi (Levaditi and Schoen). Exp. Parasit. 1 (1) 1951 pp. 94-107 figs.
- 375.—Garnham, P. C. C. A new piroplasm from the rock hyrax. J. Parasit. 37 1951 pp. 528-532 figs.
- 376.—Garnham, P. C. C. 1. Bat malaria. Hepatocystis epomophori in East African fruit bats. 2. Exflagellating gametocytes. Trans. R. Soc. trop. Med. Hyg. 44 1951 p. 357.
- 377.—Garnham, P. C. C. Resemblances between "exo-erythrocytic" parasites of *Plasmodium elongatum* in the greenfinch and *P. berghei* in the rat. Trans. R. Soc trop. Med. Hyg. 45 1951 p. 2.
- 378.—Garnham, P. C. C. The mosquito transmission of *Plasmodium inui* Halberstaedter and Prowazek, and its pre-erythrocytic dedevelopment in the liver of the rhesus monkey. Trans. R. Soc. trop. Med. Hyg. **45** 1951 pp. 45–52 figs.
- Garnham, P. C. C. see Hoogstraal, H.

Garnham, P. C. C. see Shortt, H. E. Gasic, G. see Christen, R.

- 379.—Geckler, R. P. & Kimball, R. F. Effects of nitrogen mustard on cell division in *Paramecium*. Anat. Rec. 111 1951 pp. 523-524.
- 380.—Geddes, M. & Humphrey, G. F. Glycolysis in Paramecium caudatum. Austr. J. exp. Biol. med. Sci. 29 1951 pp. 187–193.
- 381.—Geiman, Q. M. The cultivation of malarial parasites. H. Most (ed.). Parasitic infections in man. New York 1951 pp. 130-149.

382.—Gelei, J. Die Morphogenese der Einzeller mit Rücksicht auf die morphogenetischen Prinzipien von Sewertzoff. Acta. Biol. Hung. 1 (1-4) 1950 pp. 69-134 figs.

Georges, G. see Bourrelly, P.

Gerebtzoff, M. A. see Rodhain, J.

383.—Ghosh, H., Ghosh., N. N. & Ray, J. C. Further studies on complement-fixation reaction in Kalazara with a specific antigen as an aid to diagnosis. Ann. Biochem. exp. Med. 9 1949 pp. 173-178.

Ghosh, N. N. see Ghosh, H.

- 384.—Ghosh, S. M. & Biswas, T. C. Occurrence of a trypanosome in *Triatoma rubrofasciatus* in Calcutta. Nature, London 167 1951 p. 35 fig.
- 385.—Giavarini, I. Sui flagellati dell'intestino tenue dell'Ape domestica. Boll. Zool. 17 Suppl. 1950: pp. 603-608 figs.
- 386.—Gibbs, A. J. Crithidia sandoni sp. nov., in Holopterna alata (Hemiptera). J. Parasit. 37 1951 pp. 587–595 figs.
- 387.—Gibbs, A. J. Leptomonas capsularis n. sp. and other flagellates parasitic in Cletus ochraceus (Hemiptera). Parasitology 41 1951 pp. 128–133 figs.
- 388.—Giese, A. C. Encystment in Stylonychia curvata. Anat. Rec. 111 1951 p. 586.
- 389.—Giese, A. C., Brandt, C. L. & Wells, P. H. Photoreactivation in Colpidium colpoda. Anat. Rec. 111 1951 p. 579.
- 390.—Gililland, J. & Dowell, L. B. Trypanosomes—a new locale. J. Parasit. 37 1951 pp. 328–329.

Gilmore, J. P. see Lilly, D. M.

- 391.—Gingrich, W. D. & Darrow, E. M. The effect of endochin on experimental toxoplasmosis. Amer. J. trop. Med. 31 1951 pp. 12-17.
- 392.—Giroud, P. & Gaillard, J. A. Culture des toxoplasmes dans le poumon de lapin. Bull. Soc. Path. exot. 44 1951 pp. 540-542 figs.

- 393.—Giroud, P. & Gaillard, J. A. Constatation morphologiques et anatomiques dans la toxoplasmose pulmonaire expérimentale du lapin. Bull. Soc. Path. exot. 44 1951 pp. 730-734 figs.
- 394.—Giroud, P. & Gaillard, J. A. Action comparée de la terramycine et de l'auréomycine sur les toxoplasmoses. C.R. Acad. Sci., Paris 232 1951 pp. 1457-1459.
- 395.—Glaessner, M. F. Three Foraminiferal Zones in the Tertiary of Australia. Geol. Mag., London 88 1951 pp. 273–283 figs.

Glantz, P. J. see Gordeuk jr., S. Gmid, L. P. see Grossgeïm, V. A.

- 396.—Gnezdilov, V. G. [Nematode and Protozoan invasion of the human intestine and the specific interrelation of the parasites]. Adv. Mod. Biol., Moscow 31 (2) 1951 pp. 287–299 [In Russian.]
- 397.—Goble, F. C. Studies on experimental Chagas' disease in mice in relation to chemotherapeutic testing. J. Parasit. 38 1951 pp. 408-414 fig.
- 398.—Götzinger, G. Neue Funde von Fossilen und Lebensspuren und die zonaue Gliederung des Wienerwald-Flysches. [Foraminifera]. Jb. geol. Bundes Anst. Festband 94 (2) 1951 pp. 223–272 figs.
- 399.—Goldring, W. Handbook of paleontology for beginners and amateurs. Part 1. The fossils. Handb. N.Y. St. Mus. 9 1950 pp. 1-594 figs.

Gonzales, F. Z. sec Jesus, Z. de.

400.—Gordeuk jr., S.. Bressler, G. O. & Glantz, P. J. The effect of age of bird and degree of exposure in the development of immunity to cecal coccidiosis in chicks. Poultry Sci. 30 1951 pp. 503-508.

Gordeuk jr., S. see Bressler, G. O. Graf, H. see Du Toit, R.

401.—Grassé, P. P. & Hollande, A. Recherches sur les symbiotes des Termites Hodotermitidae Nord-Africains. I. Le cycle évolutif des

- flagellés du genre Kirbynia.—II. Les Rhizonymphidae fam. nov.—III. Polymastigoides nouveau genre de Trichomonadidae. Ann. Sei. nat. (Zool.) (11) 13 1951 pp. 1–32 figs.
- 402.—Grassé, P. P. & Hollande, A. Cytologie et mitose des *Pseudotrichonympha* Grassi et Foá 1911. Ann. Sci. nat. (zool.) (11) 13 1951 pp. 237–246 2 pls.
- 403.—Grassé, P. P. & Hollande, A. La famille des Rhizonymphidae: un nouveau type de Flagellés symbiotiques termiticoles. C.R. Acad. Sci., Paris 232 1951 pp. 458–460.
- 404.—Gray, E. Stylonichia mytilus and the lunar periods. Nature, London 167 1951 p. 38.
- 405.—Gray, E. A. Bacteria and ciliate protozoa in a chalk stream. Abstr. Diss. Univ. Camb. 1949-50 [1951] pp. 30-31.

Gray, S. G. see Steig, M. H.

Green, F. D. see Sutliff, W. D.

- 406.—Greenberg, J. & Richeson, E. M. Effect of 2, 4-diamino-5-(p-chlorophenoxy) 6 methylpyrimidine and 2, 4-diamino-6, 7-diphenylpteridine on chloroguanide resistant strain of *Plasmodium gallinaceum*. Proc. Soc. exp. Biol. 77 1951 pp. 174-176.
- 407.—Greenberg, J., Taylor, D. J. & Josephson, E. S. Studies on Plasmodium gallinaceum in vitro. II. The effects of some 8-aminoquinolines against the erythrocytic parasites. J. infect. Dis. 88 1951 pp. 163-167.
- 408.—Greenberg, J., Trembley, H. L. & Coatney, G. R. Strain differences in *Plasmodium gallinaceum* Brumpt. IV. Experiences with the blood passage of the planerozoiteless M. strain. J. Nation. Malar. Soc. 10 1951 pp. 82–89.

Greenberg, J. see Taylor, D. J. Greenberg, J. see Trembley, H. L.

- 409.—Gregory, W. K. Evolution emerging: A survey of changing patterns from primeval life to man. 2 vols. N.Y. 1951.
- 410.—Grell, K. G. Die Paarungsreaktion von Stylonychia mytilus Müller. Z. Naturf., Tübingen 66 (1) 1951 pp. 45-47 fig.

Grellet, P. see Fabiani, G.

- 411.—Grimsdale, T. F. Hantkeninella Brönnimann, a synonym of Hautkenina Cushman (Foraminifera, Eocene). Ann. Mag. nat. Hist. (12) 4 1951 pp. 292–294 figs.
- 412.—Grittner, I. Zur Nahrungsauswahl der Infusorien, untersucht an Paramecium caudatum Erhb. und Stentor coeruleus Ehrb. Biol. Zbl. 70 1951 pp. 128-151 figs.
- 413.—Grittner, I. Die Nahrungswahl des Pantoffeltierchens Paramecium caudatum Ehrb. Mikrokosmos, Stuttgart 41 (3) 1951 pp. 62-65 figs.
- 414.—Groman, N. B. Dynamic aspects of the nitrogen metabolism of *Plasmodium gallinaceum in vivo* and *in vitro*. J. infect. Dis. 88 1951 pp. 126-150 figs.
- 415.—Grøntved, J. Trichophrya danae sp. nov., a suctorial protozoan from Greenland waters. Medd. Grønland 143 (8) 1951 pp. 13-21 figs.

Groot, A. A. de see Hoogenraad, H. R.

- 416.—Groot, H., Renjifo, S. & Uribe, C. Trypanosoma ariarii, n. sp., from man, found in Colombia. Amer. J. trop. Med. 31 1951 pp. 673-691 figs.
- 417.—Gross, J. A. The effect of chloromycetin on the metabolism of *Tetrahymena*. Proc. Amer. Soc. Protozool. 2 1951 p. 8.
- 418.—Gross, J. A. & Elliott, A. M. Growth response of *Tetrahymena* to two antihistamines. Proc. Amer. Soc. Protozool. 2 1951 p. 20.
- 419.—Grossgeim, V. A. & Gmid, L. P. [The stratigraphy of Maikop in Southern Dagestan]. [Foraminifera]. C.R. Acad. Sci. URSS. N.S. 81 (5) 1951 pp. 893–896. [In Russian.]
- 420.—Gruhzit, O. M. & Fisken, R. A. Chloromycetin in experimental Trypanosoma equiperdum infection in rats. Amer. J. trop. Med. 31 1951 pp. 236-237.
- **421.**—Günther, K. & Deckert, K. Wunderwelt der Tiefsee. Berlin 1950 pp. 1–240, figs. [Reference to Protozoa].

- 422.—Guilcher, Y. Sur quelques Acinétiens nouveaux ectoparasites de Copépodes Harpacticides. Arch. Zool. exp. gén. 87 1950 Notes & Rev. No. 1, pp. 24–30 figs.
- 423.—Guimarães, F. N. Experimental leishmaniasis. II. Behaviour of Leishmania brasiliensis Vianna, 1911 in hamsters (Cricetus auratus Waterhouse). Hospital, Rio de Jan. 40 1951 pp. 25-46 figs. [Portuguese with English summary].
- 424.—Guimarães, F. N. Leishmaniose experimental. III. (A) Comportamento da L. brasiliensis em camundongos (Mus musculus var. albina). (B) Infecções ligeiras em "cotton rats" (Sigmodon hispidus hispidus). (C) Animais refratarias. Hospital, Rio de Jan. 40 1951 pp. 153–162 fig. [Portuguese with English summary.]
- 425.—Guimarães, F. N. Leishmaniose experimental. IV. Reprodução em hamsters (*Cricetus auratus*) de uma leishmaniose cutânea nodulotumoral oriunda da Amazônia (Histoicitoma leishmaniotica). Hospital, Rio de Jan. 40 1951 pp. 665–676 figs. [Portuguese with English summary.]
- 426.—Guimarães, F. N. Leishmaniose experimental. V. Reprodução em camundongos (Mus musculus var. albina) de uma leishmaniose cutânea nodulo-tumoral (Histiocitoma leishmaniotica), ocorrendo na Amazônia. Hospital, Rio de Jan. 40 1951 pp. 919-931. [Portuguese with English summary.]
- 427.—Gunter, G. Mass mortality and dinoflagellate blooms in the Gulf of Mexico. Science, N.Y. 113 1951 pp. 250-251.
- 428.—Hadzi, J. Studien über Follikuliniden. Dela Slov. Akad. Zuan. Umet. Hist. nat. Med. 4 1951 pp. 1–391 figs.
- 429.—Hagn, H. Granat als Bestandteil von Sandschalergehäusen (Foraminiferen). N. Jahrb. Min. Geol. Paläont. Stuttgart. Monatsh. (10) 1950 pp. 305–307.

- 430.—Hagn, H. Das Alter der Konglomerate des Tratenbachs bei Lenggries (Bayr. Alpen). Ein Beitrag zur mikropaläontologie der Alpenrandzone. [Foraminifera]. N. Jahrb. Min. Geol. Paläont. Stuttgart. Monatsh. 4 1951 pp. 103–118.
- **431.**—**Haiba**, M. H. Giardiasis of the rat. Trans. R. Soc. trop. Med. Hyg. **44** 1951 pp. 360-361.
- 432.—Haiba, M. H. Reproduction of Giardia of the rat. Excystation of Giardia and cycle of encystment. Giardia felis of the domestic cat. Trans. R. Soc. trop. Med. Hyg. 45 1951 pp. 2-3.
- 433.—Halawani, A., Abdallah, A. & El-Kordy, M. I. Amoebiasis in Egypt: recent knowledge regarding its diagnosis, incidence and treatment with aureomycin. J. R. Egypt. med. Ass. 34 1951 pp. 97-104.

Hamilton, C. M. see Berg, L. R.

434.—Hansen, R. Estimation of protozoan population densities by nephelometry. Proc. Amer. Soc. Protozool. 2 1951 p. 16.

Hanson, H. C. see Levine, N. D.

435.—Harding, H. P. Infertility in cattle with special reference to trichomoniasis. I. The clinical aspect and diagnosis of trichomoniasis, with particular reference to the bull. Vet. Rec. 62 1950 pp. 539-540.

Harel, S. B. see Trager, W.

- 436.—Harnisch, O. Rhizopodenanalytische Studien an einigen Vogesenmooren. Arch. Hydrobiol., Stuttgart 45 1951 pp. 332–345.
- 437.—Harnisch, O. Daten zur Gestaltung der ökologischen Valenz der sphagnicolen Rhizopoden im Verlauf des Postglazials. Dtsch. Zool. Z. 1 1951 pp. 222–233.
- 438.—Hart, E. W., Paulley, J. W., Rivers, J. S. & Westlake, E. K. Toxoplasmosis. Arch. Middlesex Hosp. 1 1951 pp. 26-50 figs.

- 439.—Hartman, E. Some effects of carbon dioxide in the environment for the cultivation of parasitic protozoa. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 10.
- **440.**—**Hasle,** G. R. Phototactic vertical migration in marine dinoflagellates. Oikos **2** 1950 pp. 162–175 figs.
- 441.—Hawes, R. S. J. Notes on some protozoan parasites of Amphibia and Reptilia. *In Smith*, M. A. The British amphibians and reptiles, London (Collins) 1951 pp. 273–284 figs.
- 442.—Hawkes, L. The Erratics of the English Chalk. [Foraminifera and Radiolaria]. Proc. Geol. Ass., London 62 (4) 1951 pp. 257–268 figs.
- 443.—Hawking, F. Tissue culture of plasmodia. Brit. med. Bull. 8 1951 pp. 16-21 figs.
- 444.—Hawking, F. & Thurston, J. P. The persistance of metacyclic trypanosomes in the blood. J. trop. Med. Hyg. 54 1951 pp. 185–186.
- 445.—Hawking, F. & Thurston, J. P. A strain of monkey malaria (*Plasmodium cynomolgi*) made resistant to proguanil (paludrine). Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 695-701.

Heezen, B. C. see Northrop, J.

446.—Hegedüs, G. Daten zur geologischen Kenntnis des Pilis-Gebirges. [Foraminifera]. Jber. ung. geol. Anst. 2 1945–47 [1951] pp. 173–190. [German and Russian summaries.]

Helmcke, J.-G. see Borchert, R.

447.—Hemming, F. Zoological nomenclature: Notice of proposed suspension of rules in certain cases for avoidance of confusion and the validation of current nomenclatorial practice (A. (n.s.) 9). [Entamoeba]. Science 114 1951 p. 449.

Henderson, E. see Seneca, H.

448.—Hentschel, E. Untersuchungen über das Plankton des Bornholmbeckens. Ber. deutsch. wiss. Kom. Meeresforsch. (N.F.) 12 1951 pp. 215-315 figs.

- 449.—Herman, C. M. Blood parasites from California ducks and geese. J. Parasit. 37 1951 pp. 280–282.
- 450.—Herman, C. M. & Sayama, K. Further notes on Selenomonas from Californian mammals. Trans. Amer. micr. Soc. 70 1951 pp. 185-187.

Hermet, J. P. see Blanc-Brude, R.

451.—Heuschmann, O. Fischkrankheiten und Fischparasiten. Mikrokosmos **40** (11) 1951 pp. 259–264 figs.

Hiernaux-L'Hoëst, D. see Riel, J. van.

Hiernaux-L'Hoëst, J. see Riel, J. van.

- 452.—Hilbert, K. F. Renal coccidiosis in a goose on Long Island. Cornell Vet. 41 1951 pp. 54-55.
- 453.—Hill, W. C. O. Report of the Society's prosector for the year 1950. 7. Diseases due to animal parasites. [Including protozoa]. Proc. zool. Soc. London 121 1951 pp. 641-650.
- 454.—Hillmann, H. Sulfonamid-Fluorbehandlung und Trichomoniasisproblem. Z. Tropenmed. 3 1951 pp. 180–191. [English summary.]
- 455.—Hilly, J. & Sigal, J. Sur la présence du Sénonien supérieur dans la région d'Herbillon,—Cap de Fer. (Départment de Constantine, Algérie). [Foraminifera]. C. R. Seances Soc. géol. Fr. 2 1951 pp. 26–28.

Hiltermann, A. see Dietz, C.

- 456.—Hiltermann, H. News—Germany [Foraminifera]. Micropaleontologist, N.Y. 5 (2) 1951 pp. 5-11.
- 457.—Hitchcock, D. J. Parasitological study of the Eskimos in the Kotzebue area of Alaska. J. Parasit. 37 1951 pp. 309-311.
- 458.—Hiwatashi, K. Studies on the conjugation of Paramecium caudatum. IV. Conjugating behaviour of individuals of two mating types marked by a vital staining method. Sci. Rep. Tôhoku Univ. (4) 19 (1) 1951 pp. 95-99.

- **459.**—[**Hoare**, C. A.] Protozoa *versus* mankind. Brit. med. J. ii **1951** pp. 1137–1138.
- **460.—H[oare]**, C. A. Emile Brumpt, M.D., D.Sc. Brit. med. J. ii **1951** pp. 1159–1160.
- **461.**—**Hoare**, C. A. Emile Brumpt, 1877–1951. (Obituary). Trans. R. Soc. trop. Med. Hyg. **45** 1951 pp. 397–398 portrait.

Hodgkiss, W. see Fletcher, L. I. Hoecker, G. see Christen, R.

- **462.**—**Hofker**, J. The Toothplate Foraminifera. Arch. néerland. Zool. **8** (4) 1951 pp. 353–373 figs.
- 463.—Hofker, J. Recent Peneroplidae. Part I (continued). J.R. Micr. Soc. III 71 (2) 1951 pp. 223– 239 figs.
- **464.**—**Hofker,** J. Recent Peneroplidae. Part II. J. R. Micr. Soc. III **71** (3) 1951 pp. 342-356 figs.
- 465.—Hofker, J. On Foraminifera from the Dutch Cretaceous. Publ. natuurh. Genoot. Limburg 4 1951 pp. 1-40 figs.
- **466.**—**Hofker,** J. Pores of Foraminifera. Micropaleontologist, N.Y. **5** (4) 1951 p. 38.
- 467.—Hofker, J. The Foraminifera of the Siboga Expedition: Part III. Ordo Dentata, sub-ordines Protoforminata, Biforminata, Deuteroforminata. Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Hogg, J. F. see Wu, C.

468.—Holdenried, R., Evans, F. C. & Longanecker, D. S. Host-parasite-disease relationships in a mammalian community in the central coast range of California. [Trypanosomes]. Ecol. Monogr. 21 (1) 1951 pp. 1-18 figs.

Hollande, A. see Grassé, P. P.

Hollande, G. see Muraour, P.

469.—Holstein, M. H. Note sur l'épidémiologie du paludisme en Afrique Occidentale Française. Bull. World Hlth Organ. 4 1951 pp. 463–473. [English summary.]

Holter. H. see Andrescu, N.

470.—**Holz** *jr.*, G. G. Organic acids as carbon sources for *Chilomonas* paramecium. Proc. Amer. Soc. Protozool. **2** 1951 pp. 8-9.

- **471.**—**Holz** *jr.*, G. G. Observations on vitamins of the B-complex and *Chilomonas paramecium*. Proc. Amer. Soc. Protozool. **2** 1951 p. 9.
- 472.—Holz, J. Eine Studie über die Möglichkeit der Invasion von Protozoen in die Peritonealhöhle von Goldhamstern unter Versuchsbedingungen. Z. Parasitenk. 15 1951 pp. 155–158.
- 473.—Honigberg, B. M. Structure of Tritrichomonas batrachorum (Perty). Proc. Amer. Soc. Protozool. 2 1951 p. 2.
- 474.—Honigberg, B. M. Structure and morphogenesis of *Trichomonas prowazeki* Alexeieff and *Trichomonas brumpti* Alexeieff. Univ. California Publ. Zool. 55 (5) 1951 pp. 337–394 figs.
- 475.—Hoogenraad, H. R. Die fossilien Rhizopoden der Torfstreu. Biol. Zbl., Leipzig 70 1951 pp. 113-119.
- 476.—Hoogenraad, H. R. & Groot, A. A. de. Thekamoebe Moosrhizopoden aus Südamerika. Arch. Hydrobiol., Stuttgart 45 1951 pp. 346-366 figs.
- 477.—Hoogstraal, H. & Garnham, P. C. C. A new piroplasm from the rock hyrax (*Heterohyrax syriacus*) of the Southern Sudan. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 2.

Hoover, L. see Snaveley, P. D.

- 478.—Hornibrook, N. de B. News —New Zealand [Foraminifera]. Micropaleontologist, N.Y. 5 (1) 1951 pp. 17–21.
- 479.—Hornibrook, N. de B. Memorial Harold John Finlay, 1901–1951. Micropaleontologist, N.Y. 5 (3) 1951 pp. 16–17.
- 480.—Hornibrook, N. de B. Permian Fusulinid Foraminitera from the North Auckland Peninsula, New Zealand. Trans. Roy. Soc. N.Z. 79 1951 pp. 319-321 figs.
- 481.—Horvath, J. Contributions to studies on the soil protozoa of the Ciliata group, with special regard to their adaptation to soil conditions. Arch. biol. Hung. 19 1951 pp. 151–162.

482.—Houwinck, A. L. An E. M. study of the flagellum of Euglena gracilis. Proc. ned. Akad. Wet. 540 (2) 1951 pp. 132-137 figs.

Houwink, A. L. see Kraneveld, F. C.

- 483.—Hrenoff, A. K. Treatment of monkey amebiasis with terramycin. J. Parasit. 37 1951 pp. 329-330.
- 484.—Hrenoff, A. K. & Nakamura, M. In vitro and in vivo strains of a new antibiotic, fumagillin, with Endamoeba histolytica. Proc. Soc. exp. Biol. 77 1951 pp. 162-164.
- 485.—Huddleston, M. S. Effects of nutrients on *Tetrahymena geleii* W. populations. Physiol. Zoöl., Chicago 24 1951 pp. 141–155 figs.
- 486.—Hüsing, J. O. Beobachtungen über die Verteilung der verschiedenen Malariaerreger in Griechenland nebst Betrachtungen über die kriegsbedingte Malarialage in Deutschland nach 1945. Mitt. Mus. Naturk. Magdeb. 3 (6) 1951 pp. 37-47.
- 487.—Huff, C. G. The significance of new findings in the life cycle of malarial parasites. H. Most (ed.). Parasitic infections in man. New York 1951 pp. 9-18.
- 488.—Huff, C. G. Observations on the pre-erythrocytic stages of Plasmodium relictum, Plasmodium cathemerium and Plasmodium gallinaceum in various birds. J. infect. Dis. 88 1951 pp. 17-26.

Humphrey, G. F. see Geddes, M.

- 489.—Hunter III, G. W., Ritchie, L. S., Chang, I. C., Kobayashi, H., Rolph jr., W. D., Mason, H. C. & Szewczak, J. Parasitological studies in the Far East. VII. An epidemiological survey of Southern Korea. Japan Logistical Command Bull. No. 2 1951 pp. 1-19.
- 490.—Hunter III, G. W., Ritchie, L. S., Nagano, K. & Ishii, N. Parasitological studies in the Far East, II. An epidemiological survey in Fukui Prefecture, Honshu, Japan. Jap. med. J. 3 1951 pp. 359-364.
- 491.—Hunter III, G. W., Ritchie, L. S. & Pan, C. An epidemiologic survey on Shikoku Island, Japan. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 17.

492.—Hunter III, G. W., Ritchie, L. S., Pan, C. & Lin, S. Parasitological studies in the Far East. XI. An epidemiological survey of Okinawa, Ryukyu Islands. Japan Logistical Command Bull. No. 3 1951 pp. 1–29.

Hunter III, G. W. see Ritchie, L. S.

493.—Hunter, N. W. Cytochemical demonstration of some enzymes of *Opalina carolinensis* Metcalf. Proc. Amer. Soc. Protozool. 2 1951 pp. 15–16.

Hunter, R. L. see Elliott, A. M.

- 494.—Hussey, K. M. Two Lower Claiborne index fossils. Contr. Cushman Fdn. 2 (1) 1951 pp. 19–20 figs.
- 495.—Hussey, K. M. & West, G. D. Some variations within a species as shown by *Loxostomum gemmum*. Contr. Cushman Fdn. 2 (1) 1951 p. 19 figs.
- 496.—Hutner, S. H. & Provasoli, L. The Phytoflagellates. A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 27-128.

Hutner, S. H. see Storm, J.

Ilin, V. D. see Boyarinova, L. A.

- 497.—Inoki, S. Studies on the exoerythrocytic schizogony of the malaria parasite. Exoerythrocytic forms of the Formosan monkey malaria parasite, *Plasmodium inui* var. cyclopis. Med. J. Osaka Univ. 2 1951 pp. 45-53 figs.
- 498.—Inoki, S. Studies on the excerythrocytic schizogony of the malarial parasite. Excerythrocytic forms of the bird malarial parasites. Med. J. Osaka Univ. 2 1951 pp. 407–419 figs.
- 499.—Inoki, S., Okuno, Y. & Aoyama, A. On the length of the asexual life cycle of *Plasmodium inui* var. cyclopis. Med. J. Osaka Univ. 2 1951 pp. 37-43 figs.
- 500.—Inoue, H. & Nakaseko, K. Foraminifera of the Miocene Sakuma formation, Japan. (Microbiostratigraphic study of the Cainozoic Strata of Japan, Series II). J. Geol. Soc. Japan 57 (664) 1951 pp. 7-11 figs.

501.—Iriarte, D. R. Estadística de exámenes coprológicos practicados en el "Laboratorio de la Clínica Luis Razetti "durante los años: 1935-1949. [Intestinal protozoa], Bol. Lab. Clin. Razetti **16** 1951 pp. 419-438.

Ishii, N. see Hunter III, G. W.

502.—Ishii, Y. On the ulcer formation in the caecum at the site of experimental injection of *Entamoeba histolytica*. Kitasato Arch. exp. Med. 24 1951 pp. 235–238.

Izzo, M. A. see Fabiani, G.

503.—Jacob, K. & Sastri, V. V. The occurrence of Austrotrillina in the Quilon Limestone, South India Sci. & Culture, Calcutta 16 (7) 1951 326-327 figs.

504.—Jacob, K. & Sastri, V. V. Tertiary foraminifera from Sawi Bay, Car Nicobar Islands. Sci. & Culture, Calcutta 17 (4) 1951 pp. 181–182.

505.—Jacobs, B. & Shortt, H. E. 1. Plasmodium relictum in the English Blackbird. Blood and brain smears and sections showing exoerythrocytic schizogony. 2. Haemoproteus in the Yellow Hammer. Blood film and lung section showing schizogony. Trans. R. Soc. Trop. Med. Hyg. 44 1951 p. 356.

506.—Jacobs, L., Jones, F. E. & Melton, M. L. The survival of *Toxoplasma gondii* in various fluids. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 18.

Jacobson, W. see Stock, C. C. Jahier, H. see Fabiani, G.

507.—Jahn, T. L. & Danforth, W. Inhibition of growth of a Phyto-flagellate by antihistamines. Proc. Amer. Soc. Protozool. 2 1951 p. 4.

Jakowska, S. see Padnos, M.

508.—Jarpa, A., Agosin, M., Christen, R. & Atias, A. V. Ensayos de quimioterapia de la enfermedad de Chagas experimental. Bol. Inform. Parasit. chilen. 6 1951 pp. 25-27. [English summary.]

509.—Jarpa, A., Christen, R., Agosin, M. & Pizzi, T. Quimioterapia de la enfermedad de Chagas experimental. Biologica, Santiago Nos. 12-13 1951 pp. 117-142. [English summary.]

Jarpa, A. see Agosin, M. Jarpa, A. see Christen, R. Jarpa, A. see Neghme, A.

510.—Jaswant-Singh, Nair, C. P. & David, A. Five years' observation on the incidence of blood protozoa in House sparrows (*Passer domesticus* Linnaeus) and in pigeons (*Columba livia* Gmelin) in Delhi. Indian J. Malariol. 5 1951 pp. 229–233.

511.—Jeffrey, G. M. Observations on a gametocyteless strain of *Plasmodium falciparum*. J. Nation. Malaria Soc. 10 1951 pp. 337-344 fig.

512.—Jesus, Z. de, Cabrera, D. J. & Gonzales, F. Z. Studies on the control of surra. II. The pig as probable reservoir host of surra trypanosome. Natural. appl. Sci. Bull. 9 (3-4) 1949 pp. 341-354.

Jirovec, O. see Peter, R.

513.—Jörg, E. Die tertiaren Sedimente des Limberges bei Sasbach am Kaiserstahl [Foraminifera]. N. Jahrb. Min. Geol. Paläont. Stuttgart Monatsh. 10 1951 pp. 289–304.

514.—Johnson, J. H. Permian Calcareous Algae from the Apache Mountains, Texas [Foraminifera]. J. Paleont. 25 (1) 1951 pp. 21-30 figs. Johnstone, K. I. see Czekalowski, J. W.

515.—Joliet, C. Contributions à l'étude du peuplement de l'Yzeron du Grand-Moulin a Francheville. II—La faune de l'Yzeron. [General Protozoa]. Bull. Soc. Linn. Lyon 20 (5) 1951 pp. 104—111 figs.

Jones, A. W. see Cloyd, W. J.

516.—Jones, E. E. Encystment, excystment, and the nuclear cycle in the ciliate *Dileptus anser*. J. Elisha Mitchell Sci. Soc. 67 (2) 1951 pp. 205-217.

Jones, F. E. see Jacobs, L. Josephson, E. S. see Greenberg, J. Josephson, E. S. see Taylor, D. J. Joyner, L. P. see Fulton, J. D. 517.—Kahler, F. Über die Bruchfestigkeit einiger Typen von Fusulinidenschalen. SitzBer. öst. Akad. Wiss. Abt. I 160 1951 pp. 377–386 figs.

Kajahn, E. see Otten, E.

- 518.—Kanai, M. & Watanabe, I. Haplosporid Protozoa Polycaryum ozakii n. sp. from Branchinella kugenumaensis Ishikawa. J. Sci. Hiroshima Univ. (Zool.) 12 1951 pp. 147–151 figs.
- 519.—Kasper, J. A., Cope, E. J., Lyon, M. & White, M. Report on the results of examinations for intestinal parasites. [Including protozoa]. Amer. J. publ. Hlth. 40 1950 pp. 1385-1397.

Kassel, R. see Kopac, M. J.

- **520.**—Katashima, R. Studies on the budding in *Ptychostomum filiferum* (Ciliata). J. Sci. Hiroshima Univ. (Zool.) **12** 1951 pp. 141–145 figs.
- 521.—Katz, M. Two new hemoflagellates (genus *Cryptobia*) from some western Washington teleosts, J. Parasit, 37 1951 pp. 245-250 figs,
- 522.—Kaudewitz, H. Zur Einführung in die Mikroskopie: Die Fixierung von Material für Übersichtspräparate. Mikrokosmos, Stuttgart 41 (3) 1951 pp. 69–71.

Kawahata, H. see Tokura, N.

523.—Kay, A. N. A note on intestinal organisms of cattle found in tannery soak waters. [Ciliates]. J. Amer. Leather Chem. Ass. 46 1951 pp. 549-549 fig.

Keidel, H. J. W. see Kraneveld, F. C.

- 524.—Kepnor, W. A. Food reactions of amebas and the manipulation of nematocysts of *Hydra* by *Microstomum*. Science, N.Y. 114 1951 pp. 556-557.
- 525.—Kessel, J. F. & Thompson, C. F. Survival of *Trichomonas* vaginals in vaginal discharge. Proc. Soc. exp. Biol. 74 1950 pp. 755–758.
- 526.—Kharin, H. H. [The mass multiplication of the aquatic animals in connection with a change of environmental factors] [Protozoageneral]. J. Gen. Biol., Moscow 12 (2) 1951 pp. 135–147. [In Russian.]

- 527.—Khvorova, I. V. [Foraminiferal bioherms in the reef massifs of the Ishimbaev Pre-Ural.] C.R. Acad. Sci. URSS. N.S. 78 (6) 1951 pp. 1193-4. [In Russian.]
- **528.**—Kidder, G. W. Nutrition and metabolism of protozoa. Ann. Rev. Microbiol. **5** 1951 pp. 139-156.
- 529.—Kidder, G. W. & Dewey, V. C. The biochemistry of ciliates in pure cultures. A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 323–400.
- 530.—Kidder, G. W., Dewey, V. C. & Parks, R. E. Studies on the inorganic requirements of *Tetrahymena*. Physiol. Zoöl. 24 1951 pp. 69-75 figs.
- 531.—Kikuth, W. 25 Jahre Chemotherapie der Malaria. Zbl. Bakt. (I. Orig.) 157 1951 pp. 13-25.
- 532.—Kimball, R. F. & Gaither, N. Modification of the action of X-rays upon Paramecium aurelia. Genetics, Menasha 36 (5) 1951 p. 558.

Kimball, R. F. see Geckler, R. P.

- 533.—King, R. L. Origin and position of the excretory pores in *Paramecium aurelia*. Froc. Amer. Soc. Protozool. 2 1951 p. 12.
- **534.**—**Kirby,** H. Materials and methods in the study of protozoa. Univ. California Press—Cambridge Univ. Press **1950** x+72 pp.
- 535.—Kirby, H. Observations on the trichomonad flagellate of the reproductive organs of cattle. J. Parasit. 37 1951 pp. 445-459 figs.

Kitazaki U. see Suzuki, K.

- 536.—Kitching, J. A. The physiology of contractile vacuoles. VII. Osmotic relations in a suctorian, with special reference to the mechanism of control of vacuolar output. J. exp. Biol. 28 (2) 1951 pp. 203-214 figs.
- 537.—Kleinschmidt, A. Ueber den Feinbau von Trypanosomen. [I]. Z. Tropenmed. 2 1951 pp. 507-512 figs. [English summary.]
- 538.—Kleinschmidt, A. Elektronenoptische Untersuchungen an Trypanosomen. (Autoreferat). Zbl. Bakt. (I. Orig.) 157 1951 p. 42.

- 539.—Kleinschmidt, A. & Schleich, F. Ueber den Feinbau von Trypanosomen. II. Geisseluntersuchungen. Z. Tropenmed. 3 1951 pp. 42–46 figs. [English summary.]
- **540.**—Klotter, H.-E. Eine Wasserblüte von *Peridinium pusillum* (Penard) Lemmermann. Arch. Hydrobiol., Stuttgart Suppl. **20** 1951 pp. 144-156 figs.
- 541.—Knight-Jones, E. W. & Walne, P. R. Chromulina pusilla Butcher, a dominant member of the ultraplankton. Nature, London 167 1951 pp. 445-446.
- **542.**—Knights, A. J. Micropalaeontological technique. Geol. Mag., London **88** 1951 p. 150.
- **543.**—Knipscheer, H. C. G. News —Germany. [Mainly Foraminifera]. Micropaleontologist, N.Y. **5** (4) 1951 pp. 17–19.
- **544.**—Knox, G. A. A rock bottom fauna from 80 fathoms off Banks Peninsula. [Foraminifera]. Rec. Canterbury (N.Z.) Mus. **6** (1) 1951 pp. 41-51.
- Kobayashi, H. see Hunter III, G. W.
- 545.—Kochansky-Devidé, V. Sur la presence de genre Globotruncana dans les calcaires de environs de Bor en Serbie Orientale. Ann. géol. Pén. balkan., Belgrade 19 1951 pp. 113-117 figs. [French summary.]
- **546.**—**Koike,** K. Some *Lepidocyclina* from Japan (11). J. Geol. Soc. Japan **57** (666) 1951 pp. 87–93 figs.
- **547.—Kolb,** A. Wie beschafft man sieh Ciliaten? Mikrokosmos, Stuttgart **40** (12) 1951 pp. 280–282 figs.
- **548.**—Kopac, M. J. Probable ultrastructures involved in cell division. Ann. N.Y. Acad. Sci. **51** 1951 pp. 1541–1546 figs.
- 549.—Kopac, M. J. & Kassel, R. Changes in the cytoplasmic proteins of Amoeba proteus and of Pelomyxa carolinensis following cytolysis. Anat. Rec. 111 1951 pp. 534-535.

- 550.—Kortzenshstein, B. H. [New data on the stratigraphy of the Upper Chalk deposits of the Odessa Region]. [Foraminifera]. C.R. Acad. Sci. URSS N.S. 78 (1) 1951 pp. 113–115. [In Russian.]
- 551.—Kortzenshtein, B. H. [Some new data on the stratigraphy of the Palaeogene deposits in the western pre-Black Sea territory]. [Foraminifera]. C.R. Acad. Sci. URSS N.S. 78 (6) 1951 pp. 1191-1192. [In Russian.]
- 552.—Kraneveld, F. C., Houwink, A. L. & Keidel, H. J. W. Electron microscopical investigations on trypanosomes. I. Some preliminary data regarding the structure of Trypanosoma evansi. Proc. Kon. Nederl. Akad. Wetensch. (Ser. C.) 54 1951 pp. 393–399 figs.
- 553.—Kraneveld, F. C. & Mansjoer, M. Onderzoekingen over bloedparasieten. IV. Trypanosomen bij de kip in Indonesië. Hemera Zoa 58 1951 pp. 136-145 fig. [English summary].
- 554.—Kraneveld, F. C. & Mansjoer, M. Onderzoekingen over bloed-parasieten. V. Een Haemoproteus en een Trypanosoma bij Paradijsvogels. Hemera Zoa 58 1951 pp. 406-414. [English summary.]
- 555.—Krasheninnikow, S. The silver-line system and the variability of *Chitodonella cyprini* Moroff. Proc. Amer. Soc. Protozool. 2 1951 pp. 16-17.

Krueger, K. K. see Preheim, M.

- 556.—Kruszynski, J. A microchemical study of *Plasmodium gallinaceum* by microincineration. Ann. trop. Med. Parasit. 45 1951 pp. 85–91 figs.
- **557.**—**Kudo**, R. R. Observations on *Pelomyxa illinoisensis*, J. Morph. **88** 1951 pp. 145–183 figs.
- 558.—Kuhl, W. Vorweisung von zwei Mikrozeitraffer-Filmen über Actinosphaerium eichhorni Ehrbg. Verh. Deutsch. zool. Ges. 1950 pp. 357–359.

- 559.—Kuhl, W. Mikrodynamische Untersuchungen an der lebenden Zelle von Actinosphaerium eichhorni Ehrbg., unter Änderung des Zeitmomentes. Protoplasma, Leipzig 40 (3-4) 1951 pp. 555-613 figs.
- 560.—Kuper, S. W. A. & Pelc, S. R. Autoradiographs of sections of Aedes aegypti with oocysts of Plasmodium gallinaceum. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 3.
- **561.**—Kurian, C. V. The presence of Operculina granulosa (Leymerie)—Foraminifera in the coastal waters of Travancore. Current Sci. **20** (12) 1951 p. 335.
- 562.—Laird, M. Plasmodium lygosomae n. sp., a parasite of a New Zealand skirk, Lygosoma moco (Gray, 1839). J. Parasit. 37 1951 pp. 183–189 figs.
- 563.—Laird, M. Notes on a small collection of blood smears obtained from amphibians and reptiles in Maryland during the spring of 1950. [Trypanosome]. J. Parasit. 37 1951 pp. 323-324.
- 564.—Laird, M. Studies on the trypanosomes of New Zealand fish. Proc. zool. Soc. London 121 1951 pp. 285–309 figs.
- **565.—Laird,** M. Artefacts from blood smears. [Protozoal and other contaminants]. Zool. Publ. Vict. Univ. N.Z. **16** 1951 pp. 1–5 figs.
- 566.—Laird, M. A contribution to the study of Fijian Haematozoa, with descriptions of a new species from each of the genera *Haemogregarina* and *Microfilaria*. Zool. Publ. Vict. Univ. Coll. 10 1951 pp. 1–15 figs.
- **567.—Laird,** M. Blood parasites of mammals in New Zealand. Zool. Publ. Vict. Univ. Coll. **9** 1951 pp. 1–14 figs.
- 568.—Lalicker, C. G. Pealerina, new name, replacing Ellisina Lalicker J. Paleont. 25 (2) 1951 p. 237.
- 569.—Lampio, T. Kokkidioosi pääskyjen joukkokuoleman syynä. [Coccidiosis]. Luonnon Tutk. 54 (4) 1950 pp. 123–125 figs. [In Finnish.]
 - Lamy, H. see Lamy, L.

- 570.—Lamy, L. La culture pure des amibes parasites. J. Méd. Bordeaux 128 1951 pp. 253–256.
- 571.—Lamy, L. & Lamy, H. Déterminisme de la zygose chez *Balantidium coli*, en culture. Action de la température. C.R. Soc. Biol., Paris 145 1951 pp. 994–996.
 - Lamy, L. see Deschiens, R.
- 572.—Landau, H. & Galtsoff, P. S. Distribution of Nematopsis infection on the oyster grounds of the Chesapeake Bay and in other waters of the Atlantic and Gulf states. Texas J. Sci. 3 (1) 1951 pp. 115-130 figs.
- 573.—Landram, J. F. Notes on the internal parasites of deer in Wyoming. [Coccidia]. J. Colo.-Wyo. Acad. Sci. 4 (3) 1951 p. 81.
- 574.—Landram, J. F. Internal parasites of the mule deer (Odocoileus hemionus subspecies), in Wyoming. [Coccidia]. Univ. Wyo. Publ. 16 (1-4) 1951 p. 154.
- 575.—Lang, A. J. & Smedes, H. W. Preparation of large size thin sections. [Foraminifera]. Amer. J. Sci. 249 1951 pp. 676–682.
- 576.—Languillon, J. Note sur la présence de *Triatoma rubrofasciata* en Guadeloupe et son infection naturelle par *Trypanosoma conorrhini*. Bull. Soc. Path. exot. **44** 1951 pp. 316–317.
- **577.—Lapage,** G. Parasite animals. Cambridge (University Press) **1951**, xxi+351 pp. figs. [Including protozoa.]

Lapierre, J. see Galliard, H.

Larsh, jr., J. E. see Mackie, T. T.

- La Touche, C. J. see Czekalowski, J. W.
- 578.—Launoy, L. Métabolisme des glucides dans les trypanosomes, consequences thérapeutiques de cette étude. R. Hazard: Actualités pharmacol. 2 sér. 1950. [Abstr. in Bull. Bur. Perman. Interafric. Tsétsé & Trypanosom., Léopoldville 2. (No. 301) 1951 pp. 15–18.]

- 579.—Launoy, L. Etude de l'action thérapeutique curative du diamidino-diphénozypentane sur l'infection expérimentale à Tr. gambiense du rat. I. Rapport entre l'age de l'infection et la dose thérapeutique curative. Bull. Soc. Path. exot. 44 1951 pp. 591-602.
- **580.—Lavier**, G. Maurice Neveu-Lemaire (1872–1951). Ann. Parasitol. hum. comp. **26** 1951 pp. 271– 273 portrait.
- **581.—Lavier,** G. La toxoplasmose, J. Méd. Bordeaux **128** Num. spéc. 1951 pp. 198–204.
- **582.—Lavier,** G. Emile Brumpt (1877–1951). Presse Méd. **59** 1951 pp. 1297–1298 portr.

Lawless, D. K. see Sapero, J. D.

Lawlis, jr., J. E. see McCowen, M. C. Leal, R. A. see Amaral, A. D. F.

- 583.—Le Calvez, J. Déréglement du métabolisme ferrugineux chez les foraminifères. Vie et Milieu 2 1951 pp. 335–337.
- 584.—Le Calvez, J. & Le Calvez, Y. Contribution a l'étude des Foraminifères des eaux saumâtres. I. Etangs de Canet et de Salses. Vie et Milieu 2 1951 pp. 237–254 figs.

Le Calvez, Y. see Le Calvez, J.

585.—Leclercq, M. La malaria. Nat. Amat. 3 (3-4) 1946 pp. 35-38.

Le Hir, A. see Bailenger, J.

Lehmann, F. E. see Bairati, A.

Leitão, J. L. da S. see Marques, M. F.

Leite, G. see Pellegrino, J.

- 586. Lejeune Carpentier, M. L'étude microscopique des silex Gymnodinium et Phanerodinium (Dinoflagellates) de Belgique (Treizieme note). Ann. Soc. géol. Belg. 74 (7-10) 1951 pp. B307-313 figs.
- 587.—Lelong, M. & Desmonts, G. L'emploi du microscope à contraste de phase dans la réaction de Sabin-Feldman. [Toxoplasma]. C.R. Soc. Biol., Paris 145 1951 pp. 1660-1661.

Lenaerts, A. see Mols, A.

- 588.—Lengerová Kučerová, A Cell volume of Glaucoma piriformis. as a function of hydrogen ion concentration in the medium. Mém. Soc. Zool. tchécosl. 14 1951 pp. 207–228 figs.
- 589.—Le Sourd, F. Le Professeur Emile Brumpt (1877–1951). Gaz. Hôpit. Aug. 1951 p. 385.
- **590.—Levaditi,** C. La phase exoérythrocytaire des hématozoaires du paludisme. Rev. Paludisme Méd. trop. **9** 1951 pp. 121–138 figs.

Levi, A. A. see Carrington, H. C.

- 591.—Levine, N. D. Tyzzeria and Eimeria from the Canada goose. Proc. Amer. Soc. Protozool. 2 1951 p. 17.
- 592.—Levine, N. D. & Hanson, H. C. Blood parasites of the Canada goose. [Haemosporidia]. Proc. Amer. Soc. Protozool. 2 1951 p. 17.
- **593.—Levinson**, S. A. The Triebel technique for staining Ostracodes. [Foraminifera]. Micropaleontologist, N.Y. **5** (2) 1951 p. 27.
- **594.—Lewin,** R. A. Isolation of sexual strains of *Chlamydomonas*. J. gen. Microbiol. **5** 1951 pp. 926–929.
- 595.—Lewis, W. H. Locomotion of *Chaos chaos*, the giant amoeba. Science, N.Y. 113 1951 p. 473.
- 596.—Lilly, D. M., Bulda, F. E. & Daly, J. J. Chromatographic studies of growth factors for carnivorous ciliates. Anat. Rec. 111 1951 p. 528.
- 597.—Lilly, D. M., Fleming, P. J., Pedagno, C. F. & Gilmore, J. P. Comparative studies on the nutrition, growth and reproduction of suctorian protozoa. Anat. Rec. 111 1951 p. 478.

Lin. S. see Hunter III, G. W.

- 598.—Lipparini, T. Foraminiferi dell' Oligocene nel "Flysch" di Cortona (Arezzo). Boll. Serv. geol. Ital. 71 1947-49 [1951] pp. 149-154 figs.
- 599.—Lipparini, T. Contribuzioni del Laboratorio di Micropaleontologia del Servizio Geologico d'Italia: Contribuzione Prima—Foraminiferi de Calabriano in Argille nel Sottosuolo di Castel Fusano (Lido di Roma). Boll. Serv. geol. Ital. 12 1950 [1951] pp. 47-48.

R.

- 600.—Lipparini, T. Contribuzioni del Laboratorio di Micropaleontologia del Servizio Geologico d'Italia. Contribuzione Seconda—Foraminiferi Oligocenici negli Argilloscisti rossi ("Red Beds") di S. Arcangelo di Lucania. Boll. Serv. geol. Italia 72 1950 [1951] p. 49.
- 601.—Lipparini, T. Contribuzioni del Laboratorio di Micropaleontologia del Servizio Geologica d'Italia: Contribuzione Terza.—Foraminiferi del Miocene Inferiore in Marne Grigie di Trabia Miniere (Sicilia). Boll. Serv. geol. Ital. 72 1950 [1951] p. 51.
- 602.—Little, P. A. & Oleson, J. J. The cultivation of *Trypanosoma cruzi*. J. Bact. 61 1951 pp. 709–714.
- 603.—Little, P. A., Oleson, J. J. & Schaeffer, J. M. Growth-promoting effect of aureomycin on Stylonychia pustulata, Paramecium caudatum, and Paramecium bursaria. Proc. Amer. Soc. Protozool. 2 1951 p. 10.
- 604.—Little, P. A., Oleson, J. J. & Williams, J. H. Growth studies on Polytomella agilis. Proc. Soc. exp. Biol. 78 1951 pp. 510-513 figs.

Liu, F.-T. see Chang, N.-C.

- 605.—Loeblich, A. R. Coiling in the Heterohelicidae. Contr. Cushman Fnd. 2 (3) 1951 pp. 106-110 figs.
- 606.—Loeblich, jr., A. R. The Cushman collection of foraminifera. J. Paleont. 25 (2) 1951 p. 227.
- 607.—Loeblich, A. R. & Tappan, H. [Foraminifera Supplement in] Lozo, F. E. Stratigraphic notes on the Maness (Comanche Cretaceous) shale. Fondren Sci. Ser. 4 1951 pp. 65-92 figs.
- 608.—Loefer, J. B. Chloromycetin and growth of certain Protozoa. Physiol. Zoöl. 24 1951 pp. 155-163 figs.
- 609.—Loefer, J. B. Some observations on the size of *Tetrahymena*. Proc. Amer. Soc. Protozool. 2 1951 pp. 2-3.
- 610.—Loefer, J. B. Growth-inhibition of protozoa with bacitracin. Proc. Amer. Soc. Protozool. 2 1951 p. 6.

- 611.—Loefer, J. B. & Matney, T. S. Growth-inhibition of freeliving protozoa by actidione. Proc. Amer. Soc. Protozool. 2 1951 pp. 6-7
 - Loefer, J. B. see Blumberg, A. J. Longanecker, D. S. see Holdenried,

Loufrani, G. see Mandoul, R.

- 612.—Løvtrup, S. & Pigoú, A. Diffusion and active transport of water in the amoeba *Chaos chaos* L. C.R. Lab. Carlsberg, Copenh. Ser. Chim. 28 (1) 1951 pp. 1–36 figs.
- 613.—Lüdicke, M. & Fiekarski, G. Cytologische Studien an den Gametozyten von *Plasmodium immaculatum* (Welch, 1897). Verh. Dtsch. zool. Ges. 1950 [1951] pp. 161–165 figs.
- 614.—Luttermoser, G. W. & Phillips, B. P. Some effects of cultural associates on the infectivity of a strain of *Endamoeba histolytica*. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 32.
- 615.—Lwoff, A. Introduction to biochemistry of Protozoa. A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 1-26.
- 616.—Lwoff, M. The nutrition of parasitic flagellates (Trypanosomidae, Trichomonadinae). A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 129–176.
- 617.—Lwoff, M. Nutrition of parasitic amoebae. A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 235–250.

Lyon, M. see Kasper, J. A.

- 618.—Lysenko, M. G. Concerning salicylate inhibition of ablastic activity in *Trypanosoma lewisi* infection. J. Parasit. 37 1951 pp. 535-544 fig.
- 619.—Lysenko, M. G. Protein analyses of sera from rats with Trypanosoma lewisi infection and sodium salicylate treatment. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 13.

620.—MacArthur, W. A brief story of English malaria. Brit. med. Bull. 8 1951 pp. 76-79.

McCashland, B. W. see Pace, D. M.

621.—McConnachie, E. W. Latent infections in avian malaria in relation to the production of drug-resistance. Parasitology 41 1951 pp. 110-116.

McConnachie, E. W. see Bishop, A.

- 622.—McCowen, M. C., Callender, M. E. & Lawlis jr., J. F. Fumagillin (H-3), a new antibiotic with amebicidal properties. Science 113 1951 pp. 202-203.
- 623.—McCowen, M. C., Maynard, C. R. & Callender, M. E. The cultivation of *Trypanosoma cruzi* in egy yolk infusion medium. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 26.

McCoy, J. E. see Tsuchiya, H.

- **624.**—Macdonald, G. Community aspects of immunity to malaria. Brit, med. Bull. **8** 1951 pp. 33–37.
- 625.—McFadzean, J. A. Morphological changes in *Plasmodium cynomolgi* following proguanil, sulphadiazine, and mepacrine therapy. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 707–716 figs.

McGeachin, R. L. see Cantrell, W. F.

- 626.—McGhee, R. B. The adaptation of the avian malaria parasite Plasmodium lophurae to a continuous existence in infant mice. J. infect. Dis. 88 1951 pp. 86-97 figs.
- 627.—McGowan, D. Diagnosis of trypanosomiasis. Brit. med. J. ii 1951 pp. 546-547.

McIlroy, M. B. see Cates, J. E.

- 628.—McKee, R. W. Biochemistry of *Plasmodium* and the influence of antimalarials. A. Lwoff (ed.). Biochemistry and physiology of Protozoa. New York 1 1951 pp. 251–322 fig.
- **629.**—**McKee**, R. W. Biochemistry and metabolism of malarial parasites. H. Most (ed.). Parasitic infections in man. New York **1951** pp. 114-129.

Mackie, J. W. see Mackie, T. T. Vol. 88

630.—Mackie, T. T., Larsh, jr., J. E. & Mackie, J. W. A survey of intestinal parasitic infections in the Dominican Republic. Amer. J. trop. Med. 31 1951 pp. 825-832.

631.—McLaughlin, K. P. & Simons, M. E. Upper Paleozoic microfossils from Stevens County, Washington. J. Paleont. 25 (4) 1951 pp. 514-519 figs.

632.—McLean, J. D. Comparison microscope—a tool with unique possibility [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 35 (1) 1951 pp. 96–101 figs.

633.—McLean, J. D. Paleocene Foraminifera from the Atlantic Coastal Plain. Contr. Cushman Fdn. 2 (1) 1951 pp. 20–29 figs.

634.—McLean, jr., J. D. Cibicides or Eponides cocoaensis Cushman. J. Paleont. 25 (4) 1951 pp. 534-535.

McLeod, J. W. see Czekalowski, J. W.

635.—McMurray, C. M. & Cayer, D. An evaluation of findings in *Giardia* infestation. Amer. J. digest. Dis. 18 1951 pp. 90–92.

636.—McNair, A. H. Paleozoic stratigraphy of part of Northwestern Arizona. [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 35 1951 pp. 503-541.

637.—McRary, W. L. Hemoglobin in the nutrition of *Trypanosoma cruzi*. Anat. Rec. 111 1951 p. 531.

McTavish, W. B. see Savage, H.

- 638.—MacVicar, D. G. Extraction of fossils by heat. [Foraminifera]. Micropaleontologist, N.Y. 5 (3) 1951 p. 15.
- 639.—Macgraith, B. The physiological approach to the problems of malaria. Brit. med. Bull. 8 1951 pp. 28-32.

Maillot, L. see Roubaud, E.

640.—Majzon, L. Recent data to the geology of the territory between Szilvásvárad and Csernely, Jber. ung. geol. Anst. 2 1945–47 [1951] pp. 99–109. [English and Russian summaries.] 641.—Majzon, L. Foraminifera investigations in the deep-boring laboratory. Jber. ung. geol. Anst. 2 1945-47 [1951] pp. 329-337. [English summary.]

Makstenieks, O. see Verlinde, J. D.

- 642.—Malakhova, N. P. [Foraminifera in the coal-bearing strata in the Western slopes of the Northern and Central Urals]. C.R. Acad. Sci. URSS N.S. 81 (6) 1951 pp. 1117–1120. [In Russian.]
- 643.—Malkin, D. S. News— United States; Gulf Coast Region [Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 3-4.
- 644.—Mandoul, R. & Loufrani, G. Recherches sur la fréquence de la leishmaniose générale du chien à Alger. J. Méd. Bordeaux 128 1951 pp. 266-267.

Manier, J. F. see Tuzet, O.

645.—Manjrekar, S. L. Trypanosomiasis in goats—a preliminary note. Indian vet. J. 27 1950 pp. 103-104.

Mansjoer, M. see Kraneveld, F. C.

- 646.—Manson-Bahr, P. Recent research in malaria. Introduction. Brit. med. Bull. 8 1951 pp. 1-5.
- 647.—Manson-Bahr, P. Some contributions of zoology to medical science. [Malaria]. S. East. Nat. 56 1951 pp. 46-55.

Mantel, N. see Tobie, J. E.

- 648.—Manwell, R. D. Excerythrocytic schizogony in *Plasmodium hexamerium*. Amer. J. Hyg. 53 1951 pp. 244-248 figs.
- 649.—Manwell, R. D. Leucocytozoa and other blood parasites of the purple grackle, *Quiscalus quiscala quiscala*, J. Parasit. 37 1951 pp. 301-306 figs.
- 650.—Manwell, R. D. Excerythrocytic stages in *Plasmodium hexamerium*. J. Parasit. 37 1951 pp. 319–320.
- 651.—Manwell, R. D. Acute malaria in a Canada jay of the High Rockies. J. Parasit. 37 1951 p. 322.

- 652.—Manwell, R. D. & Drobeck, H. P. Mammalian toxoplasmosis in birds. Exp. Parasit. 1 (1) 1951 pp. 83-93.
- 653.—Manwell, R. D., Drobeck, H. P. & Dillon, R. Mammalian Toxoplasma in avian and other hosts. Proc. Amer. Soc. Protozool. 2 1951 pp. 17-18.
- 654.—Margalef, R. Plancton recognido por los Laboratorios Costeros, III—Fitoplancton de las costas de Castellón durante el año 1950. Pub. Inst. Biol. apl., Barcelona 9 1951 pp. 49-62 figs. [English summary.]
- 655.—Mariani, G. Sull'infezione sperimentale da toxoplasma e su un protozoo di incerta classificazione. Nota preventiva. Ann. Sanità publ., Roma 12 1951 pp. 13–17 figs.
- 656.—Marienberg, G. Kälte-Agglutinine bei Trypanosomiasis und Malaria. Z. Tropenmed. 3 1951 pp. 33-41. [English summary].

Marks, J. G. see Page, B. M.

- 657.—Marks, P. A revision of the smaller Foraminifera from the Miocene of the Vienna Basin. Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.
- 658.—Marks, P. Arenonionella, a new arenaceous genus of Foraminifera from the Miocene of Algeria. Proc. K. ned. Akad. Wet. 54B (4) 1951 pp. 375-378 figs.
- 659.—Marques, M. F. & Leitão, J. L. da S. Piroplasmose canina em Portugal. An. Inst. Med. trop., Lisbon 8 1951 pp. 167–170 figs. [English summary.]
- 660.—Marshall, J. J. Vertebrate ecology of Arno Atoll, Marshall Islands. Scientific investigations in Micronesia. [Human parasitic protozoa]. Atoll Res. Bull. 3-4 1951 pp. 1-38 figs.
- 661.—Martinis, B. Nuovo contributo alla conoscenza del Pliocene del sottosuolo di Albino (Bergamo) [Foraminifera]. Riv. Ital. Paleont. 57 (2) 1951 pp. 35-48.

Maryon, M. see Shute, P. J.

662.—Maslakova, N. I. & Muratov, M. V. [Stratigraphy of the Palaeogene deposits in the Eastern Carpathians] [Foraminifera]. C.R. Acad. Sci., URSS N.S. 81 (3) 1951 pp. 449-452. [In Russian.]

Maslakova, N. I. see Muratov, M. V.

Mason, H. C. see Hunter III, G. W.

663.—Masson, F. M. & Oxford, A. E. Relative availabilities of various soluble carbohydrates for starch production by ciliated protozoa of the sheep's rumen. J. gen. Microbiol. 5 1951 p. iii.

664.—Masson, F. M. & Oxford, A. E. The action of the ciliates of the sheep's rumen upon various watersoluble carbohydrates, including polysaccharides. J. gen. Microbiol. 5 1951 pp. 664-672.

Mathis, M. see Durand, P.

Matney, T. S. see Loefer, J. B.

665.—Matthes, D. Opercularia reifi D. Matthes auf einem Tardigraden aus Erlenmulm. Zool. Anz. 146 1951 pp. 135–136.

666.—May, J. M. Map of the distribution of malaria vectors. Geogr. Rev. 41 (4) 1951 pp. 638-639 map.

667.—Mayer, M. Eine praktische Paramecienfalle. Mikrokosmos, Stuttgart 40 (7) 1951 pp. 176–177 figs.

Maynard, C. R. see McCowen, M. C.

Mehlman, B. see Brand, T. von.

668.—Meinecke, G. Genetische Zusammenhange zwischen Amöbenund Bakterien-formen. Mikroskopie 6 (11–12) 1951 pp. 357–362 figs.

669.—Meira, J. A. & Corrêa, M. O. A. Isosporose humana: considerações sôbre 28 casos. Rev. Inst. A. Lutz 10 1951 pp. 117-140 figs. [English summary.]

Mellentin, R. W. see Stabler, R. M. Melton, M. L. see Jacobs, L.

670.—Mercado, T. I. & Coatney, G. R. The course of the blood-induced *Plasmodium berghei* infection in white rats. J. Nation. Malaria Soc. 10 1951 pp. 359-365 figs.

671.—Mercado, T. I. & Coatney, G. R. The course of the blood-induced *Plasmodium berghei* infection in white mice. J. Parasit. 37 1951 pp. 479-482.

672.—Mercado, T. I. & Coatney, G. R. The course of blood-induced Plasmodium berghei infection in white rats. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 12.

673.—Metz, C. B. & Butterfield, W. Action of various enzymes on the mating type substances of *Paramecium calkinsi*. Biol. Bull. 101 1951 pp. 99-105.

674.—Middelhoek, A. A propos de quelques espèces du genre Trachelomonas Ehrbg. et du genre Strombomonas Defl. trouvées aux Pays Bas. Hydrobiologia 3 (3) 1951 pp. 228–243 figs.

Miklukho-Maklaï, A. D. see Vistelius, A. B.

675.—Millares, J. B. Parasitología animal de Gran Canarià. Medicamenta, Madrid 9 1951 pp. 124-125.

676.—Miller, C. D. & Saxe, —. Studies on the host-specificity of the enteric protozoa of rodents. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 10.

677.—Miller, M. J. Entamoeba terrapinae infections in snakes. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 30.

678.—Milovanovic, B. Senonska transgresija u okolini Beograda [Transgression sénonienne aux environs de Belgrade]. [Foraminifera]. Bull. Serv. géol. Yougosl. 9 1951 pp. 5-22. [French summary.]

679.—Minieri, V. La terrazza della Starza nei Campi Flegrei. [Foraminifera]. R.C. Accad. Napoli (4) 17 1950 pp. 201–212 figs. °

680.—Mohammed, A. H. H. Protozoan blood parasites of Egyptian birds. 1. Trypanosoma sp. of the house-sparrow, Egyptian form, Passer domesticus niloticus (Bone marrow smear). 2. Haemoproteus from the little bittern and barn owl. 3. Plasmodium vaughani from the house-sparrow, Egyptian form, Passer

- domesticus niloticus and the hawfinch Coccothraustes c. coccothraustes. 4. Leucocytozoon sp. from the honey buzzard, Pernis apivorus. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 359-360.
- 681.—Mohi-Ud-Din, A. & Rahim, A. Abnormal forms of *Plasmodium vivax*. Pakistan J. Health 1 1951 pp. 9-15 figs.
- 682.—Mok, F. F. Transmission of *Plasmodium relictum* Grassi & Feletti by *Anopheles freeborni* Aitken. Science 113 1951 p. 485.
- 683.—Møller, T. Case of fatal toxoplasmosis in dog. Nord. Vet.-Med. 3 1951 pp. 1073-1093. [Danish with English summary.]
- 684.—Mols, A. & Lenaerts, A. Quelques observations faites à Elisabethville sur la trypanosomiase des porcs causée par le *Trypanosoma simiae*. Bull. Agric. Congo Belge 41 1950 pp. 427-436 figs.
 - Mondolfo, A. A. de see Romaña, C.
- 685.—Monnet, A. & Baylet, R. Aperçus sur l'état humoral des trypanosomés. Méd. trop. 10 1950 pp. 1062–1067.
- 686.—Montézin, G. & Schneider, J. Amibiase expérimentale du rat (4º note). Exaltation de la virulence par passage direct de rat à rat. Bull. Soc. Path. exot. 44 1951 pp. 298-301 figs.

Montézin, G. see Schneider, J.

- 687.—Moore, E. N. & Brown, J. A. A new coccidium pathogenic for turkeys, *Eimeria adenoeides* n. sp. (Protozoa: Eimeriidae). Cornell Vet. 41 1951 pp. 124-135 figs.
- 688.—Moore, R. C. Memorial—Helen Jeanne Plummer 1891–1951. Micropaleontologist, N.Y. 5 (2) 1951 pp. 28–30.
- 689.—Morales, E. Plancton recognido por los Laboratorios Costeros, II—Plancton de Blanes desde octubre de 1949 basta junio de 1950. Pub. Inst. Biol. apl. Barcelona 8 1951 pp. 121–125.

Morard, J. C. see Bond, C.-A.

690.—Mordojovich, C. News—Chile [Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 10-12.

- 691.—Moretti, A. Notizie geologiehe e morfologiehe sul gruppo del Gran Sasso d'Italia. [Foraminifera]. Boll. Serv. geol. Ital. 71 1947-49 [1951] pp. 77-111.
- 692.—Moriggi, M. Protozoa ciliata parasitica. Riv. Biol. Colon. 10 1950 pp. 103-134 fig.
- 693.—Morini, E. G., Galofre, E. J. & Bergue, C. E. de. Primera comprabación de Eimeria meleagridis. Tyzzer, 1927, en la República Argentina. Rev. Fac. Agron. Vet., B. Aires 13 1951 pp. 108-113 figs. [English Summary.]
- 694.—Morton, T. C., Neal, R. A. & Sage, M. Indigenous amoebiasis in Britain. Lancet 260 1951 pp. 766-769 figs.
- 695.—Moskowitz, N. Observations on some intestinal flagellates from reptilian host (Squamata). J. Morph. 89 1951 pp. 257-321 figs.
- 696.—Most, H. & Van Assendelft, F. Laboratory and clinical observations on the effect of terramycin in the treatment of amebiasis. Amer. J. trop. Med. 31 1951 pp. 284–285.

Moulder, J. W. see Taliaferro, W. H.

- 697.—Mudrow Reichenow, L. Ueber die chemotherapeutische Beeinflussbarkeit des *Plasmodium berghei* Vincke und Lips. Z. Tropenmed. 2 1951 pp. 471–485. [English summary.]
- 698.—Mühlpfordt, H. Das Verhalten Sarcosporidien-infizierter Tiere im Sero-Farbtest nach Sabin-Feldman. Z. Tropenmed. 3 1951 pp. 205–215. [English summary.]
- 699.—Müller, A. H. Grundlagen der Biostratonomie [Foraminifera]. Abh. dtsch. Akad. Wiss. Kl. Math. allg. naturw. 1950 (3) [1951) pp. 1-147 figs.
- 700.—Mukherjea, A. K. Role of bacteria on the growth of Entamoeba histolytica. A preliminary note on studies in relation to an unusual strain of Entamoeba histolytica. Part I. The growth characteristics of E. histolytica. Ann. Biochem. exp. Med. Calcutta 11 1951 pp. 9-34.

- 701.—Mukherjea, A. K. Role of bacteria on the growth of Entamoeba histolytica. A preliminary note on studies in relation to an unusual strain of Entamoeba histolytica. Part II. The effect on the growth and viability of E. histolytica on inhibition of the original bacteria and on addition of new bacteria. Ann. Biochem. exp. Med., Calcutta 11 1951 pp. 34-47.
- 702.—Mukherjea, A. K. Role of bacteria on the growth of Entamoeba histolytica. A preliminary note on studies in relation to an unusual strain of Entamoeba histolytica. Part III. Detection of enzymes in the culture media. Ann. Biochem. exp. Med., Calcutta 11 1951 pp. 47–58.
- 703.—Mukherjea, A. K. & Roy, A. N. An observation on immunity in malaria following splenectomy in an experimental monkey. Ann. Biochem. exp. Med., Calcutta 11 1951 pp. 1-8.
- 704.—Muniz, J. On the value of "conditioned hemolysis" for the diagnosis of American trypanosomiasis. Hospital, Rio de Janeiro 38 1950 pp. 685-691.
- 705.—Muniz, J. & Santos, M. C. F. D. Heterophile antibodies in American trypanosomiasis. Hospital, Rio de Janeiro 38 1950 pp. 601-616.
- 706.—Muniz, J. & Santos, M. C. F. D. Technic of "conditioned hemolysis" applied in the diagnosis of American trypanosomiasis. Hospital, Rio de Janeiro 38 1950 pp. 617-620.
- 707.—Muniz, J., Soares, R. & Batista, S. On a new species of plasmodium parasite of the Ramphastos toco Müller. 1776, Plasmodium huffi n. sp. Rev. Brasil. Malariol. 3 1951 pp. 339–362 figs.
- 708.—Muraour, P. Remarques sur le Numidien de la région de Tigzirt (Algérie) [Foraminifera]. C.R. Acad. Sci., Paris 232 1951 pp. 246-248.
- 709.—Muraour, P. & Hollande, G. Etude préliminaire de quelques sédiments de la Baie de Castiglione. Bull. Sta. Aquic. Pêche Castiglione (N.S.) 3 1951 pp. 161-186 figs.

- 710.—Murata, S. Miocene Cyclammina in the vicinity of Matsue City, Shimane Prefecture. J. Geol. Soc. Japan 57 (675) 1951 pp. 509-510. [English summary.]
- 711.—Muratov, M. V. & Maslakova, N. I. [Stratigraphy of the Chalk deposits in Eastern Carpathia]. [Foraminifera]. C.R. Acad. Sci. URSS N.S. 81 (2) 1951 pp. 261–264. [In Russian.]

Muratov, M. V. see Maslakova, N. I.

Musacchia, X. J. see Cappel, C. H. Nänny, P. see Allermann, F.

712.—Nagahama, M. Studies on the foraminiferal fauna of small or almost enclosed bay in Japan. Misc. Rep. Res. Inst. nat. Resourc. Japan 19-21 1951 pp. 142-148 figs. [English summary.]

Nagano, K. see Hunter III, G. W. Nagano, K. see Ritchie, L. S.

- 713.—Nagappa, Y. The stratigraphical value of *Miscellanea* and *Pellatispira* in India, Pakistan and Burma. Proc. Indian Acad. Sci. 33B (1) 1951 pp. 41-48 figs.
- 714.—Nagappa, V. A note on H. C. Das Gupta's collection from the Nummulitic limestone of Cherrapunji, Khassi Hills, Assam. Quart. J. geol. Soc. India 23 (4) 1951 pp. 181–182 figs.
- 715.—Naik, R. N. Trypanosoma evansi [Correspondence.] Indian vet. J. 27 1950 p. 138.

Nair, C. P. see Jaswant Singh.

- 716.—Nakamura, M. Studies on the in vitro evaluation of drugs against *Endamoeba histolytica*. Kitasato Arch. 23 1951 pp. 71-74.
- 717.—Nakamura, M. & Anderson, H. H. Effect of heat-treatment on the respiration of *Trypanosoma cruzi* used for the cultivation of *Endamoeba histolytica*. Amer. J. trop. Med. 31 1951 pp. 438-441 fig.
- 718.—Nakamura, M. & Anderson, H. H. Evaluation of some chemotherapeutics against Endamoeba histolytica in cultures with Trypanosoma cruzi. Exp. Parasit. 1 (1) 1951 pp. 66-69.

719.—Nakamura, M. & Anderson, H. H. Evidence of direct amebacidal action of agents tested in vitro against Endamoeba histolytica. J. Parasit. 37 1951 pp. 421-423.

Nakamura, M. see Hrenoff, A. K. Nakamura, N. see Asami, K. Nakaseko, K. see Inoue, H.

- 720.—Nani, S. Ricerche sulla resistenza a temperatura ambiente ed in ghiacciaia del *Trypanosoma evansi*. Riv. Parassit. 12 1951 pp. 227–232. [English summary.]
- 721.—Nani, S. & Vergati, A. Contributo allo studio della infezione sperimentale da *Trypanosoma evansi*. Riv. Parassit. 12 1951 pp. 141-154 figs.
- 722.—Napier, L. E. The diagnosis and significance of amoebic infections. J. trop. Med. Hyg. 54 1951 pp. 25-27.
- 723.—Nardone, R. M. & Wilber, C. G. Nitrogenous excretion in Colpidium campylum. Proc. Soc. exp. Biol. 75 1951 pp. 559-561 figs.
- 724.—Nauck, E. G. Martin Mayer zum Gedächtnis, Z. Tropenmed. 3 1951 pp. 1-3.
- 725.—Neal, J. B. A demonstration of original slides and drawings prepared by the late Sir William Leishman. [Blood protozoa]. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 1.
- 726.—Neal, R. A. Some observations on the variation of virulence and response to chemotherapy of strains of *Entamoeba histolytica* in rats. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 439-452.
- 727.—Neal, R. A. The duration and epidemicological significance of Entamoeba histolytica infections in rats. Trans. R. Soc. trop. Med. Hyg. 45 1951 pp. 363-370.

Neal, R. A. see Morton, T. C.

728.—Neghme, A. Sobre balantidiosis humana en Chile. Biologica, Santiago Nos. 12-13 1951 pp. 143– 145.

- 729.—Neghme, A., Agosin, M., Christen, R., Jarpa, A. & Atias, A. V. Ensayos de quimioterapia de la enfermedad de Chagas experimental. VIII. Accion de la cortisona sola y asociada al fosfato de pentaquina o al compuesto de sulfato de quininafosfato de pentaquina. Estudio histopatologico (Resumen). Bol. Inform. Parasit. chilen. 6 1951 p. 36. [English summary.]
- 730.—Neghme, A., Agosin, M., Christen, R. & Rubio, M. Contribucion a la quimioterapia del *Balantidium coli*. Biologica, Santiago Nos. 12-13 1951 pp. 109-116. [English summary.]
- 731.—Neghme, A. & Silva, R. Nueva contribucion al estudio epidemiologico de la amebiasis y otras enteroparasitosis en Chile. (Resumen). Bol. Inform. Parasit. chilen. 6 1951 pp, 21-23. [English summary].
- 732.—Neghme, A. & Silva, R. Nueva contribucion al estudio epidemiologico de la amebiasis y otros enteroparasitosis en Chile. Rev. Med. Chile 79 1951 pp. 449-457.

Neghme, A. see Christen, R.

- 733.—Neitz, W. O. African stock diseases caused by protozoa. Afr. Region. Sci. Conf. 1949, Pretoria 2 [1950] pp. 250-252.
- 734.—Nelson, E. C. Agar, magnesium and phosphate in relation to growth of *E. histolytica* in extract medium. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 10.
- 735.—Neujean, G. & Evens, F. The value of haemoculture as a means of diagnosis in human trypanosomiasis [due to] T. gambiense. Intern. Sci. Cttee Trypanos. Res., Works & Final Rept. 3rd Session at Bobo, Dioulasso, Upper Volta 1951. In Bur. Perman. Interafric. Tsé-tsé & Trypanosom., Léopoldville, Pt. 2, No. 179/T, 1951 pp. 1-4.

Neuzil, E. see Bailenger, J.

736.—Neve, G. A. de. News—East Indies [Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 25–29.

737.—Newberry, S. Mc.G. Studies of the morphology of *Bursaria truncatella* with special reference to the neuromotor apparatus. [Summary of paper to 60th Academy Meeting.] J. Tenn. Acad. Sci. 26 (2) 1951 p. 147.

Nichols, I. K. see Steig, M. H. Nicol, W. D. see Covell, G.

738.—Nicolaev, B. P. [The fourth species of malaria parasite (*Plasmodium ovale*) discovered in the Soviet Union]. Zool. J., Moscow 30 (3) 1951 pp. 211-216. [In Russian.]

Nigrelli, R. F. see Padnos, M. Niven, J. S. see Fulton, J. D.

739.—Noble, E. R. The effect of certain biological agents on the activity of *Trypanosoma cruzi*. Anat. Rec. 111 1951 p. 529.

740.—Northrop, J. & Heezen, B. C. An outcrop of Eocene Sediment on the Continental Slope [Foraminifera]. J. Geol., Chicago 59 1951 pp. 396-399 figs.

741.—Noth, R. Foraminiferen aus Unter-und Oberkreide des Österreichischen Antiels an Flysch, Helvitikum und Vorlandvorkommen.
Jahrb. geol. Bundes Anst. Wien.
Sonderband 3 1951 pp. 1-91 figs.

742.—Noth, R. Tentative correlation of the Upper Cretaceous of Austria with that of the Gulf Coast and Mexico. [Foraminifera.] Micropaleontologist, N.Y. 5 (4) 1951 pp. 35-38.

743.—Noyan, A. Die geographische Verbreitung der Malaria in der Türkei. Z. Tropenmed. 2 1951 pp. 338-350. [English summary.]

744.—Nyholm, K.-G. A Monothalamous Foraminifer, Morenda nematoides n. gen., n. sp. Contr. Cushman Fdn. 2 (3) 1951 pp. 91-95 figs.

745.—Oberling, C. & Ansari, N. Culture de *Leishmania tropica* sur la membrane chorio-allantoide du poulet. Bull. Soc. Path. exot. 44 1951 pp. 542-544.

746.—Oddo, F. G. & Bruno-Smiraglia, C. La persistenza dell' infezione da P. gallinaceum. Pigmento melanico, parasitti endo- ed esoeritrocitici. Riv. Parassit. 12 1951 pp. 215–226 figs. 747.—Odell, T. T. & Crowell, S. A method of collecting assorted protozoa for class study. [Abstract]. Proc. Indiana Acad. Sci. 60 1951 p. 312.

748.—Odum, K. T. Notes on the strontium content of sea water, celestite radiolaria, and strontianite snail shells. Science, N.Y. 114 1951 pp. 211-213.

749.—Oinomikado, T. News—Japan [Foraminifera]. Micropaleontologist, N.Y. 5 (2) 1951 pp. 16-21.

Okuno, Y. see Inoki, S.

Oleson, J. J. see Little, P. A.

750.—Ormerod, W. E. The mode of action of antrycide. [Trypanosomes]. Brit. J. Pharmac. Chemother. 6 1951 pp. 325-333.

751.—Ormerod, W. E. A study of basophilic inclusion bodies produced by chemotherapeutic agents in trypanosomes. Brit. J. Pharmac. Chemother. 6 1951 pp. 334-341.

Ormières, R. see Tuzet, O.

Osebold, J. W. see Dickinson, E. M.

752.—Otten, E., Piekarski, G. & Westphal, A. Die Bedeutung der Toxoplasmose für die Veterinärmedezin. Deutsch. Tierärztl. Wschr. 58 1951 pp. 24–26.

753.—Otten, E. & Westphal, A. Die Toxoplasmose—Zur Frage der "Berufskrankheit". Tierärztl. Umschau No. 5/6 1951 p. 102 [1-4 sep. pag.].

754.—Otten, E., Westphal, A. & Kajahn, E. Ueber das Vorkommen von Toxoplasmose beim Hunde. Statistische Erhebungen. Monatsh. prakt. Tierheilk. 5 1950 pp. 305-308.

755.—Otten, E., Westphal, A. & Kajahn, E. Zur Epidemiologie der Toxoplasmose. Der Hund als Infektionsquelle des Menschen. Klin. Wschr. 29 1951 pp. 343-346.

756.—Ovey, C. D. News—Great Britain [Foraminifera and Radiolaria]. Micropaleontologist, N.Y. 5 (3) 1951 p. 4.

757.—Oxford, A. E. The conversion of certain soluble sugars to a glucosan by holotrich ciliates in the rumen of sheep. J. gen. Microbiol. 5 1951 pp. 83–90.

Oxford, A. E. see Masson, F. M.

758.—Oye, P. van. Au sujet des Rhizopodes du Grand Duché de Luxembourg. Biol. Jaarb. 18 1951 pp. 82-121 figs.

759.—Oye, P. van. Is Arcella amphora van Oye identical with Arcella apicata Schaudinn? Hydrobiologia 3 (2) 1951 pp. 194-197 figs.

760.—Pace, D. M. & McCashland, B. W. Effect of low concentration of cyanide on growth and respiration in *Pelomyxa carolinensis* Wilson. Proc. Soc. exp. Biol. 76 1951 pp. 165-168.

Packer, L. see Provasoli, L.

761.—Padnos, M., Jakowska, S. & Nigrelli, R. F. Studies on Colpoda. 1. Some new observations on the life cycle. Proc. Amer. Soc. Protozool. 2 1951 pp. 3-4.

762.—Page, B. M., Marks, J. G. & Walker, G. W. Stratigraphy and structure of mountains North-East of Santa Barbara, California. [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 35 1951 pp. 1727-1780.

763.—Palmer-Jones, J. & Robinson, D. S. Observations on the treatment of *Nosema apis* with drugs. N.Z. J. Sci. Tech. 32A (6) 1951 pp. 28-38.

Pan, C. see Hunter III, G. W.

Pan, C. see Ritchie, L. S.

Pannekoek, A. J. see Voorthuysen, J. H. van.

764.—Paraense, W. L. A survey on the occurrence of *Plasmodium juxtanucleare* in Bambui (State of Minas Gerais). Mem. Inst. Osw. Cruz 47 (3-4) [1951] pp. 355-365.

765.—Paraense, W. L. The verification of the existence of a negative phase in the preparent period of canine babesiasis transmitted by ticks. Mem. Inst. Osw. Cruz 47 (3-4) [1951] pp. 367-380.

Parks, R. E. see Kidder, G. W.

Parrot, L. see Sergent, E.

766.—Part, G. M. Tertiary and Pleistocene sediments from the Cape Verde Archipelago. [Foraminifera and Radiolaria]. Geol. Mag., London 88 (1) 1951 pp. 65-69. 767.—Patil, A. M. Study of the marine fauna of the Karwar Coast and neighbouring islands. J. Bombay nat. Hist. Soc. 50 1951 pp. 128-139.

Paulley, J. W. see Hart, E. W. Pedagno, C. F. see Lilly, D. M.

768.—Pedreira de Freitas, J. L. Observações sôbre o tempo ótimo para exame de Triatomideos empregados em xenodiagnóstico. Folia clin. biol., S. Paulo 16 1950 pp. 180–185. [English summary.]

769.—Pedreira de Freitas, J. L. Reação de fixação do complemento para diagnóstico da moléstia de Chágas pela técnica quantitativa. Folia clin. biol., S. Paulo 16 1950 pp. 192-198. [English summary.]

770.—Pedreira de Freitas, J. L. Observações sôbre a estabilidade de antigenos de culturas de *Trypanosoma cruzi* para reações de fixação do complimento. Hospital, Rio de Jan. 38 1950 pp. 513-519. [English summary.]

Pedreira de Freitas, J. L. see Pessôa, S. B.

Pelc, S. R. see Kuper S. W. A.

771.—Peli. La découverte de l'agent de la trichomoniase bovine, Bull. Off. int. Epiz. 33 1950 pp. 348—351.

772.—Pellegrino, J., Borrotchin, Leite, G. & Brener, Z. Survey on the incidence of Chagas' disease among prospective blood donors. Mem. Inst. Osw. Cruz 49 1951 pp. 555-564. [Portuguese with English summary.]

773.—Pennak, R. W. Comprehensive ecology of the interstitial fauna of fresh-water and marine beaches. [General Protozoa]. Année biol., Paris (3) 27 6 1951 pp. 451–480.

774.—Peschel, D. Über eine amöboide Form von *Haematococcus* pluvialis. Arch. Mikrobiol. 16 1951 pp. 270–274 figs.

775.—Pessôa, S. B. & Pedreira de Freitas, J. L. Aspectos morfologicas do Trypanosoma cruzi e de outros parasitas de importancia no diagnostico da molestia de Chagas. Folia clin. biol., S. Paulo 17 1951 pp. 175—190 figs.

776.—Peter, R., Jirovec, O. & Vesely, K. Chemotherapie der Trichomonas vaginalis—Infektionen. II. Dermatologica (Basel) 102 1951 pp. 11-24. [English summary.]

Petrovitch, Z. see Simitch, T.

777.—Phillips, B. P. Comparative effects of certain species of Trypanosomidae on the growth of Endamoeba histolytica in the absence of bacteria. Amer. J. trop. Med. 31 1951 pp. 290–294 fig.

778.—Phillips, B. P. Measurements of direct amebicidal potential by a micro-method for the screening of drugs in vitro. Amer. J. trop. Med. 31 1951 p₁, 561-565.

Phillips, B. P. see Luttermoser, G. W.

779.—Piekarski, G. & Westphal, A. Grundlagen und Voraussetzungen für den Toxoplasma—Farb test nach Sabin und Feldman. Aerztl. Wschr. 6 1951 pp. 249–252.

Piekarski, G. see Lüdicke, M.

Piekarski, G. see Otten, E.

780.—Pierantoni, U. Die physiologische Symbiose der Termiten mit Flagellaten und Bakterien. Naturwissenschaften 38 (15) 1951 pp. 346–348 figs.

781.—Pierce, A. E. Infertility in cattle with special Trichomoniasis. II. The host-parasite relationship between the female bovine and Trichomonas foetus. Vet. Rec. 37 1950 p. 541.

Pigoú, A. see Løvtrup, S.

782.—Pille, G. Considérations sur le mode d'action des trypanocides. Méd. trop., Marseille 10 1950 pp. 549-554.

Pintner, I. see Provasoli, L.

783.—Pinto, J. dos S. Estudos de plâncton. Seu interesse científico e económico. Colóquios. Ita Invest. colon. Lisbon 13 1949-50 [1950] pp. 1-28 figs. [English summary.]

784.—Pinto, J. dos S. Foraminíferos dos sedimentos marinhos da Guiné Portuguesa. Ann. Ita Invest. colon., Lisbon 6 (2) 1950 pp. 1-44 figs

785.—Pires, F. M. A acção da penicilina na doença do sono (*Tripanosoma gambiense*). Ann. Inst. Med. trop., Lisbon 8 1951 pp. 65–81. [English summary.]

Pizarro, O. see Christen, R.

786.—Pizzi, T. Effect of primaquine on experimental *Trypanosoma cruzi* infection. Proc. Soc. exp. Biol., N.Y. 78 1951 pp. 643-644.

Pizzi, T. see Jarpa, A.

787.—Plummer, H. J. Foram surgery. Micropaleontologist, N.Y. 5 (1) 1951 pp. 26-28 figs.

788.—Pocock, M. A. Notes on the occurrence in New Zealand of Volvulina steinii Playfair and species of Volvox Linnaeus. Rec. Canterbury (N.Z.) Mus. 6 (1) 1951 pp. 1-8.

789.—Pöhn, H. P. Untersuchungen über die Häufigkeit von Darmamöben. Z. Tropenmed. 3 1951 pp. 173–180.

Pöhn, H. P. see Brandis, H.

790.—Pokorný, V. Mikrofauna eocenního zeleného jílu z Nikolčic. Rozpr. České Akad. 59 (15) 1950 pp. 1–39 figs. [English summary in Bull. int. Acad. Prague 50 1951 pp. 245–260 figs.]

791.—Pokorný, V. Thalmannammina n.g. (Foraminifera) z Karpatského Flyše. Sbor. geol. Ust. Praha. 18 1951 pp. 469-479 figs. [Czech with Russian and English summaries.]

792.—Poljanskij, J. I. [On some parasitic infusoria of marine molluscs and holothurians.] Mag. Parasit., Moscow 13 1951 pp. 355-370 figs. [In Russian.]

793.—Poljanskij, J. I. [Intestinal infusoria of sea urchins]. Mag. Parasit., Moscow 13 1951 pp. 371-393 figs. [In Russian.]

Poncet, A. see Sergent, E.

794.—Post, R. J. Foraminifera of the South Texas Coast. Publ. Inst. Mar. Sci. Univ. Tex. 2 1951 pp. 165-176 figs.

795.—Powers, E. L. & Shefner, D. Tritium-induced effects in Paramecium aurelia. Proc. Soc. exp. Biol. 78 1951 pp. 493-497 figs.

796.—Pozaryski, W. Les Foraminifères éemiens de Tychnowy. Rocz. Pol. Tow. Geol. Kraków 20 (3) 1951 pp. 309–312. [Polish with French summary.]

Prado, R. see Cariola, J.

Prakash, S. see Ramakrishnan, S. P.

Prather jr., R. M. see Becker, E. R.

- 797.—Pray, E. G. The effect of various species of bacteria on the growth of *Trichomonas vaginalis in vitro*. Proc. Indiana Acad. Sci. 60 1951 p. 313.
- 798.—Preheim, M. & Krueger, K. K. The detection of succinic dehydrogenase and cytochrome oxidase in homogenates of *Paramecium caudatum*. Proc. S. Dakota Acad. Sci. 29 1950 pp. 36-37.

Prendergast, K. L. see Clarke, E.de. Price, I. N. O. see Fulton, J. D.

799.—Provasoli, L., Pintner, L. & Packer, L. Use of antibiotics in obtaining pure cultures of algae and protozoa. Proc. Amer. Soc. Protozool. 2 1951 p. 6.

Provasoli, L. see Hutner, S. H. Provost, A. see Roubaud, E.

- 800.—Puytorac, P. de. Une espèce nouvelle de cilié astome: Anoplophrya attenuata, sp. nov. C.R. Acad. Sci., Paris 232 1951 pp. 1772–1774 figs.
- 801.—Puytorac, P. de. Sur le cytosquelette des Astomes (Ciliés Holotriches). C.R. Soc. Biol., Paris 145 1951 pp. 254-256.
- 802.—Qadri, S. S. 1. Trypanosomes of fish in blood and culture. 2. Trypanoplasma of fish in blood and culture. 3. Cyclochaeta sp. of fish. 4. Myxosporidian parasites of British freshwater fish: (a) Myxobolus, sp. (b) Henneguya sp. (c) Zschokella sp. (d) Cyclochaeta sp. (two new species). 5. Myxosporidian parasite of an Indian freshwater fish: Zschokella sp. in gall bladder of Saccobranchus fossilis. Trans. R. Soc. trop. Med., Hyg. 44 1951 pp. 356-357.

- 803.—Qadri, S. S. 1. Trypanosoma of Indian freshwater fish. 2. Trypanosoma of British freshwater fish. 3. Trypanoplasma of char in culture. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 3.
- 804.—Raabe, H. Amoeba vespertilio Penard; structure, division of amoeba and nucleus; biology. Bull. int. Acad. Cracovie, Cl. math. nat. 1950 BII 1951 pp. 353-375 figs. [English summary: in C.R. Sci. math. nat. Acad. polon. 1950 (8-10) pp. 14-15].
- 805.—Radke, M. G. Studies on coccidia of sheep. Univ. Wys. Publ. 16 (1-4) 1951 pp. 207-208.
- 806.—Radke, R. A. Observations on the cystic stage of *E. histolytica* in abscesses of the human bowel. Proc. Soc. exp. Biol. 76 1951 p. 831 fig.
- 807.—Rafalko, J. S. Mitotic division in the amoebo-flagellate, *Tetramitus rostratus*. J. Morph. 89 1951 pp. 71–90 figs.
- 808.—Rageau, J. Le rhodoïd en solution dans l'acétone pour la protection des frottis colorés au Romanowsky. [Blood protozoa]. Ann. Parasit. hum. comp. 26 1951 p. 379.

Rageau, J. see Roubaud, E.

Rahim, A. see Mohi-Ud-Din, A.

809.—Ramakrishnan, S. P. & Prakash, S. Susceptibility of the Indian garden squirrel (Sciurus palmarum) to Plasmodium berghei and its asexual periodicity. Nature, London 167 1951 p. 533.

Ramanurthy, V. see Srinivasan, V. R.

- 810.—Ramanujachari, G. & Alwar, V. S. Some observations on sarcosporidiosis of domestic animals in Madras. Indian vet. J. 27 1951 pp. 264–266 figs.
- 811.—Rama Rao, R., Ramaswamy, A. S. & De, N. N. Immunological study in avian malaria (*P. gallinaceum*) by the anaphylactic reaction. Proc. Indian Acad. Sci. 34B 1951 pp. 242-247 figs.

Ramaswamy, A. S. see Rama Rao, R.

- 812.—Ramon, G. La trichomoniase bovine. Sa répartition en Europe et dans le Monde. Bull. Off. int. Epiz. 33 1950 pp. 340-347.
- 813.—Randall, J. T. An experiment in biophysics. [Nucleus of *Gregarina*]. Proc. Roy. Soc., London (B) 138 1951 pp. 301-324 figs.
- 814.—Ranque, J., Depieds, R. & Cabassu, H. Diagnostic de laboratoire du kala azar méditerranéen chez l'homme et chez le chien. Valeur comparée des divers procédés d'exploration utilisés actuellement. J. Med. Bordeaux 128 1951 pp. 262-266.
- 815.—Ranquini, J. H. Técnicas de investigación de toxoplasmas. Medicamenta, Madrid 9 1951 pp. 204– 206.
- 816.—Ranquini, J. H. Técnicas de învestigación de leishmanias. Medicamenta, Madrid 9 1951 pp. 339-341.
- 817.—Rao, V. G. 1. Culture of Entamoeba histolytica with single bacterial associates: (a) Escherichia coli; (b) Chromobacterium prodigiosum. 2. Morphological characters of E. histolytica as seen in iron-haematoxylin stained preparation obtained by the in situ coverslips technique.
 4. Liver lesion in rats observed forty-eight hours after inoculation of culture of Entamoeba histolytica.
 Trans. R. Soc. trop. Med. Hyg. 44 1951 p. 358.
- 818.—Rao, V. G. 1. Liver lesion in rats after intraportal inoculation of a culture of Entamoeba histolytica grown with single bacterial associate, Bacterium coli. 2. Liver lesion in rats after intraportal inoculation of a culture of Entamoeba histolytica, grown in association with Bacterium coli. Trans. R. Soc. trop. Med. Hyg. 45 1951 p. 3.
- 819.—Rao, V. G. Sterilization of cysts of Entamoeba histolytica by chemical disinfectants, and initiation and maintenance of pure cultures in association with single species of bacteria. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 593–604.
- 820.—Ratcliffe, H. L. & Worth, C. B. Toxoplasmosis of captive wild birds and mammals. Amer. J. Path. 27 1951 pp. 655-667 figs.

- 821.—Rau, W. W. Tertiary foraminifera from Willapa River Valley of southwest Washington. J. Paleont. 25 (4) 1951 pp. 417–453 figs.
 - Rau, W. W. see Snaveley, P. D.
 - Rayson, G. W. see Bradner, W. T. Ray, A. P. see Taylor D. J.
- 822.—Ray, D. K. Relation of temperature to the sporulation of coccidian oocysts of Indian sheep and goats. Sci. & Culture 17 (5) 1951
- pp. 220-221. Ray, J. C. see Ghosh, H.
- 823.—Reardon, L. V., Verder, E. & Rees, C. W. Comparative effects of drying on the cysts of *Endamoeba coli* and *E. histolytica*. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 11.
 - Reardon, L. V. see Tobie, J. E.
 - Rees, C. W. see Reardon, L. V.
- 824.—Reichel, M. Fusarchaias bermudezi n. gen., n. sp., Pénéroplidé alvéoliniforme de l'Oligo-Miocène de Cuba. Ecl. geol. helv. 44 1951 pp. 458-464 figs.
- 825.—Reichel, M. An adjustable model of Milioline coiling. Micropaleontologist, N.Y. 5 (1) 1951 pp. 23–25 figs.
- 826.—Reichel, M. News—Switzerland. [Mainly Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 20-22.
- 827.—Reichenbach-Klinke, H. Fischsterben durch Trichodina domerguei Wallengren. Aquar. Terrar. Z. 4 1951 pp. 96-97 figs.
- **828.**—**Reichenow,** E. F. K. Kleine†. Z. Tropenmed. **3** 1951 pp. 135–136.
- 829.—Reichenow, E. Fritz Schaudinn zum Gedächtnis. Z. Tropenmed. 3 1951 pp. 139-144.
- 830.—Reichenow, E. Die Fortschritte der Malaria-Parasitologie. Zbl. Bakt. (I. Orig.) 157 1951 pp. 3-13 fig.
- 831.—Reinertson, J. W. & Thompson, P. E. Experimental amebic hepatitis in hamsters. Proc. Soc. exp. Biol. 76 1951 pp. 518-521 figs.

- 832.—Reinhard, M. & Wenck, E. Geology of the Colony of North Borneo [Foraminifera]. Bull. Geol. Surv. Brit. Terr. Borneo 1 1950 pp. 1-160, xiv figs.
- 833.—Reitlinger, E. A. [Foraminifera of the Middle Carboniferous deposits of the central part of the Russian Platform]. Trav. Inst. Geol. Moscou, ser. geol. 47 (126) 1950 pp. 1–126 figs. [In Russian.]

Renjifo, S. see Groot, H.

- 834.—Renz, H. H. Remarks on the age of the Lizard Springs formation of Trinidad, B.W.I. Contr. Cushman Fdn. 2 (1) 1951 pp. 15-16.
- 835.—Renz, H. H. Globorotalia lacerti Cushman and Renz from the Lizard Springs Formation of Trinidad, B.W.I. (A correction). Contr. Cushman Fdn. 2 (1) 1951 p. 29.
- 836.—Rey, M. News—North Africa [Foraminifera]. Micropaleontologist, N.Y. 5 (2) 1951 pp. 14-16.
- 837.—Reynoldson, T. B. The dispersal of *Urceolaria mitra* (Peritricha) epizoic on flatworms. J. Anim. Ecol. 20 1951 pp. 123–131 fig.
- 838.—Ricci, M. Sulla diffusione delle parassitosi intestinali in un piccolo centro siciliano. Riv. Parassit. 12 1951 pp. 233–239. [English summary.]

Richardson, A. P. see Stauber, L. A. Richeson, E. M. see Greenberg, J.

- 839.—Riedel, W. R. Numbers of Radiolaria in sediments. Nature, London 167 1951 p. 75.
- 840.—Riedel, W. R. Sedimentation in the tropical Indian Ocean [Radiolaria]. Nature, London 168 1951 p. 737.
- 841.—Riel, J. van, Hiernaux-L'Hoëst, D. & Hiernaux-L'Hoëst, J. Description of a Plasmodium found in a bat, Roussettus leachi. Parasitology 41 1951 pp. 270-273 figs.
- 842.—Ritchie, L. S. Hunter III, G. W., Freytag, R. E., Pan, C. & Yokogawa, M. An epidemiologic survey of Shizuoka Prefecture, Japan. [Intestinal protozoa]. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 pp. 17–18.

- 843.—Ritchie, L. S., Hunter III, G. W., Pan, G. & Szewczak, J. T. Parasitological studies in the Far East. III. An epidemiological survey of Aomori Prefecture, Honshu, Japan. Jap. med. J. 3 1951 pp. 365-371.
- 844.—Ritchie, L. S., Hunter III, G. W., Pan, C., Yokogawa, M. & Nagano, K. An epidemiologic survey of the Tone River Area, Japan. [Intestinal protozoa]. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 17.

Ritchie, L. S. see Hunter III, G. W.

845.—Ritsema, L. Description de quelques alveolines de Timor; résultat d'une élaboration de la methode des courbes d'indice de Reichel. Proc. ned. Akad. Wet. 54B (2) 1951 pp. 174-182 figs.

Rivers, J. S. see Hart, E. W.

- 846.—Rizzotti, G. & Neri, P. Parassiti intestinali osservati nell' Imperial Ethiopian Medical Research Institute di Addis Abeba durante gli anni 1948, 1949 e 1950. Riv. Parassit., Roma 12 1951 pp. 241-244. [English summary.]
- 847.—Robertis, E. de & Epstein, B. Electron microscope study of anaplasmosis in bovine red blood cells. Proc. Soc. exp. Biol. 77 1951 pp. 254–258 figs.
 - Roberts, A. E. see Snaveley, P. D.
- 848.—Robertson, K. Diagnosis of trypanosomiasis. Brit. med. J. ii 1951 p. 547.
- Robinson, D. S. see Palmer-Jones, J.
- 849.—Rodhain, J. Trypanosoma leleupi n. sp., parasite de Hipposideros caffer au Katanga. Ann. Parasit. hum. comp. 26 1951 pp. 133-137 figs.
- 850.—Rodhain, J. Le comportement du "cotton rat" vis-à-vis du Plasmodium berghei. Ann. Soc. Belge Méd. trop. 31 1951 pp. 289-296 figs.
- 851.—Rodhain, J. Infection expérimentale par toxoplasme de la marmotte en sommeil hivernal. Ann. Soc. Belge Méd. trop. 31 1951 pp. 487-493.

- **852.**—**Rodhain,** J. Emile Brumpt (1877–1951). In Memoriam. Ann. Soc. Belge Méd. trop. **31** 1951 pp. 509–510.
- **853.**—**Rodhain,** J. Essais de chimiothérapic chez les souris infectées de *Babesia rodhaini*. Rev. Belge Path. **21** 1951 pp. 129–136.
- 854.—Rodhain, J. & Demuylder, C. L'hémoglobinurie des rongeurs infectées de *Babesia rodhaini*. Ann. Soc. Belge Méd. trop. 31 1951 pp. 551-563 figs.
- 855.—Rodhain, J. & Gerebtzoff, M. A. Au sujet de la membrane limitant les pseudokystes des toxoplasmes. C.R. Soc. Biol., Paris 145 1951 pp. 766-768 figs.
- 856.—Rodhain, J. & Vincke, I. Essai d'évolution de Plasmodium berghei, Vincke et Lips chez Anopheles maculipennis (var. atroparvus). Ann. Soc. Belge Méd. trop. 31 1951 pp. 297-301 fig.
- 857.—Rodriguez, G. G. La mezcla zincico-mercuro-alcohol-acético, fijador de elexión en protozoología. An. Univ. S. Domingo 15 (53–56) 1950 pp. 237–240.
- 858.—Rollet, P. Recherches sur les hémotozoaires des lézards de Franche-Compté. Bull. Soc. Hist. nat. Doubs No. 49 1939 pp. 34-48.
- 859.—Rollo, I. M. A 2: 4-diamino pyrimidine in the treatment of proguanil-resistant laboratory malarial strains. Nature, London 168 1951 pp. 332–333.
- 860.—Rollo, I. M. & Williamson, J. Acquired resistance to 'melarsen', tryparsamide and amidines in pathogenic trypanosomes after treatment with 'melarsen' alone. Nature, London 167 1951 pp. 147-148.
- Rolph W. D. jr., see Hunter III, G. W.
- 861.—Romaña, C. La enfermedad de Chagas. Revista Roche 4 (7-8) 1951 pp. 1-23 [sep. pag.] figs.
- 862.—Romaña, C. & Mondolfo, A. A. de. Papel de sistema linfatico en la propagacion del S. cruzi en el periodo inicial de la enfermedad de Chagas. An Inst. Med. region., Tucumán 3 1951 pp. 129–132 figs. [English summary.]

- 863.—Romaña, C. & Toranzos, L. B. Contribucion a la patogenia de la enfermedad de Chagas. An. Inst. Med. region., Tucumán 3 1951 pp. 133-136. [English summary.]
- 864.—Rosas Costa, G. A. Las parasitosis intestinales. Enfermedad social. Sem. med., B. Aires 99 1951 pp. 570–577.
 - Rose, F. L. see Carrington, H. C.
- 865.—Rose, M. & Calhon, J. Diplomorpha paradoxa, n.g., n. sp., Protiste de l'ectoderme des Siphonophores. C.R. Acad. Sci., Paris 233 1951 pp. 451-452 figs.
- 866.—Rosicky, B. Nosematosis of Otiorrhynchus ligustici. II. The influence of the parasitation by Nosema otiorrhynchi Weiser 1951 on the susceptibility of the beetles to insecticides. Acta Soc. 2001. Bohemosloven. 15 1951 pp. 219-234 figs.

Rossi, G. see Urso, B.

- 867.—Roubaud, E. Etude d'une infection mixte transmise à Paris par Glossina caligenea. Diagnostic et xénodiagnostic. [Trypanosomes]. Bull. Soc. Path. exot. 44 1951 pp. 343–350.
- 868.—Roubaud, E., Maillot, L. & Rageau, J. Infection naturelle de Glossina caligenea Austen dans les gites à palétuviers de Douala (Cameroun Français). [Trypanosomes]. Bull. Soc. Path. exot. 44 1951 pp. 309-313.
- 869.—Roubaud, E. & Provost, A. Persistance des caractéristiques raciales d'une souche neurotrope de *Tr. gambiense* après passage en infection septicémique chez l'homme. Bull. Soc. Path. exot. 44 1951 pp. 174–178 figs.
 - Roy, A. N. see Mukherjea, A. K. Rubio, M. see Neghme, A.
- 870.—Ruchman, I. & Fowler, J. C. Localization and persistence of *Toxoplasma* in tissues of experimentally infected white rats. Proc. Soc. exper. Biol. 76 1951 pp. 793–796.
- 871.—Rudzinska, M. A. Further studies on the influence of food on the longevity of *Tokophrya infusionum*. Proc. Amer. Soc. Protozool. 2 1951 p. 13.

- 872.—Rudzinska, M. A. The influence of amount of food on the reproduction rate and longevity of a Suctorian (*Tokophrya infusionum*). Science, N.Y. 113 1951 pp. 10-11.
- 873.—Rudzinska, M. A. An abnormal type of development in the lifecycle of a suctorian, *Tokophrya infusionum*. Trans. Amer. Micr. Soc. 70 (1951 pp. 168-172 figs.
- 874.—Rudzinska, M. A. & Chambers, R. An attempt to transfer the nucleus from Amoeba dubia to Amoeba proteus. Part 1. Proc. Amer. Soc. Protozool. 2 1951 p. 13.
- 875.—Ruiz de Gaona, M. Sobre algunas monstruosidades en los "Nummulites" Españoles. Inst. geol. España, Libro Jubilar (1849–1949) 1 1951 pp. 69–98 figs. (French and English summaries.)
- 876.—Russell, P. F. The world health importance of parasitic diseases. [Including protozoal infections.] H. Most (ed.). Parasitic infections in man. New York 1951 pp. 3-8.
- 877.—Ryley, J. F. Studies on the metabolism of the Protozoa. 1. Metabolism of the parasitic flagellate, *Trypanosoma lewisi*. Biochem. J. 49 1951 pp. 577-585.
- 878.—Sadun, E. H., Bradin jr., J. L. & Faust, E. C. The effect of ascorbic acid deficiency on the resistance of guinea-pigs to infection with *Endamoeba histolytica* of human origin. Amer. J. trop. Med. 31 1951 pp. 426-437.

Sage, M. see Morton, T. C. Said, M. S. see Daubney, R.

- 879.—Said, R. Preliminary note on the spectroscopic distribution of elements in the shells of some recent calcareous Foraminifera. Contr. Cushman Fdn. 2 1951 pp. 11–13.
- 880.—Said, R. Foraminifera of Narragansett Bay [Atlantic Coast, U.S.A.]. Contr. Cushman Fdn. 2 (3) 1951 pp. 75–86 figs.
- 881.—Said, R. Restudy of the "races" of Nummulites gizehensis. Contr. Cushman Fdn. 2 (4) 1951 pp. 119-130 figs.

- 882.—Said, R. A method of storing larger foraminifers for variation study. Contr. Cushman Fdn. 2 (4) 1951 pp. 138–139 fig.
- 883.—Said, R. Ecology of Foraminifera. Micropaleontologist, N.Y. 5 (3) 1951 pp. 12-14.
- 884.—Saito, M. On the influences of bacterial flora upon the excystation and subsequent multiplication of *Entamoeba histolytica* in culture media. Kitasato Arch. exp. Med. 24 1951 pp. 239-248.
- 885.—Sandon, H. Opalinids from Nile fish. J. gen. Microbiol. 5 1951 p. xiv.

Santos, M. C. F. D. see Muniz, J.

- 886.—Sapero, J. D., Lawless, D. K. & Strome, C. P. A. An improved iodine-staining technique for routine laboratory diagnosis of intestinal protozoa. Science 114 1951 pp. 550-551.
- 887.—Sarwar, M. M. Occurrence of *Globidium gilruthi*, a protozoon parasite of sheep and goats from the Indo-Pakistan sub-continent. Parasitology 41 1951 p. 282.

Sastri, V. V. see Jacob, K.

888.—Savage, H. & McTavish, W. B. Plasmodium circumflexum in a Manitoba duck. J. Parasit. 37 1951 pp. 533-534 figs.

Saxe, -. see Miller, C. D.

Sayama, K. see Herman, C. M.

Schaeffer, J. M. see Little, P. A.

- 889.—Schäperclaus, W. Der Colisa-Parasit—ein neuer Krankheitserreger bei Aquarienfischen. [Sporozoa.] Aquar. Terrar. Z. 4 1951 pp. 169–171 figs.
- 890.—Schaub, H. Über die Zugehörigkeit der paleocaenen und untereocaenen Nummuliten zu Entwicklungsreihen. [Refer Zool. Record 1950 No. 1006.] Ecl. geol. helv. 43 1950 [1951] pp. 242–245.
- 891.—Schaub, H. Stratigraphie und Paläontologie des Schlierenflysches, mit besonderer Berücksichtigung der paleocaenen und untereocaenen Nummuliten und Assilinen. Schweiz. paläont. Abh. 68 1951 pp. 1–222 figs.

- 892.—Schaub, H. & Schweighauser, J. Nummuliten und Discocyclinen aus dem tiefsten Untereocaen von Gan. [Refer Zool. Record 1950 No. 1007.] Ecl. geol. helv. 43 1950 [1951] pp. 236-242 figs.
- 893.—Schipper, A. L. An effective method of demonstrating longitudinal binary fission of *Euglena*. Proc. Indiana Acad. Sci. 59 1949 [1951] p. 296.
 - Schleich, F. see Kleinschmidt, A.
- 894.—Schmid, F. Discoscaphites constrictus (Sowerby) aus den Lanceolatenschichten (Unteres Maastricht) von Lüneborg. [Foraminifera.] N. Jb. Min. Geol. Paläont. Stuttgart Monatsh. 10 1951 pp. 152–155.
- 895.—Schmidt, H. Aufnahme und Speicherung von Holzteilchen im Zellplasma der Termitenflagellaten. Verh. dtsch. zool. Ges. 1950 [1951] pp. 165–170 figs.
- 896.—Schneider, J. & Montézin, G. Etude au laboratoire, de l'action de l'acide p-sulfamido o-aminophénylarsinique sur l'amibiase expérimentale du rat. C.R. Acad. Sci., Paris 232 1951 pp. 2370–2372.

Schneider, J. see Montézin, G.

- 897.—Schoenborn, H. W. Induced biochemical mutation rates in *Astasia longa*. Proc. Amer. Soc. Protozool. 2 1951 p. 3.
- 898.—Schrader, E. A. & Westphal, A. Zur Aetiologie der Endangiitis und Arteriosclerosis obliterans. [Toxoplasmosis.] Klin. Wschr. 29 1951 pp. 19–20.
- 899.—Schuckall, G. Trichomonas fetus der Erreger der Rindertrichomoniasis. Mikrokosmos 40 (8) 1951 pp. 189–190 fig.
- 900.—Schütznerová-Havelková, V. Microfaunistic investigation of the bore at Nítkovice in the Helvetian of Central Moravia. [Foraminifera.] Sbor. geol. Úst. Praha Paléont. 17 1951 pp. 13–18 figs. [Czech with English summary.]
- 901.—Schulze, K. L. Experimentelle Untersuchungen über die Chlorellen-Symbiose bei Ciliaten. Biol. Generalis, Wien 19 (3) 1951 pp. 281–298 figs.

- 902.—Schweighauser, J. Spirillinen aus dem Lias von Arzo (Tessin), [Refer Zool. Record 1950 No. 1030.] Ecl. geol. helv. 43 1950 [1951] pp. 226-236 figs.
- 903.—Schweighauser, J. Ein Vorkommen von Neoalveolina aus dem vicentinischen Obereocaen. Ecl. geol. helv. 44 1951 pp. 465–469 figs.

Schweighauser, J. see Schaub, H.

- 904.—Schwetz, J. Notes paludologiques sur les lacs Albert et Kivu. Bull. Inst. Colon. Belge 22 1 1951 pp. 191–201.
- 905.—Schwink, T. M. & Becker, E. R. Studies on chicken isohemagglutinins and their relation to passive immunity in *P. lophurae* malaria. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 pp. 11-12.

Schwink, T. M. see Becker, E. R.

- 906.—Seaman, G. R. Synthesis of B vitamins by cultures of Tetrahymena geleii. Proc. Amer. Soc. Protozool, 2 1951 p. 2.
- 907.—Seaman, G. R. Localization of acetylcholinesterase activity in the Protozoan, *Tetrahymena geleii* S. Proc. Soc. exper. Biol. 76 1951 pp. 169–170.
- 908.—Seaman, G. R. Studies on protozoan metabolism and their relation to general problems of physiology and biochemistry. Texas Repts. Biol. Med. 9 1951 pp. 171-179.
- 909.—Seaton, D. R. Failure to induce chloroquine-resistance in *Plasmodium gallinaceum*. Ann. trop. Med. Parasit. 45 1951 pp. 99–100.
- 910.—Sebestyén, O. Studies on detritus drifts in Lake Balaton. [Chiefly Ciliata.] Arch. biol. Hung. 19 (1) 1951 pp. 49-64 figs.
- 911.—Seddon, H. R. A review of communicable diseases of animals in Australia. [Including protozoal infections.] Serv. Publ. Dep. Hlth. Austr. (vet. Hyg.) No. 3 1948 pp.1-33.
- 912.—Self, J. T. Parasitology in a modern world. [Protozoal diseases]. Proc. Okla. Acad. Sci. 28 1948 pp. 9-16.

- 913.—Sellier de Civrieux, J. M. Ocurrencia del género Globivalvulina en el Permiano de Venezuela. Bol. Geol. Venezuela 1 (1) 1951 pp. 141-146 figs.
- 914.—Sellier de Civrieux, J. M. Ocurrencia en Venezuela de *Trocho-lina arabica* Henson. Bol. Geol. Venezuela 1 (2) 1951 pp. 223–228 figs.
- 915.—Sellier de Civreux, J. M. Apendice micropaleontologico Region de Altagracia de Orituco. [Foraminifera, etc.] Bol. Geol. Venezuela 1 (3) 1951 pp. 260-264.
- 916.—Sen, M. R. Sarcosporidiosis in cattle in Bengal. Indian vet. J. 27 1951 pp. 261-264 figs.
- 917.—Seneca, H. & Henderson, E. Growth of Hemoflagellates in dialyzing sacs and the production of growth inhibitory factor. Amer. J. Hyg. 53 1951 pp. 17–21 figs.
- 918.—Sen Gupta, P. C., Das Gupta, N. N. & Bhattacharya, D. L. Electron and photomicrographic studies of the flagellate form of Leishmania donovani. Nature, London 167 1951 pp. 1063-1064 figs.
- 919.—Sergent, E. & Parrot, L. Prémunition contre les piroplasmoses bovines et prémunition contre les paludismes humains. Arch. Inst. Pasteur Algér. 29 1951 pp. 117-119.
- 920.—Sergent, E. & Poncet, A. De la longue durée de l'infection latente métacritique dans le paludisme expérimental à *Plasmodium berghei*, du Mérion nord-africain. Arch. Inst. Pasteur Algér. 29 1951 pp. 269-272 figs.
- 921.—Sergent, E. & Poncet, A. De la "résistance innée" du cobaye à Plasmodium berghei. Arch. Inst. Pasteur Algér. 29 1951 pp. 273-276.
- 922.—Seshachar, B. P. & Dass, C. M. S. The macronucleus of Vorticella convallaria (Linn.) during conjugation. J. Morph. 89 1951 pp. 187-197 figs.
- 923.—Sewell, R. B. S. The epibionts and parasites of the planktonic Copepoda of the Arabian Sea. Sci. Rep. Murray Exped. 9 (4) 1951 pp. 255-394 figs.

- 924.—Shaffer, J. G. & Biegeleisen, J. Z. The *in vitro* effect of aureomycin and chloromycetin on cultures of *Endamoeba histolytica* and *Trichomonas hominis*. I. The ability of the antibiotics to prevent growth and multiplication of the organisms. Amer. J. Hyg. 53 1951 pp. 139-145.
 - Shaffer, J. G. see Biegeleisen, J. Z. Shefner, D. see Powers, E. L.
 - Shewan, J. M. see Fletcher, L. I.
 - Shih, B. C. see Tobie, J. E.
 - Shlaes, W. H. see Young, V. M.
- 925.—Shookhoff, H. B. The present status of antibiotics in the treatment of protozoan diseases. Bull. N.Y. Acad. Med. 27 1951 pp. 439-451.
- 926.—Shookhoff, H. B. Balantidium coli infection with special reference to treatment. Amer. J. trop. Med. 31 1951 pp. 442-447.
- 927.—Shortt, H. E. Life-cycle of the mammalian malaria parasite. Brit. med. Bull. 8 1951 pp. 7-9.
- 928.—Shortt, H. E. The impact of protozoa on World economic problems. Brit. med. J. ii A51 pp. 1103-1110.
- 929.—Shortt, H. E. 1. Hepatocystis sp. in Fiji fruit bat. 2. Presumed 3-day-old pre-erythrocytic schizont of Plasmodium cynomolgi. Trans. R. Soc. trop. Med. Hyg. 44 1951 p. 355.
- 930.—Shortt, H. E. History of recent researches on tissue phases of the malaria parasite at the London School of Hygiene and Tropical Medicine. Trans. R. Soc. trop. Med. Hyg. 45 1951 pp. 175–188.
- 931.—Shortt, H. E., Fairley, N. H., Covell, G., Shute, P. G. & Garnham, P. C. C. The pre-erythrocytic stage of *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 405-419 figs.
 - Shortt, H. E. see Jacobs, B.
- 932.—Shute, P. G. Mosquito infection in artificially induced malaria. Brit. med. Bull. 8 1951 pp. 56-63 fig.
- 933.—Shute, P. G. Malaria. Brit. med. J. ii 1951 p. 1280.

- 934.—Shute, P. G. Twenty-five years of malaria therapy. Discovery 12 1951 pp. 77-80 figs.
- 935.—Shute, P. G. Specimens demonstrating the passage of *Plasmodium vivax* ookinetes through the stomach wall of *Anopheles*. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 367–368.
- 936.—Shute, P. G. The character and arrangement of the pigment of human malaria occysts as an aid to species diagnosis. An interesting case of primary Plasmodium malaria infection induced by Anopheles stephensi in the laboratory. Trans. R. Soc. trop. Med. Hyg. 45 1951 pp. 7-8.
- 937.—Shute, P. G. & Maryon, M. Studies in the transmission of Plasmodium malariae by Anopheles mosquitoes. Parasitology 41 1951 pp. 292-300 figs.
- 938.—Shute, P. G. & Maryon, M. Specimens demonstrating developmental stages of *Plasmodium malariae* oocysts in anopheline mosquitoes, with special reference to the pigment as an aid to diagnosis. Trans. R. Soc. trop. Med. Hyg. 44 1951 p. 368.
- 939.—Shute, P. G. & Maryon, M. A study of gametocytes in a West African strain of *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 421-438.

Shute, P. G. see Shortt, H. E.

940.—Sicé, A. & Binder, T. Contribution à l'étude du paludisme congénital. Acta Tropica 8 1951 pp. 32-35.

Sigal, J. see Hilly, J.

Siim, J. C. see Christiansen, M.

941.—Silva, M. A. de A. Research on Glossinae and trypanosomiasis in Mozambique (1948–1951). Intern. Sci. Cttee Trypanos. Res., Works and Final Rept. 3rd Session at Bobo, Dioulasso, Upper Volta, 1951. In Bur. Perman. Interafric. Tsé-Tsé and Trypanosom., Léopoldville, Pt. 1, No. 163/0 1951 pp. 1–6.

Silva, R. see Neghme, A.

942.—Simitch, T. & Petrovitch, Z. Culture l'*Entamoeba muris* de la souris à la température de 22-23°C. Ann. Parasit. hum. comp. 26 1951 op. 389-393.

943.—Simitch, T. & Teodorovitch G. Les parasites intestinaux du Citellus citellus de Yougoslavie au cours de l'hibernation et pendant la vie active de ce rongeur. [Protozoa.] Ann. Parasit. hum. comp. 26 1951 pp. 381–388.

944.—Simonet, P. Remarques épidémiologiques sur six cas de bouton d'Orient observés à Beni Abbés (Sahara oranais) en 1951. Arch. Inst. Pasteur Algér. 29 1951 pp. 222–224.

Simons, M. E. see McLaughlin, K. P.

- 945.—Singh, B. N. Nuclear division in amoebae and its bearing on classification. Nature, London 167 1951 pp. 582-584 figs.
- 946.—Singh, S. N. Kirthar Foraminifera from Rajasthan, Current Sci. 20 (9) 1951 p. 230.
- 947.—Sklower, A. Fishfarming and freshwater-biology in Northern Rhodesia. [General protozoa.] Arch. Hydrobiol., Stuttgart 45 (3) 1951 pp. 284–303 figs.

Slane, G. M. see Wilber, C. G.

- 948.—Slater, J. V. The influence of high concentrations of glucose on the growth of *Tetrahymena*. Proc. Amer. Soc. Protozool. 2 1951 pp. 7-8.
- 949.—Slater, J. V. & Elliott, A. M. Volume change in *Tetrahymena* in relation to age of the culture. Proc. Amer. Soc. Protozool. 2 1951 p. 20.

Slater, J. V. see Elliott, A. M.

Smedes, H. W. see Lang, A. J.

950.—Smidt, E. L. B. Animal production in the Danish Waddensea. [Including Protozoa, chiefly Foraminifera.] Medd. Komm. Havundersøg. Kjøb. Fiskeri 11 (6) 1951 pp. 1–151 figs.

951.—Smith, B. F. The effect of the protozoan parasite, *Eimeria stiedae*, on the cytochrome oxidase activity of the liver of rabbits. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 12.

952.—Snaveley, P. D., Rau, W. W., Hoover, L. & Roberts, A. E. McIntosh Formation, Centralia-Chehalio Coal District, Washington. [Foraminifera]. Bull. Amer. Assoc. Petrol. Geol. 35 (5) 1951 pp. 1052-1061.

Soares, R. see Muniz, J.

- 953.—Souza, J. de A. Nota sôbre variação especifica em *Ceratium furca* Dujardin, do planeton do litoral Paulista. Bol. Inst. paul. Oceanogr. 1 (2) 1950 pp. 93–97 fig. [English summary.]
- 954.—Spackman, W. C. Discovery of formol gel reaction. [Leishmaniasis and trypanosomiasis.] Brit. med. J. ii 1951 p. 911.
- 955.—Sparrow, A. H. Radiation sensitivity of cells during mitotic and meiotic cycles with emphasis on possible cytochemical changes. [Protozoa.] Ann. N.Y. Acad. Sci. 51 (8) 1951 pp. 1508–1540 figs.
- 956.—Speidel, C. C. The occurrence of *Balantidium* as a lethal parasite in the toad tadpole. Anat. Rec. 111 1951 p. 583.
- 957.—Spena, A. La tripanosomiasi dei bovini nello Scioa (Abissinia). Acta med. Italica 3 (Suppl. 3) 1948 36 pp. [sep.] figs.
- 958.—Spingarn, C. L. & Edelman, M. H. The effect of aureomycin hydrochloride on the growth of Endamoeba histolytica in vitro. Amer. J. trop. Med. 31 1951 pp. 206-211.
- 959.—Sprague, V. Summary of the known Protozoa of the Gulf of Mexico. Proc. Amer. Soc. Protozool. 2 1951 pp. 5-6.
- 960.—Sprugel, G., Jr. Vertical distribution of Stentor coeruleus in relation to dissolved oxygen levels in an Iowa pond. Ecology, Brooklyn 32 1951 pp. 147–149 figs.
- 961.—Squire, F. A. Seasonal variation in the incidence of Trypanosoma vivax in Glossina palpalis (R.-D.). Bull. entomol. Res. 42 1951 pp. 371-374 fig.
- 962.—Srinivasan, V.R. & De, N. N. Mode of action of paludrine. Current Sci. 20 (7) 1951 pp. 177-180.

- 963.—Srinivasan, V. R., Ramamurthy, V. & De, N. N. "Partition phosphorus" in blood of chicks during infection with *P. gallinaceum*. Curr. Sci. 20 (2) 1951 pp. 37–38.
- 964.—Stabler, R. M. A survey of Colorado band-tailed pigeons, mourning doves, and wild common pigeons for *Trichomonas gallinae*. J. Parasit. 37 1951 pp. 471–472.
- 965.—Stabler, R. M. Effect of *Trichomonas gallinae* from diseased mourning doves on clean domestic pigeons. J. Parasit. 37 1951 pp. 473–478.
- 966.—Stabler, R. M. & Mellentin, R. W. Treatment of *Trichomonas gallinae* infections in domestic pigeons with enheptin. Anat. Rec. 111 1951 p. 584.

Stahler, N. see Terzian, L. A.

- 967.—Stainforth, R. M. News—Peru. [Foraminifera.] Micropalae-ontologist, N.Y. 5 (1) 1951 p. 5.
- 968.—Stainforth, R. M. Growth of recognition of the zonal value of planktonic microfossils. Micropaleontologist, N.Y. 5 (4) 1951 pp. 30–32.
 - Stainforth, R. M. see Cushman, J. A. Stankovic, I. see Stankovic, M.
- 969.—Stankovic, M. & Stankovic, I. Premiers cas probables de toxoplasme en Yougoslavie. Arch. Serbes Méd. (Belgrade) 49 1951 pp. 19-25. [Serbian with French summary.]
- 970.—Stauber, L. A., Walker, H. A. & Richardson, A. P. The in vitro agglutination of erythrocyte-free avian plasmodia. J. infect. Dis. 89 1951 pp. 31-34.

Stauber, L. A. see Trager, W.

- 971.—Stead, F. L. Foraminifera of the Glen Rose Formation (Lower Cretaceous) of Central Texas. Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.
- 972.—Steig, M. H., Nichols, J. K., Gray, S. G., & Denham, R. L. Geology of Erath Field, Vermilion Parish, Louisiana. [Foraminifera.] Bull. Amer. Assoc. Petrol. Geol. 35 (5) 1951 pp. 943–987.

Steigmann, F. see Young, V. M.

Famous

973.—Stock, C. C., Jacobson, W. & Williamson, M. An influence of 2, 6-diaminopurine upon the content of kappa in *Paramecium aurelia*; variety 4. Proc. Soc. exper. Biol. 78 1951 pp. 874-876.

974.—Stoll, N. R. Diagnosis of intestinal helminths and protozoa: current perspective. H. Most. (ed.). Parasitic infections in man. New York 1951 pp. 56-75.

975.—Stone, B. A new species of Foraminifera from Peru. Contr. Cushman Fdn. 2 (1) 1951 p. 9 figs.

976.—Stone, B. Lagena samanica Berry, a synonym. Contr. Cushman Fdn. 2 (4) 1951 p. 139.

977.—Storm, J., Hutner, S. H. & Cowperthwaite, J. Preliminary notes on the nutrition of two small amoebae in pure culture. Proc. Amer. Soc. Protozool. 2 1951 p. 3.

978.—Straub, J. Über die Auslösung der Meiosis. Biol. Zbl. 70 1951 pp. 24-30 fig.

979.—Strelin, G. C. [Physiological gradients: VI The problem of the axial gradient of the vital colour in Paramecium caudatum.] Zool. J., Moscow 30 (4) 1951 pp. 352-357 figs. [In Russian.]

Strome, C. P. A. see Sapero, J. D.

980.—Sujkowski, Z. L. A pebble with Radiolaria from the 100-ft. Terrace at Swanscombe, Kent. Geol. Mag., London 88 1951 pp. 354–356.

981.—Šulman, S. S. [Parasites of fish in Latvian water-reservoirs. (Myxosporidia).] Trud. gelmintol. Labor. (Acad. Sci. USSR). 4 1950 pp. 278–281. [In Russian.]

Suter, L. S. see Sutcliff, W. D.

982.—Sutliff, W. D., Green, F. D. & Suter, L. S. Endamoeba gingivalis in pulmonary suppuration. Amer. J. trop. Med. 31 1951 pp. 718-723 fig.

983.—Suzuki, K. & Kitazaki, U. Applied micropalaeontological studes of the Cenozoic Formations in the northern part of Muira Peninula. J. Geol. Soc. Japan 57 (665). 951 pp. 65–78 figs. [English ummary.]

951 pp. 56-75.

Stone, B. A new species of nifers, from Peru Contr.

1873-May 2nd, 1951. Doc. Neerland.

1873-May 2nd, 1951. Doc. Neerland. Indones. Morb. trop. **3** 1951 pp. 97-99 portr.

168 1951 p. 610.

Swinford, L. R. see Browning, I. Szewczak, J. see Hunter III, G. W. Szewczak, J. T. see Ritchie, L. S.

984.—Suzuoki-Zirô, & Suzuoki-Tuneko. Hydrogen evolution by Trichomonas foetus. Nature, London

Suzuoki - Tuneko see Suzuoki-Zirô.

Biology, London 10 1951 pp. 9-32

985.—Swann, M. M.

animals 3: the Amoeba.

987.—Taliaferro, W. H. & Moulder, J. W. Respiration of the spleen during infection with Plasmodium gallinaceum and development of immunity. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 11.

988.—Tappan, H. Northern Alaska Index Foraminifera. Contr. Cushman Fdn. 2 (1) 1951 pp. 1–8 figs.

Tappan, H. see Loeblich, A. R.

989.—Tate, P. Antagonism of Spirillum minus infection in rats towards Trypanosoma lewisi and T. equinum. Parasitology 41 1951 pp. 117-127.

990.—Taylor, D. J., Greenberg, J., Josephson, E. S. & Ray, A. P. Studies on Plasmodium gallinaceum in vitro. I. A method for maintenance of the erythrocytic parasite in vitro. J. infect. Dis. 88 1951 pp. 158-162.

Taylor, D. J. see Greenberg, J.

991.—Teichert, C. The marine Permian faunas of Western Australia . [Foraminifera.] Paläont. Z., Berlin 24 (1-2) 1951 pp. 76-90.

Teichert, C. see Clarke, E. de.

992.—Téllez-Girón, C. News— Mexico [Foraminifera]. Micropaleontologist, N.Y. 5 (1) 1951 p. 2–3.

993.—Téllez-Girón, C. News— Mexico [Foraminifera]. Micropaleontologist, N.Y. 5 (2) 1951 pp. 2-3.

Teodorovitch, G. see Simitch, T.

994.—Teodorovitch, G. I. [Bashkirian Strata of European Russia and its subdivision]. [Foraminifera.] C.R. Acad. Sci. URSS. N.S. 78 (3) 1951 pp. 569-572. [In Russian.]

Terrana. V. see Buttitta.

- 995.—Terzian, L. A., Ward, P. A. & Stahler, N. A new criterion for the selection of compounds for curative activity in *Plasmodium vivax* malaria. Amer. J. trop. Med. 31 1951 pp. 692-697.
- 996.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Coscinophragma n. nom. für Polyphragma Reuss 1871 (non Quatrefages, 1865). Ecl. geol. helv. 43 1950 [1951] p. 221.
- 997.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Amphicoryne oder Amphicoryna Schlumberger 1881. Ecl. geol. helv. 43 1950 [1951] p. 221.
- 998.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Weitere Homonyme bei den Foraminiferen. Ecl. geol. helv. 43 1950 [1951] pp. 222-223.
- 999.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Vorkommen der Gattung Hastigerinella Cushman, 1927, im österreichischen Mittel-Eccoen. Ecl. geol. helv. 43 1950 [1951] pp. 223–224.
- 1000.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Bermudezella n. nom. für Carpenterella Bermudez 1949 (non Collenette, 1933). Eel. geol. helv. 43 1950 [1951] p. 224.
- 1001.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Parrellina n. nom. für Elphidioides Parr 1950 (non Cushman, 1945). Ecl. geol. helv. 43 1950 [1951] pp. 224—225.
- 1002.—Thalmann, H. E. Mitteilungen über Foraminiferen IX: Validation von Globorotalia lobata, Bermudez 1949. Ecl. geol. helv. 43 1950 [1951] p. 225.
- 1003.—Thalmann, H. E. News— United States, West Coast Region [Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 5-6.

Theiler, G. see du Toit, R.

- 1004.—Thiermann, E. Consideraciones sobre 1,811 xenodiagnosticos positivos de Trypanosoma cruzi, observados en el departamento de parasitologia. Bol. Inform. Parasit. chilen. 6 1951 pp. 37–39. [English summary.]
- 1005.—Thiermann, E. La reaccion de Sabin y Feldman en el diagnostico de la toxoplasmosis. Bol. Inform. Parasit. chilen. 6 1951 pp. 54-55, [English summary.]

Théodoridès, J. see Tuzet, O.

Thomas, E. H. see Tobie, J. E.

- 1006.—Thomas, L. J. A survey of the internal parasites of the school children of Bimini, The Bahamas, B.W.I. [Including protozoa.] J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 22.
- 1007.—Thomasson, K. Beitrage zur Kenntnis des Planktons einiger Seen im nordschwedischen Hochgebirge. Schweiz. Z. Hydrol. 13 (2) 1951 pp. 336-351 figs.
- Thompson, C. F. see Kessel, J. F. 1008.—Thompson, M. L. Wall structures of Fusulinid Foraminifera. Contr. Cushman Fdn. 2 (3) 1951 pp. 86-91 figs.
- 1009.—Thompson, M. L. New genera of Fusulinid Foraminifera. Contr. Cushman Fnd. 2 (4) 1951 pp. 115-119 figs.
- 1010.—Thompson, M. L. News— United States; North-Central Region [Foraminifera]. Micropaleontologist. N.Y. 5 (4) 1951 pp. 2-3.

Thompson, P. E. see Reinertson, J. W.

1011.—Thurston, J. P. Morphological changes in *Plasmodium berghei* following proguanil, sulphadiazine and mepacrine therapy. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 703-706 figs.

Thurston, J. P. see Hawking, F.

- 1012.—Tikhi, V. N. [Devonian of Kazan.] [Foraminifera.] C.R. Acad. Sci. URSS. N.S. 78 (4) i951 pp. 753-756. [In Russian.]
- 1013.—Tittler, I. A. Effect of sulphadiazine on the thiamine requirement of *Tetrahymena geleii* (H). Anat. Rec. 111 1951 p. 529.

1014.—Tittler, I. A. & Belsky, M. M. Pteroylglutamic acid activity of aminopterin in *Tetrahymena geleii*. Science, N.Y. 114 1951 p. 493.

1015.—Tobie, E. J. Loss of the kinetoplast in a strain of Trypanosoma equiperdum. Trans. Amer. micr. Soc. 70 1951 pp. 251-254 figs.

Tobie, E. J. see Brand, T. von.

1016.—Tobie, J. E., Reardon, L. V., Bozicevich, J., Shih, B. C., Mantel, N. & Thomas, E. H. The efficiency of the zinc sulfate technic in the detection of intestinal protozoa by successive stool examinations. Amer. J. trop. Med. 31 1951 pp. 552-560 fig.

1017.—Tokura, N. & Kawahata, H. Observations on *Plasmodium elongatum* from Japanese wild birds. Yokohama Med. Bull. 2 1951 pp. 85–88 figs.

1018.—Toranzos, L. B. El metodo de Breed en el recuento del Trypanosoma equinum Voges 1901, en
sangre. An. Inst. Med. region.
Tucumán 3 1951 pp. 237-240.
[English summary.]

Toranzos, L. B. see Romaña, C.

1019.—Torrealba, J. F. Envestigaciones sobre enfermedad de Chagas en Zaraza (Estado Guarico, Venezuela). Otras notas científicos. Recopilacion. Fasc. 3 Caracas. 1951 244 pp. figs.

1020.—Torrico, R. A. Balantidiosis y frecuencia de balantidios en los cerdos de Cochabamba. An. Labor. Central, (Bolivia) 3 1951 pp. 43-47.

1021.—Toumanoff, C. & Truong Tan Ngoc. Enquêtes sur les piroplasmoses du bétail de la Cochinchine et du Cambodge. Bull. Soc. Path. exot. 44 1951 pp. 329–337.

1022.—Trager, W. The beneficial effect of malate on the extracellular survival in vitro of the malaria parasite Plasmodium lophurae. Anat. Rec. 111 1951 p. 486.

1023.—Trager, W., Stauber, L. A. & Harel, S. B. Innate and acquired agglutinins in ducks to the malaria parasite *Plasmodium lophurae*. Proc. Soc. exp. Biol. 75 1951 pp. 766-771.

1024.—Trejos, A. & Echandi, C. A. Comprobacion del poder patogeno para hombre de cultivos de *Leishmania brasiliensis* Vianna, 1911. (Nota previa.) Rev. Med. Costa Rica 10 1951 pp. 91–92. [English summary.]

1025.—Trembley, H. L., Greenberg, J. & Coatney, G. R. Strain differences in *Plasmodium gallinaceum* Brumpt. II. Experiences with the sporozoite and single oocyst passage of the B.I. strain. J. Nation. Malar. Soc. 10 1951 pp. 68-75 fig.

1026.—Trembley, H. L., Greenberg, J. & Coatney, G. R. Strain differences in *Plasmodium gallinaceum* Brumpt. III. The spontaneous conversion of a phanerozoite-producing SP strain to a phanerozoiteless M strain through mosquito passage. J. Nation. Malar. Soc. 10 1951 pp. 26-81 fig.

Trembley, H. L. see Greenberg, J.

1027.—Tromba, F. G. Trypanosoma vespertilionsis and Litomosoides sp. in Eptesicus fuscus fuscus. J. Parasit. 37 1951 p. 324.

Truong Tan Ngoc see Toumanoff, C.

1028.—Tsuchiya, H. & McCoy, J. E. A method for preserving unstained thick film. [Blood protozoa.] J. Parasit. 37 1951 p. 320.

1029.—Tuzet, O. & Manier, J.-F. Le cycle de Legerella nova Schneider, coccidie parasite des tubes de Malpighi du Glomeris marginata Villers, et son observation par le microscope à contraste de phases. Ann. Sci. nat. (Zool.) (11) 13 1951 pp. 343-349 figs.

1030.—Tuzet, O. & Ormières, R. Capillicephalus lithobii, n. g., n. sp., grégarine parasite de l'intestin du Lithobius piceus L. Koch. Ann. Sci. nat. (Zool.) (11) 13 1951 pp. 413-416 figs.

1031.—Tuzet, O. & Théodoridès, J. Grégarines nouvelles de coléoptères ténébrionides. Ann. Parasit. hum. comp. 26 1951 pp. 394-406 figs.

1032.—Tuzet, O. & Théodoridès, J. Une nouvelle espèce de grégarine parasite de *Dermestes frischi* Kug. (Coleoptera Dermestidae). Arch. Zool. exp. gén. 87 1951 (Notes et Rev.) pp. 162–168 figs. (Protistologica CX.)

1033.—Uchio, T. Foraminiferal study of Tertiary formations near Otaki Gas-field, Chiba Prefecture. J. Geol. Soc. Japan 57 1951 pp. 13–20 figs. [English summary.]

1034.—Uchio, T. New species of foraminifera of the Miocene Age in Tochigi Prefecture. J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.

Uribe, C. see Groot, H.

1035.—Urso, B. Su un nuovo metodo di colorazione della *Lamblia* nelle feci. Arch. Ital. Sci. Med. trop. Parassit. 32 1951 pp. 3–5. [English summary.]

1036.—Urso, B. & Rossi, G. Rilievi statistici e parassitologici su 20,000 esami di feci. [Intestinal protozoa.] Arch. Ital. Sci. med. trop. Parassit. 32 1951 pp. 433–442.

1037.—Uttangi, J. C. On a new species of Nyctotherus found in Uperodon systoma Schneider: Microhylidae. Current Sci. 20 (8) 1951 pp. 210-211 figs.

Van Assendelft, F. see Most, H.

1038.—Vaněk, J. [Atypical (interstitial) pneumonia in infants caused by *Pneumocystus carinii*]. Časopis Lekařu Českych (Prague) 90 1951 pp. 1121–1124 figs. [Czech with English summary.]

1039.—Vanni, V. Presencia de Endamoeba histolytica en las ratas de Buenos Aires. Bol. Ofic. Sanit. Panameric. 31 1951 pp. 242-243.

1040.—Vargues, R. Etude sérologique de l'infection expérimentale du rat blanc par *Plasmodium berghei*: disparition de l'alexine. Présence l'anticorps fixant le complément. C.R. Soc. Biol., Paris 145 1951 pp. 1134-1136.

1041.—Vargues, R. & Fabiani, G. L'inoculation intracardiaque de *Plasmodium berghei*. Technique et intérêt de la méthode. C.R. Soc. Biol., Paris 145 1951 pp. 1519–1521.

1042.—Vargues, R. & Fabiani, G. La réinoculation intracardiaque de *Plasmodium berghei* chez des rats guéris d'une infection première. C.R. Soc. Biol., Paris 145 1951 pp. 1521-1523.

1043.—Vargues, R. & Fabiani, G. L'inoculation intrapéritionéale massive de *Plasmodium berghei* chez le rat blanc. C.R. Soc. Biol., Paris 145 1951 pp. 1523-1525.

1044.—Vargues, R., Fabiani, G. & Fulchiron, G. Etude sérologique de l'infection expérimentale du rat blanc par Plasmodium berghei. Variations quantitatives de la sensibilisatrice et de l'alexine au cours de la maladie. C.R. Soc. Biol., Paris 145 1951 pp. 1298-1300.

Vargues, R. see Fabiani, G. Varnedoe, N. B. see Browning, I.

1045.—Vašiček, M. Micropalaeontological evidence of the late Tertiary orogenesis in East Moravia. Sborn. geol. Úst. Čsl. (Paléont.) 17 1951 pp. 1-5 figs. [English summary, pp. 7-12.]

1046.—Vašiček, M. The representatives of the genus *Stensiöina* from the Moravian Flysch. Sborn. geol. Úst. Čsl. (Paleont.) 18 1951 pp. 85–96 figs.

1047.—Vašiček, M. Preliminary report on the microbiostratigraphy of the earlier Neogene of Southern Moravia. [Foraminifera.] Sborn. geol. Úst. Čsl. (Paleont.) 18 1951 pp. 97–100 figs.

1048.—Vašiček, M. Representatives of the genus *Hantkenina* in the Paleogene of Moravia. Sborn. geol. Úst. Čsl. (Paleont.) 18 1951 pp. 101–125 figs.

1049.—Vašiček, M. Origin of pseudoassociations of microfossils. [Foraminifera.] Sborn. geol. Úst. Čsl. (Paleont.) 18 1951 pp. 129–144 figs.

1050.—Vašiček, M. The contemporary state of the microbio-stratigraphic research of the Miocene sedimentary deposits in the Out-Carpathian Neogene basin in Mor-

avia. [Foraminifera.] Sborn. geol. Úst. Čsl. (Paleont.) 18 1951 pp. 145– 195 figs.

Verain, A. see Fabiani, G.

Verder, E. see Reardon, L. V.

Vergati, A. see Nani, S.

1051.—Verlinde, J. D. & Makstenieks, O. Repeated isolation of Toxoplasma from the cerebrospinal fluid and from the blood, and the antibody response in four cases of congenital toxoplasmosis. A. v. Leeuwenhoek J. Microbiol. Serol. 16 1950 pp. 366-372.

Verolini, F. see Corradetti, A.

Vesely, K. see Peter, R.

- 1052.—Vevers, H. G. The biology of Asterias rubens L. II. Parasitization of the gonads by the ciliate Orchitophrya stellarum Cépède. J. Mar. biol. Ass. U.K. 29 1951 pp. 619-624 figs.
- 1053.—Vialli, V. I foraminiferi luteziano-priaboniani del monte Orobio (Adda di Paderno). Atti Soc. Ital. Sci. nat. 90 (2-3) 1951 pp. 97-168 figs.
- 1954.—Vialli, V. Diagnosis di forme nuova. [Foraminifera.] Rev. Ital. Paleont. 57 (1) 1951 p. 23 figs.
- 1055.—Viaud, G. Etude cinétique du galvanotropisme de *Paramecium caudatum*. Électrocinèse et électroinhibition. C.R. Soc. Biol., Paris 1951 pp. 759-761.
- 1056.—Vigneaux, M. L'Eocène inférieur sur le versant Nord de l'anticlinal de Villagrains-Landiras (Gironde). [Foraminifera.] C.R. Acad. Sci., Paris 232 1951 pp. 1768-1769.

Vincke, I. see Rodhain, J.

- 1057.—Visser, A. M. Monograph on the Foraminifera of the Type-Locality of the Maestrichtian (South Limburg, Netherlands). Leidse Geol. Mededel. 16 1951 pp. 197–359 figs.
- 1058.—Vistelius, A. B. & Miklukho-Maklaï, A. D. [The Palaeozoic gravels from the Productive Measures of the Apsheron Peninsula]. [Foraminifera.] C.R. Acad. Sci. URSS N.S. 79 (3) 1951 pp. 499-502. [In Russian.]

- 1059.—Viswanathan, D. K. A review of immunity in the vertebrate host against malaria. Indian J. Malariol. 5 1951 pp. 271–285.
- 1060.—Viswanathan, D. K. A review of immunity and endemicity in malaria and a discussion on their relationship with malaria control. Indian J. Malariol. 5 1951 pp. 251–269.
- 1061.—Vogelsang, E. G. Protozoarios en animales domesticos observados en Venezuela. Rev. Med. vet. Parasit., Caracas 9 1950 pp. 133-135.
- 1062.—Voigt, R. Das Maastricht-Vorkommen von Ilten bei Hannover und seine Fauna mit besonderer Berücksichtigung der Gross-Foraminiferen und Bryozoen. Mitt. geol. Staatsinst. Hamburg 20 1951 pp. 15–109 figs.
- 1063.—Volz, P. Untersuchungen über die Mikrofauna des Waldbodens. Zool. Jahrb., Jena (Syst.) 79 1951 pp. 514-566 figs.
- 1064.—Voorthuysen, J. H. van. News — Benelux. [Foraminifera]. Micropaleontologist, N.Y. 5 (1) 1951 pp. 11-13.
- 1065.—Voorthuysen, J. H. van. News — Benelux Countries. [Mainly Foraminifera]. Micropaleontologist, N.Y. 5 (4) 1951 pp. 14-17.
- 1066.—Voorthuysen, J. H. von & Pannekoek, A. J. La distribution verticale quantitative des foraminifères du Diestien, du Scaldisien et du Poederlien au Kriusschaus près d'Anvers. Bull. Soc. Belge Géol. Pal. Hydr. 59 (1-2) 1950 [1951] pp. 204-212 figs.
- 1067.—Wagner, O. Fortschritte in der Amöbenruhr-Therapie auf biologischen und methodischen Grundlagen. Z. Tropenmed. 3 1951 pp. 47-65. [English summary.]

Walker, G. W. see Page, B. M.

Walker, H. A. see Stauber, L. A.

Wall, W. see Draper C.

Wall, W. J. see Yoeli, M.

Walne, P. R. see Knight-Jones, E. W.

1068.—Walther, H. Jurassische Mikrofossilien, insbesondere Gastropoden, am Südrand des Hils (Ergebnisse einer Kartierung nach Mikrofaunen). [Foraminifera.] Paläont. Z., Berlin 24 (1-2) 1951 pp. 35-106 figs.

1069.—Walton, A. C. Parasites of the Amphibia. Protozoa I, II. Anat. Rec. 111 1951 p. 580.

Ward, P. A. see Terzian, L. A.

Watanabe, I. see Kanai, M.

*Watson, H. J. C. see Desowitz, R. S.

1070.—Weiser, J. A contribution to the knowledge of the Microsporidia of parasitic helminths. Acta Soc. zool. Bohemosloven. 15 1951 pp. 79-84 fig.

1071.—Weiser, J. Nosematosis of Otiorhynchus ligustici. I. Description of the parasite. Acta Soc. zool. Bohemosloven. 15 1951 pp. 209-218 figs.

1072.—Weisz, P. B. Homoplastic grafting in *Stentor coeruleus*. Biol. Bull. 100 1951 pp. 116–126.

1073.—Weisz, P. B. An experimental analysis of morphogenesis in *Stentor coeruleus*. J. exp. Zool. 116 1951 pp. 231–257 figs.

1074.—Weisz, P. B. An experimental analysis of morphogenesis in Stentor coeruleus. Trans. N.Y. Acad. Sci. (2) 13 (3) 1951 pp. 121-122.

Wells, P. H. see Giese, A. C.

Wenck, E. see Reinhard, M.

West, G. D. see Hussey, K. M.

Westlake, E. K. see Hart, E. W.

1075.—Westphal, A. Die Protozoeninfektionen. I. Die Amöbenruhr. In Gundel's Die Ansteckenden Krankheiten. 4th ed. 1950 pp. 602-612 figs.

1076.—Westphal, A. Die Entwickung und Formvariabilität von *Toxoplasma gondii* einem intrazellulären Parasiten des Menschen. Verh. Dtsch. zool. Ges. 1950 [1951] pp. 159-161.

1077.—Westphal, A. Trypanosomen, die Erreger der afrikanischen Schlafkrankheit. Mikrokosmos 40 (10) 1951 pp. 229–231 figs.

1078.—Westphal, A. Abhängigkeit der Titerhöhe des Sabin-Feldmans-Testes vom Methylenblau. [Toxoplasma.] Z. Tropenmed. 3 1951 pp. 72-77. [English summary.]

1079.—Westphal, A. Eine neue Toxoplasmose-Komplementbindungsreaktion. Z. Tropenmed. 3 1951 pp. 191–204. [English summary.]

1080.—Westphal, A. Toxoplasmose in Deutschland. Zbl. Bakt. (I. Orig.) 157 1951 pp. 35–39.

Westphal, A. see Otten, E.

Westphal, A. see Piekarski, G. Westphal, A. see Schrader, E. A.

1081.—Weyer, F. Ein experimenteller Beitrag zur Frage der Uebertragung von Toxoplasma gondii durch Arthropoden. Z. Tropenmed. 3 1951 pp. 65-72. [English summary.]

1082.—Weynschenk, R. Two new foraminifera from the Dogger and Upper Triassic of the Sonnwend Mountains of Tyrol. J. Paleont. 25 (6) 1951 pp. 793-795 figs.

1083.—Weynschenk, R. A method in sedimentary petrology opening new views on oil research and questions of ecology. [Foraminifera.] Micropaleontologist, N.Y. 5 (2) 1951 pp. 25-27.

1084.—Wheatley, W. B. A rapid staining procedure for intestinal amoebae and flagellates. Amer. J. clin. Path. 21 1951 pp. 990-991.

White, M. see Kasper, J. A.

1085.—Whittington, M. G. The survival of *Trichomonas vaginalis* at temperatures below +37°C. J. Hyg. 49 1951 pp. 400-409.

1086.—Whittington, M. J. The incidence of *Trichomonas vaginalis* in a sample of the general population, with some observations on its relation to the use of chemical contraceptives. J. Obstetr. Gynaec. Brit. Empire 58 1951 pp. 399-406.

1087.—Whittington, M. J. The occurrence of *Trichomonas vaginalis* in semen. J. Obstetr. Gynaec. Brit. Empire 58 1951 pp. 615–620.

- 1088.—Whittington, M. J. Observations upon a Trichomonad (Protozoa: Mastigophora) from the gut of the snake, *Vipera ammodytes* L. Parasitology 41 1951 pp. 274–281 figs.
- 1089.—Wichterman, R. Effects of high dosage irradiation with X-ray upon dividing and non-dividing cells and conjugant stages: Paramecium. Anat. Rec. 111 1951 p. 527.
- 1090.—Wichterman, R. The effects of X-rays upon dividing and non-dividing cells: Paramecium caudatum. [Abstract of General Scientific Meeting.] Biol. Bull. 101 1951 p. 232.
- 1091.—Wichterman, R. The effects of X-rays upon conjugant and vegetative stages of *Paramecium calkinsi*. [Abstract]. Biol. Bull. 101 1951 p. 232.
- 1092.—Wichterman, R. The biology of *Paramecium calkinsi* with special reference to ecology, cultivation. structural characteristics, and mating-type phenomena. Proc. Amer. Soc. Protozool. 2 1951 pp. 11–12.
- 1093.—Wichterman, R. The ecology, cultivation, structural characteristics and mating types of *Paramecium calkinsi*. Proc. Pa. Acad. Sci. 25 1951 pp. 51-65 figs.

Wieboldt, M. L. see Balamuth, W.

- 1094.—Wiedenmayer, C. Zur Geologie des Bologneser Apennins zwischen Reno- und Idice-Tal. [Foraminifera.] Ecl. geol. helv. 43 1950 [1951] pp. 115-143.
- 1095.—Wilber, C. G. & Slane, G. M. The effect of ultra violet light on the protoplasm in *Pelomyxa carolinensis*. Trans. Amer. micr. Soc. 70 1951 pp. 265–271 figs.

Wilber, C. G. see Nardone, R. M.

- 1096.—Wilcox, A. Manual for the microscopical diagnosis of malaria in man. 2nd ed. Nation. Inst. Health Bull. No. 180 (revised), Washington 1950 viii+49 pp. figs.
- 1097.—Wildführ, G. Ueber den Erregernachweis und die serologischen Reaktionen bei Toxoplasmose. Zschr. ärztl. Fortbild. 45 1951 pp. 644-646 figs.

- 1098.—Willems, R. Aperçu sur la pathologènie de la trichomoniase bovine. Bull. Off. int. Epiz. 33 1950 pp. 361-374.
- 1099.—Williams, E. G. Plankton organisms of the River Dee, near Chester. Proc. Chester Soc. nat. Sci. 1950 [1951] pp. 143-152 figs.

Williams, E. G. see Galliford, A. L. Williams, J. H. see Little, P. A.

1100.—Williamson, J. & Bray, R. S. Course of *Plasmodium berghei* infection in mice: effect of MSb and Melarsen. Trans. R. Soc. trop. Med. Hyg. 44 1951 pp. 361–362.

Williamson, J. see Rollo, I. M. Williamson, M. see Stock, C. C.

- 1101.—Wilmot, A. J., Armstrong, T. G. & Elsdon-Dew, R. The comparative value of amoebicidal drugs. J. trop. Med. Hyg. 54 1951 pp. 161-165.
- 1102.—Wilson, D. P. Life of the shore and shallow sea. [Including protozoa.] London 1951 213 pp. figs.
- 1103.—Wilson, J. G. Trichomoniase en Grande-Bretagne. Bull. Off. int. Epiz. 33 1950 pp. 352-358.
- 1104.—Wilson, S. G. An experimental study of East Coast fever in Uganda. III. A study of the East Coast fever reactions produced when infected ticks 31 days old are fed on susceptible calves in limited numbers over a period of three weeks. Parasitology 41 1951 pp. 23–35.
- 1105.—Wilson, S. G. An experimental study of East Coast fever in Uganda. IV. A study of the East Coast fever reactions produced when infected ticks 171 days old were fed on susceptible calves in limited numbers over a period of three weeks. Parasitology 41 1951 pp. 36-45.
- 1106.—Wingo, W. J. & Anderson, N. L. Effect of pH of medium upon the growth rate of *Tetrahymena geleii* T.-P. J. exp. Zool. 116 1951 pp. 571-575 fig.
- 1107.—Wingo, W. J. & Browning, I. Measurement of swimming speed of *Tetrahymena geleii* by stroboscopic photomicrography. J. exp. Zool, 117 1951 pp. 441-449 figs.

- 1108.—Wittmann, H. Untersuchungen zur Dynamik einiger Lebensvorgänge von Amoeba sphaeronucleolosus (Greef) bei natürlichem "Zeitmoment" und unter Zeitraffung. (Zweiter Teil.) Protoplasma, Leipzig 40 (1) 1951 pp. 23–37 figs.
- 1109.—Wood, S. F. Development of Arizona *Trypanosoma cruzi* in mouse muscle. Amer. J. trop. Med. 31 1951 pp. 1-11 figs.
- 1110.—Wood, S. F. The fragility factor for *Trypanosoma cruzi* in experimental Chagas' disease. Bull. S. Calif. Acad. Sci. **50** (3) 1951 pp. 164-166.
- 1111.—Wood, S. F. Development of California *Trypanosoma cruzi* in the bat bedbug. J. Parasit. 37 1951 pp. 330-331.

Worth, C. B. see Ratcliffe, H. L.

- 1112.—Wright, W. H. Medical parasitology in a changing world. What of the future? J. Parasit. 37 1951 pp. 1-12; J. trop. Med. Hyg. 54 1951 pp. 121-126.
- 1113.—Wu, C. & Hogg, J. F. The amino acid composition and metabolism of *Tetrahymena geleii*. Proc. Amer. Soc. Protozool. 2 1951 pp. 20-21.
- 1114.—Yagiu, R. Studies on Condylostoma spatiosum Ozaki & Yagiu. III. The relationship of the quantity of the macronucleus and the power of division. J. Sci. Hiroshima Univ. (Zool.) 12 1951 pp. 121-130 figs.
- 1115.—Yagiu, R. Studies on Condylostoma spatiosum Ozaki & Yahiu. IV. The relationship between an injury and the power of division. J. Sci. Hiroshima Univ. (Zool.) 12 1951 pp. 131-139 figs.
- 1116.—Yamazi, I. Plankton investigation in inlet waters along the coast of Japan. I. Introductory notes and the plankton of Akkeshi Bay, Hanasaki inlet and Nemuro Harbour. Publ. Seto Mar. biol. Lab. 1 (3) 1950 pp. 93–113 figs.
- 1117.—Yamazi, I. Plankton investigation in inlet waters along the coast of Japan. II. The plankton of Hakodate Harbour and Yoichi Inlet in Hokkaido. Publ. Seto Mar. biol. Lab. 1 (4) 1951 pp. 185–194 figs.

- 1118.—Yanai, T. On the influences of Escherichia coli upon the experimental infection of Entamoeba histolytica in rats. Kitasato Arch. exp. Med. 23 1951 pp. 21-27.
- 1119.—Yoeli, M. & Wall, W. J. Complete sporogonic development of Plasmodium berghei in experimentally infected Anopheles spp. Nature, London 168 1951 pp. 1078-1090 figs.

Yoeli, M. see Zuckerman, A.

Yokogawa, M. see Ritchie, L. S. Yoshimura, T. see Young, V. M.

- 1120.—Young, K. Foraminifera and stratigraphy of the Frontier formation (Upper Cretaceous), Southern Montana. J. Paleont. 25 (1) 1951 pp. 35-68 figs.
- 1121.—Young, V. M. & Conner, P. Action of S-containing aminoacids on some trypanosomes and leishmanias. J. Parasit. 37 (5: Sect. 2, Suppl.) 1951 p. 13.
- 1122.—Young, V. M., Felsenfeld, O., Shlaes, W. H., Yoshimura, T. & Steigmann, F. A study of laboratory methods for diagnosing *Endamoeba histolytica* and their application to 5,048 persons from the Chicago area. Amer. J. digest. Dis. 18 1951 pp. 126-130.
- 1123.—Zarnowski, E. Investigations of the transmission of dourine by stinging insects. Bull. State Inst. Mar. Trop. Med., Gdansk 2 1949 p. 115. [In Bull. Bur. Perman. Interafric. Tsé-tsé & Trypanosom. Léopoldville 1 (6: No. 148) 1950 p. 146.
- 1124.—Zawoiski, E. J. A statistical analysis of the size of different clones of *Paramecium calkinsi* and the fate of exconjugants. Proc. Pa. Acad. Sci. 25 1951 pp. 66-71.
- 1125.—Zinoni, A. L'Oligocene ed il Miocene dei diutorni di Manerba (Lago di Garda). [Foraminifera]. Riv. Ital. Paleont. 57 (1) 1951 pp. 5-17 figs.
- 1126.—Zuckerman, A. & Yoeli, M. The effect of splenectomy on the course of *Plasmodium berghei* infections in *Microtus guentheri*. J. infect. Dis. 89 1951 pp. 130-142.

II.—SUBJECT INDEX

GENERAL.

Text-books.—General protozoology, Dogiel 276; Planktonic protozoa, GÜNTHER & DECKERT, 421; Protozoa in evolution, GREGORY 409; Shore and shallow sea life (Protozoa), Wilson 1102; General survey of fossil protozoa, Goldring 399;

History.- Evolution of microbiology, FILDES 339; Current micropalaeontological research in Britain, Ovey 756; Review of Schaudinn's protozoological work, Reichenow 829; Micropalaeontological research in North-Central United States, THOMPSON 1010; Progress in micropalaeontology in the Benelux countries, Voorthuysen 1065; Progress in the use of micropalaeontology in German stratigraphical problems, Knipscheer 543; Progress in Spanish micropalaeontological research, Colom 220; Recent developments in Mexican micropalaeonto-logy, Téllez-Girón 992; Micropalaeontological research progress in North Africa, DAM 245; Current Japanese micropalaeontological research, OINOMIKADO 749; Progress in the micropalaeontology of New Zealand, HORNIBROOK 478; Depository of the Cushman Collection of Foraminifera, LOEBLICH 606; Modern foraminiferal research in Scandinavia, BROTZEN 150; Current French foraminiferal research, CIZANCOURT 207; News of Foraminiferal research in the Benelux countries, VOORTHUY-SEN 1064; List of foraminifera dedicated to Spanish geologists, BATALLER 76: Bibliography and developments of modern Italian foraminiferal and allied research, Alliata 26: Current Turkish foraminiferal research, ERK 311; News of foraminiferal research in the Near East, Bellen 87; Foraminiferal research in Israel, AVNIMELECH 43; Progress in North African foraminiferal research, Rey 836; Modern developments in West Indian foraminiferal research, Brön-NIMANN 149; Current foraminiferal research in the Western United States, THALMANN 1003; Current foraminiferal research in the American Gulf Coast Region, MALKIN 643; Bibliography and news of foraminiferal research, Mexican TÉLLEZ-GIRÓN 993; News of Foraminiferal research in Peru, STAIN-FORTH 967: Original slides and drawings of human blood protozoa by Sir W. Leishman, NEAL 725; E. Brumpt's connexion with protozoal parasitology in America, BAEZ 46: Study of protozoal diseases Belgian Congo, Dubois 288: Discovery of formol gel reaction for diagnosis of leishmaniasis and trypanosomiasis, Spackman 954: New institute for trypanosomiasis research, Anon. 15; Discovery of Tri-chomonas in cattle by E. Mazzanti (1900), Peli 771; Malaria in England, MACARTHUR 620; Recent researches on malaria, Manson-Bahr 646: History of malaria research, REICHE-NOW 830; History of researches on the exoerythrocytic development of malaria parasites, Shortt 930; New impression of paper on Toxoplasma (1917), CHATTON & BLANC 193.

Biography; Obituary.—E. Brumpt, Lavier 582; Le Sourd 589; Anon. 8; Rodhain 852; Hoare 460, 461; Beltran 89; Otto Bütschli (1848-1920), Dobell 275; Chas. F. Craig, Faust 331; Chas. F. Craig, Anon. 6; Chas. Donovan, Christophers 203; Anon. 12; Harold J. Finlay, Hornibrook 479; F. K. Kleine, Findlay, 4343; Reichenow 828; W. A. Kuenen, Swellengrebel 986; Martin Mayer, Nauck 724; Anon. 7; A. Missiroli, C. 170; B. B. Morgan, Finley 347; M. Neveu-Lemaire, Lavier 580; Helen J. Plummer, Moore 688; Alfredo Silvestri, Desio 263, 264.

Bibliography; Reviews.—Suspension of Rules of Zoological Nomenclature in the case of Entamoeba-Endamoeba-Poneramoeba, Hemming 447; Bibliography of recent German publications on foraminiferal research, HILTERMANN 456; Notes on a volume of Terquem's "Mémoires" on Jurassic Foraminifera, FRIZZELL 359; Bibliography of recent Swiss micropalaeontological research, REICHEL 826; Bibliography and summary of recent foraminiferal research in the East Indies, NEVE 736;

Bibliography of Japanese foraminiferal research for 1950, OINOMIKADO 749.

Taxonomy and Nomenclature.-Clarification of Art. 25 of Intern. Rules of Zool. Nomencl., Anon. 1: Legitimacy of generic homonyms in protozoology and bacteriology, BECKER 79, 81; Need for stabilization of names of human parasitic protozoa, Beltran 88: Nuclear division as a factor in classification of the Amoebida, SINGH 945; Validation of Arcella amphora van Oye, Oye 759; Subdivision of the Order Foraminifera, HOFKER 467; Further homonyms in Foraminifera, THAL-MANN 998; Apertural plate structure as basis for new foraminiferal grouping. HOFKER 462: Revision of the smaller Foraminifera of the Miocene of the Vienna Basin. Marks 657: Validation of Amphicoryna Schlumberger 1881 in place of Amphicoryne and avoidance of a homonym, THALMANN 997; Coscinophragma nom. n. for *Polyphragma* Reuss, THAL-MANN **996**; Taxonomy of the Cassi-dulinidae, Hofker **465**; Taxonomy of Globotruncana Cushman, Bolli 109; Taxonomy of the Hantkeninae, BRÖNNIMANN 139: Validity of Hantkeninella Brönnimann, GRIMSDALE 411; Taxonomy of Homotrema rubrum (Lamarck), Emiliani 307; Taxonomy of Orbulina and allied genera. BRÖNNIMANN 146: Pealerina nom. n. for Ellisina Lalicker, LALICKER 568: Validity of Eponides cocoaensis Cushman, McLean 634: Validation of Globorotalia lobata Bermudez, 1949, THALMANN 1002: Suppression of Lagena samanica Berry [shown to be faecal pellet of termite Cryptotermes brevis (Walker)], STONE 976; The species Loxostomum gemmum (Cushman), HUSSEY & WEST 495; "Races" of Nummulites gizehensis, SAID 881: Taxonomy of Siphogenerina Schlumberger and allied genera, BANDY & BURNSIDE 64: Taxonomy of certain radiolarids, CAMPBELL 174: Status of generic and specific names for human malaria parasites, Anon. 5; The term "Ciliate," Kolb 547; The systematics of the Ciliates, FAURÉ-FREMIET 326; Taxonomy of Folliculinids, HADZI 428.

Technique. - Protozoological technique (general), KIRBY 534; Electron microscope technique, BAIRATI & LEHMANN 49; Centrifuging Technique, BEAMS 78; Mounting techniques, Bailenger, Neuzil & Le HIR 47; Use of nephelometry for measuring population density of protozoa, Hansen 434; Methods of studying soil protozoa, HORVATH 481; Fixing methods, KAUDEWITZ 522: Preparation of large size thin sections, Laang & Smedes 575: Triebel's stain technique, LEVINSON 593; Use of the comparison microscope, McLean 632: Collection of assorted protozoa, ODELL & CROWELL 747; Mounting technique, RODRIGUEZ 857: Organisms and artifacts contaminating blood smears and simulating protozoa, LAIRD 565; Method for preserving dry preparations stained by Romanovsky's techniques, RA-GEAU 808: Preservation of unstained thick blood films, TSUCHIYA & McCoy 1028: Iodine-staining method for intestinal protozoa, Sapero, etc. 886: Rapid staining method for intestinal protozoa, WHEATLEY 1084: Fixation and staining of amoebae, Brandis & Pöhn 133; Technique for inducing amoebid division, DANIELS 246; Metabolism analysis in amoebids Andrescu, etc. 36; Micropalaeontological technique, KNIGHTS 542; Preparation of microfossils, Beck-MANN 86; Simple extraction technique for microfossils, BAKER 51: Extraction of fossils by heat, Mac-VICAR 638; Acid treatment in analysis of internal structures of foraminiferal tests, PLUMMER 787: Method of alveolinid analysis, RITSEMA 845: Spectroscopic analysis of shells of recent calcareous Foraminifera, SAID 879; Method of storing larger Foraminifera, SAID 882; Solution studies of Fusulinid wall structures and oxidation effects, THOMPSON 1008: Thin-section analysis in foraminiferal research. WEYN-SCHENK 1083: Thin sectioning of smaller foraminifera, EMILIANI 308: Estimation of Radiolaria in Ocean Cores, Reidel 839; Electron-microscopy in study of flagella, Houwinck 482; Longitudinal binary fission promoting method in Euglena, SCHIPPER 893; Fragility of Trypanosoma cruzi in blood smears and its

remedy, Wood 1110; Staining of Trichomonas, GALASSI 365; Staining method for Giardia, URSO 1035; Methods for parasitological diagnosis of human malaria parasites, WILCOX 1096: Dye-test for toxoplasmosis. PIEKARSKI & WESTPHAL 779; Collection of sand-dwelling ciliates, FAURÉ-FREMIET 330; Electron micrographs of ciliate. FINLEY 345: Stroboscopic photomicrography for swimming speed measurement in ciliates, Wings & Browning 1107; Separation technique for Paramecium, MAYER 667; Modification of action of X-rays on Paramecium aurelia, Kimball & Gaither 532: Photosensitivity technique in Paramecium caudatum, Borchert & HELMCKE 110; Practical technique in study of Bursaria, NEWBERRY 737: Homoplastic grafting technique in Heterotrichida, Weisz 1072.

STRUCTURE

Morphology. — General works; Text-books: General protozoology, Dogiel 276; Protozoa (popular account), Chardez 192; Morphology of protozoa, Gelei 382; General survey of fossil protozoa, Goldring 399; Protozoa parasitic in domestic animals, Cameron 173; Organisms and artifacts contaminating blood smears and simulating protozoa, Laird 565.

Rhizopoda: Morphology of amoebids, BAND & MORARD 62; Morphology of Amoeba, SWANN 985; Structure of radiate amoebae, Bovee 119; Morphology of Amoeba vespertilio, RAABE 804; Structure of Amoeba saphirina, Bovee 116; Comparison of Amoeba limicola with Pelomyxa, BOVEE 115; Morphology of Pelomyxa, Kudo 557; Morphology of Trichamoeba osseosaccus, Bovee 120; A monoflagellate amoeba, Bovee 117; Hartmannella sp. found in bacterial culture, Asami & Nakamura 40; Structure of Entamoeba histolytica, RAO 818; Morphology of foraminifera, Hofker 467; Elements in the shells of Recent calcareous Foraminifera, SAID 879; Wall structure of Eocene Foraminifera, HAGN 429; Morphogenetic studies of Tertiary

pelagic foraminifera from the West Indies, Brönnimann 149; Structure of the alveolinids, RITSEMA 845: Apertural features of Amphistegina d'Orbigny, BRÖNNIMANN 140; Structure of Asterigina carinata, Brönni-MANN 142; Internal structure of Asterocyclinidae, Brönnimann 143: Internal structure of Cyclammina cancellata, Brönnimann 148: Internal structure of Discocyclina s.s., BRÖNNIMANN 147: Fusulinid wall structures, Thompson 1008: Breaking strain of fusulinid tests, KAHLER 517: Structure of Globotruncana. Bolli 109; Coiling in the Heterohelicidae, LOEBLICH 605; Structure of Homotrema rubrum, EMILIANI 307; Internal structure of Marginulinopsis Silvestri, Young 1120; Model of Milioline coiling, Reichel 825; Structure of Cretaceous orbitoids, ABRARD 17; Structure of Orbulina and allied genera, Brönnimann 146; Morphology of the Peneroplidae, HOFKER Morphology of Peneroplis, HOFKER 464; Coiling in Rotalid Foraminifera, BOLLI 108; Structure of Stensiöina, VAŠIČEK 1046: A model of Triticites, ELLIS 306; Structure of Actinosphaerium eichhorni, Kuhl 558.

Mastigophora: Amallocystis, DAHL 243; Morphology of Peridinium pusillum, KLOTTER 540; Morphology of Haematococcus pluvialis, PESCHEL 774; New Dinoflagellate parasites of Copepods, Sewell 923: Morphology of Peranema trichophorum, CHEN 197: Selenomonas from wild ruminants of California, HERMAN SAYAMA 450; New Leptomonas from bug, GIBBS 387; New Crithidia from African bug, GIBBS 386: Structure of trypanosomes, WESTPHAL 1077; Trypanosoma evansi in different hosts. Nani & Vergati 721; Trypanosome from Triatoma of India, GHOSH & Biswas 384; Trypanosoma conorhini in Triatoma, LANGUILLON 576; New Trypanosoma spp. from New Zealand fishes, LAIRD 564; Trypanosoma sp. from Egyptian sparrow, Mohammed 680: New bat trypanosome, RODHAIN 849; New Trypanosoma from African terrapin, DIAS 270; Trypanosoma rotatorium, LAIRD 563; Trypanosoma gallinarum, Kraneveld & Mansjoer 553; Trypanosoma lewisi, LAIRD 567;

Characters distinguishing Trypanosoma cruzi from other parasitic protozoa, Pessôa & Pedreira de Freitas 775; Trypanosoma ariarii sp. n. from man, GROOT, etc. 416; Intestinal flagellates from reptiles, Moskowitz 695; New Cryptobia spp. from American fishes, Katz 521; Comparative structure and morphogenesis of Trichomonas spp. of amphibians and reptiles, Honigherg 474; Trichomonas batrachorum, Honig-BERG 473; Amphibian Trichomonas in snake, Whittington 1088; Trichomonas foetus, Kirby 535; Schuckall 899: Giardia with key to spp., Ansari 37: Giardia from rats, Haiba 431: Giardia of cat, HAIBA 432; New Rhizonympha, Grassé & Hol-401; LANDE Pseudotrichonumpha. GRASSÉ & HOLLANDE 402; Polymastigotoides gen. n., Grassé & HOLLANDE 401.

Sporozoa: New gregarines from Bermuda marine Crustacea, Ball 57; New Gregarina from Blaps, FILIPPONI 340; Stylocephalus spp. from Blaps, FILIPPONI 341; Nematopsis from crab, Ball 56; New gregarine Capillicephalus gen. n. from earwig, Tuzet & Ormières 1030; New gregarines from beetles, Tuzer & Théodoridès 1031; New Pyxinia from beetle, Tuzet & Théodorides 1032; New Eimeria from goose, LEVINE 591; New Eimeria from turkey, Moore & Brown 687; Structure of Legerella seen with phase microscope, Tuzet & Manier 1029; Globidium from sheep and goats, SARWAR 887; Haemogregarine-like bodies in blood of mice, MARIANI 655; Haemoccocidia of lizards in France, Rollet 858; New Haemogregarina from blenny, LAIRD 566; Hepatozoon musculi, LAIRD 567; Haemosporidia from Egyptian birds, MOHAMMED 680; Haemosporidia from grackles (Quiscalus quiscala) in U.S.A. MANWELL 649; Haemoproteus from birds of paradise in Java, Krane-VELD & MANSJOER 554; New Leucocytozoon from bird, DIAS 269; New Leucocytozoon from fowl, ATCHLEY 41: New Plasmodium of skink, LAIRD 562; New Plasmodium of toucan, MUNIZ, etc. 707; Plasmodium in duck, SAVAGE & McTavish 888: New Plasmodium from bat, RIEL, etc. 841;

Plasmodium from flying fox, LAIRD 566; New monkey Plasmodium, FONSECA 353: Atlas of human malaria parasites in thick blood films, FIELD 337; Differentiation of human malaria parasites, Wilcox 1096; Abnormal forms of Plasmodium vivax, Mohi-Ud-Din & Rahim 681: Echinozoon gen. n. (piroplasm) from hyrax, GARNHAM 375; HOOGSTRAAL & GARNHAM 477; New Polycarium (Haplosporidia) from Phyllopod, KANAI & WATANABE 518; Pneumocystis carinii, VANĚK 1038; Structure of Toxoplasma, WESTPHAL 1076; Toxoplasma in rabbit lung, GIROUD & GAILLARD 393.

Ciliophora: -General morphology of Ciliata, FAURÉ-FREMIET 326; Structure of typical ciliates, KOLB 547; Parasitic ciliates from marine molluses and holothurians, Poljanskij 792; Ciliates of sea urchins, Pol-JANSKIJ 793; Ciliates from African ruminants, Moriggi 692; Systematic characters in Colpidium-Glaucoma-Leucophrys-Tetrahymena group, Cor-LISS 223; Cell volume of Glaucoma piriformis in relation to hydrogen ion concentration, LENGEROVÁ-KU-ČEROVÁ 588; Size of Tetrahymena, LOEFER 609; Morphology of Bursaria, NEWBERRY 737; Cryptocaryon gen. n. (Holotrichida), BROWN 152; Morphology of Discophrya, BLANC-BRUDE, etc. 104; Morphology of Paramecium, Brock 138; Paramecium calkinsi, WICHTERMAN 1092, 1093; New Balantidium from newt, FERNANDEZ-GALIANO 335; New Nyctotherus from Indian frog, UTTANGI 1037; Shape of Stentor coeruleus, Weisz Sexual differentiation of conjugants in Rhabdostyla, FINLEY > 4; Morphology of Folliculinids, HADZI 428: Structure of Urceolaria patellae, BROUARDEL 151; Carchesium poly-pinum, CANELLA 175; New Suctoria ectoparasitic on Copepods, Guilcher. 422; SEWELL 923.

Protista incertae sedis: Structure of Anaplasma seen under electron microscope, Robertis & Epstein 847.

CYTOLOGY. — Cytological details seen in photomicrographs of protozoa, CLEVELAND 211; Structure of

ntestinal flagellates from reptiles, Moskowitz 695; Structure of Leishnania revealed by electron- and photo-micrographs, Sen Gupta, etc. 118; Minute structure of Trichomonas between Kirby 535; Cytology of Plasmodium immaculatum [=falci-parum], Lüdicke & Piekarski 613.

Ectoplasm, membranes, etc.:—Pores n Foraminifera, Hofker 466; Cytolasmic changes in Actinosphaerium,
KUHL 559; Surface structure of
rypanosomes, Kleinschmidt 537,
538; Structure of periplast in Trybanosoma evansi, Kranevelld, etc.
552; Structure of Astomata, Puyforac 801; Acetylcholinesterase activity in Tetrahymena geleii S.,
Seaman 907; Silver-line system in
Chilodonella, Krasheninnikow 555;
Epizoic bacteria in Centrophorella,
Fauré-Fremmet 327.

Organellae of attachment:—Trichopysts of Chilomonas, Dragesco 279; Adhesive function of trichocysts in Paramecium, Cloyd & Jones 213; Structure of tentacles of Discophrya revealed by electron microscopy, Blanc-Brude, etc. 104.

Organellae of locomotion:—Pseudopodia in Vexillifera, Bovee 118; Flagellar structure in Euglenids, Deflandre 253; Houwinck 482; Structure of flagellum in Chilomonas, Brown 154; Structure of flagellum in trypanosomes, Kleinschmidt 538; Structure of flagellum in Trypanosoma evansi, Kranevello, etc. 552; Cilia of Paramecium, Downing 278; Ciliary movements in Paramecium cursaria, Ballard 58.

Nucleus and cytoplasm:—Attempt to resolve processes of cytokinesis in terms of sol-gel reactions, Kopac 548; Structure of amoebid cytoplasm, Bairaati & Lehmann 50; Cytoplasm in Amoeba proteus, Bairaati 48; Cytoplasmic units in Amoeba proteus, Bairaati & Lehmann 49; Meiosis in Actinophrys, Straub 978; Nuclear structure of Pseudotrichonympha, Grassé & Hollande 402; Nucleus of Gregarina, Randall 813; Cytoplasmic changes in Glaucoma piri-

formis, Lengerová-Kučerová 588; Nuclear and cytoplasmic determinants of hereditary characters in Paramecium aurelia, Beale 77.

Nuclear division: - Radiation sensitivity and nuclear division in protozoa, Sparrow 955; Effect on nuclear division of centrifuging, BEAMS 78; Nuclear division in Amoebida, Singh 945; Nuclear division in Amoeba vespertilio, RAABE 804; Nuclear divison in Pelomyxa, Daniel 246; Fission in Euglena, Schipper 893; Mitosis in Tetramitus, RAFALKO 807: Nuclear division in sexual cycles of Hypermastigote flagellates, CLEVELAND 209, 210; Mitosis in Pseudotrichonympha, GRASSÉ & HOL-LANDE 402; Nuclear division in Dileptus anser, Jones 516; Macronucleus quantity and power of division in Condylostoma spatiosum. YAGIU 1114; Nuclear division and injury in Condylostomum spatiosum, YAGIU 1115: Nuclear processes in autogamy and conjugation of Paramecium, DILLER 274; Nuclear changes during conjugation in Paramecium bursaria, CHEN 195; Nuclear division of Paramecium caudatum, Wichter-MAN 1090; Nuclear division in Paramecium aurelia, BEALE 77; Autogamy in Paramecium aurelia, Burbanck & Burbanck 164, 165; Relationship of autogamy and radioactive stimuli in Paramecium aurelia, Powers & Shefner 795; Budding in Ptychostomum filiferum, KATASHIMA 520.

Various internal structures:—Basophilic inclusions in trypanosomes, Ormerod 751; Basophilia in trypanosome, Barrow 74; Loss of kinetoplast in strain of Trypanosoma equiperdum, Tobie 1015; Cytoplasmic inclusions in Tetrahymena, Browning 155; Growth promoting materials and age in Tetrahymena geleii, Fennell 334; Oral apparatus of Paramecium, Downing 278.

Cysts; spores:—Nature of pseudocyst wall in toxoplasms, Rodhain & Gerebtzoft 855; Encystment and excystment in *Dileptus anser*, Jones 516.

PHYSIOLOGY

General.—Luminescence in protozoa, Aguayo 21; Physiology of Amoeba, Swann 985; Strontium content of radiolarian tests, ODUM 748; Fragility of Trypanosoma cruzi, Wood 1110; Physiology of Paramecium, Brock 138; Physiological reorganisation in Stentor, Weisz 1073.

Nutrition, metabolism. - Biochemistry and metabolism of protozoa, LWOFF A, 615; HUTNER & Provasoli 496; Lwoff, M. 616; Brand 129: McKee 628: Kidder & DEWEY 529: Nutrition and metabolism of protozoa, KIDDER 528; Effect of heat on respiration of Trypanosoma cruzi and Entamoeba histolytica. NAKAMURA & ANDERSON 717; Food collection methods in Amoebids, KEPNOR 524; Nutrition of amoebae, STORM, etc. 977; Metabolism of Amoeba sphaeronucleolosus, WITT-MANN 1108; Oxygen uptake of Amoeba proteus, BROCHET 137; Metabolism of Chaos chaos, Andrescu, etc. 36; Diffusion in Chaos chaos, Løvtrup & Pigot 612: Iron in Flabellula, Black 100: Osmoregulation in human intestinal amoebae. BALAMUTH & BRENT 53: Nutrition of Entamoeba histolytica, Deschiens 260; LWOFF 617; Metabolism of Entamoeba histolytica, FRYE 360; Acid phosphotase activity of Entamoeba histolytica, CARRERA 180; Production of hyalurodinase bv Entamoeba histolytica, Bradin 127; Nutrition of Peranema trichophorum, CHEN 197: Utilization of organic nitrogen by Chilomonas, CIRILLO 204; CIRILLO & DANFORTH 205: Organic acids as carbon sources for Chilomonas, Holz 470: B-vitamins in nutrition of Chilomonas, Holz 471: Nutritional requirements of Polytomella agilis, LITTLE, etc. 604; Ingestion and digestion of wood particles by termite flagellates, SCHMIDT 895; Physiology of haemoflagellates. BRAND 130: Basophilia in trypanosome, Barrow 74; Glucose metabolism of trypanosomes, Launoy 578; Metabolism of Trypanosoma lewisi, RYLEY 877; Haemoglobin in nutrition of Trypanosoma cruzi, McRary 637; Carbohydrate metabolism of Trypanosoma equiperdum, EWING, etc. 312: Metabolism of Trypanosomidae and Bodonidae, BRAND 129; Nutrition of Trypanosomidae and Trichomonads. LWOFF 616: Glycogen metabolism of Trichomonas foetus in culture. BALLARINI 60: Hydrogen production by Trichomonas, Suzuoki-ZIRO & SUZUOKI-TUNEKO 984; Physiology of malaria parasites in relation to response to drugs, Anon. 13; Biochemistry and metabolism of Plasmodium, McKee 628, 629; Metabolism of Plasmodium, Fulton 361; Nitrogen metabolism of Plasmodium, GROMAN 414; Effect of paludrine on Plasmodium in relation to its metabolism, SRINIVASAN & DE 962; Biochemistry of ciliates. KIDDER & Dewey 529: Food of water and soil ciliate protozoa, GRAY 405; Nutrition of ciliates, GRITTNER 412; Growth factors for ciliates, LILLY, etc. 596: Conversion of sugars to glucosan by ciliates in ovine rumen, Oxford 757; Masson & Oxford 664; Conversion of carbohydrates into starch by ciliates of ovine rumen, Masson & OXFORD 663, 664; Enzymes in Opalina, HUNTER 493; Metabolism of Tetrahymena, SEAMAN 908; Inorganic requirements of Tetrahymena, KIDDER, DEWEY & PARKS Amino acid metabolism in Tetrahymena, WU & Hogg 1113; Effect of glucose concentration on Tetrahymena, SLATER 948; Synthesis of B vitamins by Tetrahymena, SEAMAN 906; Thiamine requirement of Tetrahymena, TITTLER 1013; Acetylcholinesterase activity in Tetrahymena geleii S., SEAMAN 907; Phosphatase activity in Tetrahymena, ELLIOTT & HUNTER 304; Nutrients for Tetrahymena populations, Hud-DLESTON 485; Diatom abundance and maxima of Stylonichia mytilus, Gray 404: Glycolysis in Paramecium. GEDDES & HUMPHREY 380; Food selection in Paramecium caudatum. GRITTNER 413; Respiratory enzymes of Paramecium, PREHEIM & KRUEGER 798; Nutrition of Toxophrya, LILLY, etc. 597

Properties of nucleus and cytoplasm. — Nuclear radiosensitivity factors in protozoa, Sparrow 955; Nuclear structure in Amoebida, SINGH 945; Transfer of nucleus from one species of Amoeba to another, Rudzinska & Chambers 874; Mineral

components of fowl Plasmodium, KRUSZYNSKI 556; Content of effective kappa in Paramecium aurelia, STOCK, etc. 973; Autogamy of Paramecium aurelia, BURBANCK & BURBANCK 164, 165; Colour in Paramecium caudatum, STRELIN 979; Macronucleus of Vorticella convallaria during conjugation, SESHACHAR & DASS 922.

Secretion; Excretion. — Growth-inhibiting factor produced by Trypanosoma, SENECA & HENDERSON 917; Nitrogenous excretion in Colpidium campylum, NARDONE & WILBER 723; Excretory pores in Paramecium, King 533.

Growth: Weight .- Effect of chloromycetin on protozoan growth, LoE-FER 608; Effect of cyanide on growth in Pelomyxa carolinensis, PACE & McCashland 760; Lag phase in growth of Chilomonas populations, Corbett 222: Effect of organic compounds on growth of Chilomonas, Cosgrove 226; Growth of Trichomonas foetus in culture, Ballarini 59; Growth of gregarine trophozoites, Filipponi 242; Chemical effects on growth rate of Tetra-hymena geleii, WINGO & ANDERSON 1106: Growth-promoting factors and materials in Tetrahymena geleii, FENNELL 334; Volume changes in Tetrahymena, Slater & Elliott 949: Size in Paramecium calkinsi, ZAWOI-SKI 1124: Growth of Tokophrya, LILLY, etc. 597.

Reproduction. — Division in Stentor. Weisz 1073; Fission in Stentor coeruleus, Weisz 1074; Conjugation in Stylonychia mytilus, Grell 410; Reproduction in Paramecium calkinsi, Wichterman 1093; Effect of N-mustard on reproduction of Paramecium, Geckler & Kimball 379; Polymorphism in Folliculinids, Hadzi 428; Budding in Ptychostomum filiferum, Katashima 520; Reproduction rate and food amounts relationship in Suctoria, Rudzinska 872; Reproduction of Tokophrya, Lilly, etc. 597.

Vitality.—Survival of Trichomonas vaginalis below 37°C., Whittington 1085; Survival of Trichomonas in

vaginal discharge, Kessel & Thompson 525; Effect of malate on survival of bird Plasmodium, Trager 1022; Survival of Toxoplasma in various fluids, Jacobs, etc. 506; Effect of temperature on survival of Toxoplasma, Manwell & Drobeck 652; Maintenance of rumen ciliates of goat in vitro, Barbaro 68; Longevity and food amounts in Suctoria, Rudzinska 872; Effect of food on longevity of Tokophrya, Rudzinska 871.

Regeneration. — Regeneration in Stentor, Weisz 1073, 1074.

Degeneration. — Disintegration of proteins during cytolysis of amoebae, KOPAC & KASSEI. 549.

Locomotion; Movement. — Locomotion of Chaos chaos in relation to body structure, Lewis 595; Swimming methods in protozoa, Engel 309; Locomotion if Euglena, Schipper 893; Locomotion in Peranema trichophorum, Chen 197; Swimming speed of Tetrahymena geleii, Wingo & Browning 1107; Neuromotor apparatus of Bursaria, Newberry 737.

Sexuality. - Sexuality in Chlamydomonas, HUTNER & PROVASOLI 496: Sexual strains of Chlamydomonas, Lewin 594; Observations on sexuality of Volvulina and Volvox, Pocock 788; Hybridization between trypanosomes of brucei group, Culwick, etc. 237; Sexual cycles in Hypermastigote flagellates, CLEVELAND 209, 210; Sexual differentiation in ciliates, FINLEY 344; Mating in Paramecium, Wichterman 1092; Autogamy in Paramecium, Burbanck & Bur-BANCK 164, 165; Autogamy and conjugation in Paramecium, DILLER 274; Mating reactivity of Paramecium calkinsi, Metz & Butterfield 673: Effect of illumination on mating of Paramecium, EHRET 299; Conjugation behaviour in Paramecium caudatum, HIWATASHI 458; Conjugation in Paramecium bursaria, CHEN 196; Effect of temperature on conjugation of Balantidium, LAMY & LAMY 571; Sexual differentiation in Rhabdostyla, FINLEY 346.

Effects of environment and stimuli. -Effect of oxygen on intestinal protozoa of roach, CLEVELAND & BURKE 212: Effect of chemical stimuli amoebids, MEINECKE Effect of X-irradiation on Pelomyxa, DANIELS 246; Effect of X-ray and nitrogen mustard on plasmotomy of Pelomyxa, Daniels 247; Ultra violet light effect on protoplasm in Pelomyxa carolinensis, Wilber & Slane 1095: Effect of drying on cysts of Entamoeba, REARDON etc. 823: Effect of bacteria on culture of Entamoeba histolytica, Saito 884; Effect on environment on shells of Recent calcareous Foraminifera, SAID 879; Effect of temperature on sporulation of coccidian oocysts, RAY 822; Response of Homalozoon to electric current, FLICK 350: Effect of salt concentration on fragility of Tetrahymena, Browning, etc. 156; Effect of radiations on Tetrahymena, EL-LIOTT & SLATER 305; Hydrogen ion concentrations and effect on Glaucoma piriformis, LENGEROVÁ-KUČE-ROVÁ 588; Effect of light on division of Colpidium, GIESE, etc. 389; Stylonychia mytilus and the lunar periods, GRAY 404; Injury effect on division in Condylestomum spatiosum, YAGIU 1115; Light sensitivity in Paramecium bursaria, Ballard 58; Photodynamic action upon Paramecium of radiation, CALCUTT 172: Effect of illumination on mating of Paramecium, EHRET 299: Modification of X-ray action upon Parame-cium aurelia, KIMBALL & GAITHER 532; Tritium-induced effects in Paramecium aurelia, Powers & Shefner 795; Effect of stimuli on Paramecium caudatum, VIAUD 1055; Effect of X-rays on Paramecium, WICHTER-MAN 1089; Effect of X-rays on cell division in Paramecium caudatum, WICHTERMAN 1090; Effect of X-rays on Paramecium calkinsi, WICHTER-MAN 1091; Effect of homoplastic grafting on Stentor coeruleus, Weisz 1072: Response in vorticellids to experimental cutting of peduncle, BALLERINI 61; Osmoregulation as an explanation of contractile vacuole function in suctorians, KITCHING **5**36.

Effects of chemicals.—Effect of chloromycetin on protozoan growth,

LOEFER 608; Effect of neomycin on protozoa, Blumberg & Loefer 105: Effect of aureomycin on protozoa, Brown 153; Inhibition of growth of protozoa by bacitracin, LOEFER 610; Effect of actidione on protozoa, LOEFER & MATNEY 611; Effect of antibiotics on human parasitic protozoa, Shookhoff 925; Effect of cvanide on growth and respiration in Pelomyxa carolinensis, PACE McCashband 760; Effect of drugs on Entamoeba histolytica NAKAMURA & Anderson 716, 718, 719; Wagner 1067; Bradner & Rawson 128; Anderson 35; Comparative effects of drugs on Entamoeba histolytica, Wilmot, etc. 1101; Effect of prodigiosin on Entamoeba, BALAMUTH & Brent 54; Effect of terramycin on Entamoeba histolytica, Most & Van ASSENDELFT 696; HRENOFF 483; Effect of fumagillin on Entamoeba histolytica, HRENOFF & NAKAMURA 484: McCowen, etc. 622; Effect of aureomycin on Entamoeba histolytica, SPINGARN & EDELMAN 958; Effect p-sulphamido-o-aminophenylarsinic acid on Entamoeba histolytica, SCHNEIDER & MONTEZIN 896: Chemical sterilization of cysts of Entamoeba histolytica, RAO 819; Effect of antibiotics on Entamoeba and Trichomonas, Biegeleisen & Shaffer 95: SHAFFER & BIEGELEISEN 924; Effect of antihistamines on Phytoflagellate, JAHN & DANFORTH 507: Effect of Haemoflagellates, amino-acids on Young & Conner 1121; Effect of drugs on trypanosomes, CEBE 190; PILLE 782; ANON. 11; Effect of antrycide on trypanosomes, DAVEY 249; ORMEROD 750; Effect of new arsenical on trypanosomes, Cantrell & McGeachin 176: Effect of cortisore on trypanosomes, Brand, etc. 132; Melarsen-resistance in trypanosomes, Rollo & Williamson 860: Effect of chemicals on immunity to Trypanosoma lewisi, BARNES 72, 73: Effect of drugs on Trypanosoma cruzi, Galliard & Boutet 368; JARPA, etc. 509; Effect of chemicals on Trypanosoma cruzi, Noble 739; Effect of drugs on Trypanosoma cruzi in the insect-vector, GALLIARD & BOUTET 369; Effect of cortisone, etc. on Trypanosoma cruzi, NEGHME, etc. 729; JARPA, etc. 508; Effect of terramycin on Trypanosoma cruzi,

Agosin, etc. 20; Effect of primaquine of Trypanosoma cruzi, Pizzi 786; Combined effect of quinine and pentaquine on Trypanosoma cruzi, CHRIS-TEN, etc. 201; Effect of tyrocidine on Trypanosoma cruzi, Amrein Effect of chloromycetin on Trypanosoma equiperdum, GRUHZIT & FISKEN 420; Effect of diamidines on Trypanosoma gambiense, LAUNOY 579: Effect of penicillin on Trypanosoma gambiense, PIRES 785; Drug-resistance in Trypanosoma gambiense, FRIEDHEIM 357: Effect of drugs on Trichomonas vaginalis, Peter, etc. 776; Effect of chemical contraceptives on Trichomonas vaginalis, WHITTINGTON 1086; Effect of fluorosulphonamides on Trichomonas vaginalis, HILLMANN 454; Effect of antibiotics on bovine Trichomonas, Cole 217: Effect of enhaptin on pigeon Trichomonas, Stabler & Mellentin 966; Effect of drugs on Giardia, BRUMPT & ANSARI 160; Effect of drugs on Nosema infection of bees, PALMER-JONES & ROBINSON 763: Effect of drugs on malaria parasites, COATNEY 214; DAVEY 250; BARANGER 65; Effect of drugs on human Plasmodium spp., BRUCE-CHWATT 158; Effect of paludrine metabolite on Plasmodium, CARRINGTON etc. 182; Effect of diaminopyrimidines on paludrine-resistant Plasmodium, GREENBERG & RICHESON 406: Effect of drugs on Plasmodium berghei, MUDROW-REICHENOW 697; Mode of action of paludrine on Plasmodium, SRINIVASAN & DE 962; Effect of antimalarials on structure of Plasmodium, Thurston 1011; McFadzean 625; Drug-resistance of Plasmodium, BISHOP 96; Effect of arsphenamine on Plasmodium berghei, BLACK 98; Effect of mineral and organic compounds on fowl Plasmodium, BA-RANGER & FILER 67: Effect of cinchona on tissue forms of fowl Plasmodium, BARANGER & FILER 66; Inhibition of paludrine-resistance in fowl Plasmodium, BISHOP & McCon-NACHIE 97; Effect of aminoquinolines on fowl *Plasmodium*, GREENBERG, etc. 407; Effect of malate on bird Plasmodium, TRAGER 1022; Drugresistance in latent Plasmodium infections of birds, McConnachie 621: Paludrine-resistance in simian Plasmodium, HAWKING & THURSTON

445: Effect of drugs on Babesia rodhaini, Rodhain 853; Effect of antibiotics on Toxoplasma, GIROUD & GAILLARD 394; Effect of diasone and promine on Toxoplasma, Cross 233; Effect of endochin on Toxoplasma, GINGRICH & DARROW 391: Effect of aureomycin on ciliates. LITTLE, etc. 603: Effect of chloromycetin on Tetrahymena, Gross 417: Effect of antihistamines on Tetrahymena, Gross & Elliott 418: Effect of nutrients on Tetrahymena populations, Huddleston 485: Effect of sulphadiazine on Tetrahymena, TITTLER 1013; Effect of antibiotics on Balantidium, NEGHME, etc. 730; Paramecin sensitivity in Paramecium aurelia, Austin 42; Effect of N-mustard on Paramecium, GECKLER & Kimball 379; Effect of 2, 6-diaminopurine on effective kappa content of Paramecium aurelia, STOCK, etc. 973: Effect of antibiotics and sulpha drugs on rumen ciliates of goats, BARBARO 69.

Cyst-formation. — Cyst-formation in Pelonyxa, Kudo 557; Environmental factors governing encystation of Pelonyxa, Cappel & Musacchia 178; Culture media inducing encystation of Entamoeba histolytica, Balamuth 52; Effect of p-sulphamido-o-aminophenylarsinic acid on Entamoeba histolytica, Schneider & Montezin 896; Encystation and excystation of rat Giardia, Haiba 432; Encystment and excystament in Dileptus anser, Jones 516; Encystation of Stylonychia, Giese 388; Cyst formation in suctorian Tokophrya infusionum, Rudzinska 873;

Cultivation. — Purification of protozoal cultures by antibiotics, Provasoli, etc. 799; Effect of CO₂ on cultivation of human parasitic protozoa, Hartman 439; Cultivation of Pelomyxa, Kudo 557; Pure culture of Entamoeba invadens, Lamy 570; Cultivation of murine Entamoeba at room temperature, Simitch & Petrovitch 942; Cultivation of Entamoeba histolytica, Capocaccia 177; Frye 360; Bucco & Chieffi 163; Cultivation of Entamoeba histolytica and growth factors, Mukherjea 700, 701, 702; Culture media inducing encystation of Entamoeba

histolytica, BALAMUTH 52; Role of agar, Mg and P in cultivation of Entamoeba histolytica, Nelson 734; Effect of bacteria on growth of Entamoeba histolytica in culture, BALAMUTH & WIEBOLDT 55; SAITO 884: Culture of Entamoeba histolytica with single bacterial species, RAO 818, 819; Growth of Entamoeba histolytica in culture with Trypanosomid flagellates, PHILLIPS 777: Cultivation of Polytomella agilis, LITTLE, etc. 604; Cultivation of Chilomonas, Cosgrove 226; Cultivation of Chromulina pusilla, KNIGHT-JONES & WALNE 541; Culture of Leishmania in chorio-allantoic membrane of chick ambryo, OBERLING & ANSARI 745; New media for cultivation of Trypanosoma cruzi, LITTLE & OLESON 602; Cultivation of Trypanosoma cruzi in egg yolk infusion, McCowen, etc. 623; Cultivation of Trypanosoma cruzi in dialyzing sacs, SENECA & HENDER-SON 917: Cultivation of Trypanosoma gambiense, Neujean & Evens 735; Cultivation of Trypanosoma evansi in chick embryo, NAIK 715: Effect of bacteria on culture of Trichomonas vaginalis, PRAY 797: Cultivation of Trichomonas foetus, Ballarini 59; Schuckall 899; Trichomonas batrachorum, Whitting-TON 1088; Cultivation of malaria parasites, GEIMAN 381; In vitro maintenance of fowl Plasmodium, TAYLOR, etc. 990; Tissue culture of Plasmodium, HAWKING 443: Cultivation of ciliates, LITTLE, etc. 603; Factors promoting growth of ciliates, LILLY, etc. 596; Cultivation of Tetrahymena geleii, KIDDER, DEWEY & Parks 530; Tittler & Belsky 1014; Effect of pH of medium on Tetrahymena, Wingo & Anderson 1106; Cultivation of Paramecium calkinsi. WICHTERMAN 1093: ZAWOISKI 1124.

DEVELOPMENT

Rhizopoda: Development of Amoeba vespertilio, Raabe 804; Dimorphism in Foraminifera, Hofker 467; Growth of Homotrema rubrum, EMILIANI 307; Ontogeny and development of primitive Miogypsinidae, Drooger 283; Embryonic develop-

ment in the Nummulitidae, Ruiz de Gaona 875.

New Leptomonas Mastigophora: from bug, GIBBS 387; Life-cycle of new Crithidia in bug, GIBBS 286; Development of Leishmania and Trypanosoma in sandflies in relation to the peritrophic membrane, FENG 333; Life-cycles of trypanosomes, WESTPHAL 1077; New bat trypanosome, RODHAIN 849; Development of Trypanosoma ariarii in mammalian and insect hosts, GROOT, etc. 416; Life-cycle of Trypanosoma cruzi, ELKELES 302: Development of Trypanosoma cruzi in muscles, Wood 1109; Development of Trypanosoma cruzi in bat bedbug, Wood 1111; Life-cycle of Trichomonas foetus in culture, GALASSI 366; Reproduction of rat Giardia, HAIBA 432; Life-cycle of Kirbynia spp., Grassé & Holland 401.

Sporozoa: New Gregarina in Blaps, FILIPPONI 340: Life-cycle of Legerella in Myriapod, Tuzet & Manier 1029; Effect of temperature on sporulation of oocysts of ovine and caprine coccidia, RAY 822; Development of Haemococcidia of lizards, ROLLET 858: Developmental stage of Hepatocystis, GARNHAM 376; Life-cycle of Leucocytozoon in ducks and Simulium flies, Fallis 323: Excerythrocytic schizogony in Plasmodium and Haemoproteus of English birds, JACOBS & Shortt 505: Life-cycle of mammalian, Plasmodium, SHORTT 927; Development of Plasmodium in man and mosquito, SHUTE 932: Penetration of stomach wall of mosquitos by ookinetes of Plasmodium, Shute 935; Patterns of exoerythrocytic schizogony in Plasmodium, GARN-HAM 373; Excerythrocytic development of Plasmodium spp., HUFF 487; LEVADITI 590; SHORTT 930; Pre-erythrocytic development Plasmodium falciparum, SHORTT. etc. 931; Development of Plasmodium malariae in mosquitos, Shute & MARYON 937, 938; A sexual cycle in Plasmodium of macaque monkeys. INOKI, etc. 499; Exoerythrocytic schizogony in Plasmodium of macaque monkeys, Inoki 497; Sporogony in mosquito and pre-erythrocytic development of Plasmodium inui.

GARNHAM 378: Development new monkey Plasmodium, FONSECA 353; Early exoerythrocytic schizont of simian *Plasmodium*, Short 929; A sexual periodicity of *Plasmodium* berghei in squirrel, RAMAKRISHNAN & PRAKASH 809; Early development of Plasmodium berghei in Anopheles. DRAPER & WALL 280: Sporogony of Plasmodium berghei in Anopheles, YOELI & WALL 1119; New Plasmodium from bat, RIEL, etc. 841; Exoerythrocytic forms of avian and rodent Plasmodium in haemopoietic system, GARNHAM 377; Excerythrocytic schizogony in avian Plasmodium, Inoki 498; Pre-erythrocytic stages in avian Plasmodium spp., HUFF 488: Duration of excerythrocytic eyele in Plasmodium gallinaceum, CAVACEPPI 189; Oocysts of fowl Plasmodium in mosquito labelled by radioactive tracer, KUPER & Pelc 560; Excerythrocytic stages in Plasmodium hexamerium, Man-WELL 648, 650; Differences in the development of various strains of fowl Plasmodium, TREMBLEY, etc. 1025, 1026; GREENBERG, etc. 408; New Plasmodium of skink, LAIRD 562; Toxoplasma, WESTPHAL 1076.

Ciliophora: Life cycle of Colpoda, PADNOS, etc. 761; Life-cycle of Balantidium in newt, FERNANDEZ-GALIANO 335; Development of Urceolaria patellae, BROUARDEL 151; Development of Tokophrya infusionum (suctorian), RUDZINSKA 873.

EVOLUTION AND GENETICS.

Evolution, Phylogeny. — Genetic relationship between amoebids and bacterial forms, Meinecke 668; Morphogenetic series in Asterocyclina, Brönnimann 143; Ontogeny and phylogeny of Cyclammina, Brönnimann 148; Convergence of Dictyoconus [Foraminifera] and Conescharellina [Bryozoa-Eocene], According [Bryozoa-Eocene], Bloomingen, Bolling [Bryozoa-Eocene], Brönnimann 146; Phylogeny of Orbulina in Oligomiocene, Brönnimann 146; Phylogenetic significance of coiling in Rotalid Foraminifera, Bolli 108; Phylogeny of Phytoflagellates, Hutner & Provasoli 496.

Heredity. — Hereditary characters in Paramecium aurelia, BEALE 77.

Variation. — Trimorphism in foraminifera, Hofker 465; Analysis of variation of Lepidocyclina japonica, Koike 546; Variation in Loxostomum gemmum (Cushman), Hussey & West 495; Variation in Nummulites gizehensis, SAID 881; Variation in Ceratium furca, Souza 953; Induced mutation in Astasia, Schoenborn 897; Loss of kinetoplast in Trypanosoma equiperdum, Tobie 1015; Variability of Chilodonella, Krasheninnikow 555; Morphogenesis in Stentor coeruleus, Weisz 1074.

Biometry.—Statist cal analysis of marine plankton, Yamazi 1117; Statistical analysis of soil rhizopod populations, Volz 1063; Statistical analysis of foraminifera, Hofker 467; Statistical analysis of Cretaceous foraminifera, Hofker 465; Analysis of coiling in Rotalid Foraminifera, Bolli 108; Biometrical analysis of alveolinids, Ritsema 845; Quantitative study of Nummulites gizehensis, Said 881; Size analysis of Paramecium calkinsi, Zawoiski 1124.

ECOLOGY

General.—Ecology of protozoa (popular), Chardez 192; Shore and shallow sea protozoa, Wilson 1102; Ecological distribution of Pliocene foraminifera, Voorthuysen & Pannekoek 1066; Foraminifera of an 80 fathom fauna, Knox 544; Occurrence of Dinoflagellata, etc., Morales 689; Periodic fish mortality and occurrence of Gonyaulax, Gunter 427; Effect of climate on distribution of equine piroplasms, Enigk 310; Habitats of Paramecium, Wichterman 1092.

Habitat. — General: Ecology of freshwater, sewage and soil ciliates, Gray 405; Mass propagation of Protozoa in Veselovsk Reservoir, Manitch River, Russia, Kharin 526; Ecology of protozoa of marine and freshwater beach environments, Pennak 773; Ecology of Lower Tertiary foraminifers, Pokorný 790; Ecology of Folliculinids, Hadzi 428.

AQUATIC: Marine.—Ecology of littoral Protista, FAURÉ-FREMIET 329; Ecology of marine protozoa on Castellon coast during 1950, MAR-GALEF 654: Ecology of Japanese coastal marine plankton, Yamazı 1116; Marine plankton of Japanese coastal waters, Yamazi 1117; Ecology of Gromia oviformis, ARNOLD 39: Ecology of Foraminifera, SAID 883: Foraminifera of Narragansett Bay, SAID 880; Ecology of Tertiary Foraminifera, Washington, RAU 821; Foraminifera as temperature indicators of Polish Pleistocene, Pozary-SKI 796; Ecology of foraminifera along the Gulf Coast, Post 794; Ecological factors controlling fora-miniferal distribution in Japanese coastal areas, NAGAHAMA 712; Mio-Cyclammina as cold-water indicators in Japan, MURATA 710; Foraminiferal ecology of North African coast, MURAOUR & HOLLANDE 709: Ecology of Operculina in Travancore coastal waters, Kurian 561: Ecology of some Triassic foraminifera, Weynschenck 1082: Ecology of Japanese Miocene foraminifera, INOUE & NAKASEKO 500; Beach foraminifera of the Black Sea, CASPERS 184; Indigenous and exotic Foraminifera in Pliocene sediments, CARTER 183; Palaeoecology of Texan Lower Cretaceous foraminifera. STEAD 971; Ecology of Chromulina pusilla, KNIGHT-JONES & WALNE 541; Dinoflagellate ecology in Oslo fjord, Hasle 440; Ecology of tintinnids in the Western Mediterranean, DURAN 291.

Brackish.—Ecology of protozoa in brackish pools, Galliford & Williams 371; Ecology of brackishwater foraminifera, Le Calvez & Le Calvez 584; Foraminifera of Narragansett Bay, Said 880; Sanddwelling ciliates of Cape Cod, Fauré-Fremiet 330.

Freshwater.—Freshwater protozoa of Jamtland and Lappland, Thomasson 1007; Fauna of the Yzeron, Jollet 515; Flagellate distribution in River Dee and factors controlling same, Williams 1099; Occurrence of Ciliata in detritus of Lake Balaton, Sebestyén 910; Periodicity of abundance in Stylo-

nichia mytilus, GRAY 404; Ecology of Paramecium calkinsi, Wichterman 1093; Zawoiski 1124; Ecology of Stentor coeruleus in Iowa ponds, Sprugel 960.

Sewage.—Entamoeba in sewage, Amaral & Leal 30.

Soil: Review of soil protozoa, Franz 355; Notes on soil Rhizopoda, Harnisch 436; Ecology of Postglacial moss Rhizopoda, Harnisch 437; Moss-rhizopoda from South America, Hoogenraad & Groot 476; Ecology and distribution of soil thekamoebids, Volz 1063; Adaptation of Ciliata to soil environment, Horvath 481.

Parasitism: GENERAL.—Interrelation of Protozoan and Nematode parasites in the human intestine, GNEZDILOV 396.

Host-Parasite relationship: Parasitism of protozoa (general), CAULLERY 187; BAER 45; LAPAGE 577; Host-restriction of intestinal protozoa from rodents, MILLER & SAXE 676; Penetration of protozoa into peritoneal cavity of hamsters, Holz 472; Influence of hibernation of fishes on their parasitic protozoa, Dubinina 285; Host-parasite relations in human amoebiasis, Anon. 14: Behaviour of Entamoeba histolytica in rats, Montezin & Schneider 686: Effect of Entamoeba histolytica on rats, NEAL 727; Effect of bacteria on infection of rats with Entamoeba histolytica, YANAI 1118; Ulceration of caecum in rats infected with Entamoeba histolytica, ISHII 502: Differences in host-parasite relations between Entamoebae of MILLER 677; Parasitism of Amallocystis (Dinoflagellate) in Crustacean, DAHL 243; Effect of parasitic Dino-flagellates on Copepod hosts, SEWELL 923; Behaviour of Leishmania brasiliensis in hamsters, Guimarães 423, 425; Behaviour of Leishmania brasiliensis in mice and cotton rats, GUIMARÃES 424, 426; Effect of Leishmania donovani on cotton rat, Fulton & Niven 363; Effect of Spirillum on trypanosome infections, TATE 989; Effect of trypanosomes on respiration of rats, BRAND 131: Course of Trypanosoma cruzi infec-

tion in mice, Goble 397: Effect of Trypanosoma cruzi on possum, BACK-HOUSE & BOLLIGER 44; Relation of Trypanosoma ariarii sp. n. to its hosts, Groot, etc. 416; Neurotropic race of Trypanosoma gambiense, ROUBAUD & PROVOST 869; Host-parasite relationship in bovine Trichomoniasis, PIERCE 781: Pathogenesis of Trichomonas in bovines, WILLEMS 1098: BAREGGI 71: Effect of Trichomonas gallinae on pigeons, STABLER 965: Amphibian Trichomonas in snake, Whittington 1088: Host-parasite relations in Giardia infections of man, McMurray & Cayer 635; Effect of Nosema infection on beetle Otiorrhynchus, Ro-SICKY 866; Effect of Nematopsis (gregarine) on oysters, LANDAU & GALTSOFF 572; Effect of coccidial infection on cytochrome oxidase activity of rabbit liver, SMITH 951: Effect of caecal coccidiosis on fowls, Bressler & Gordeuk 135: Effect of Haemococcidia on lizards, ROLLET 858; Nature of pathological processes in human malaria, MAEGRAITH 639; Latent malaria infection in gerbils, SERGENT & PONCET 920: Behaviour of Plasmodium in hibernating marmots, RODHAIN 851; Relapses in infections with Plasmodium berghei, BLACK 99; Factors governing incubation period of Plasmodium berghei, FABIANI, etc. 320; Course of Plasmodium berghei infection in mice, MERCADO & COATNEY 671: Course of Plasmodium berghei infection in rats, Mercado & Coatney 670, 672; Behaviour of Plasmodium berghei in rat, GALLIARD & LAPIERRE 370; Effect of massive inoculation of Plasmodium berghei on rat, Fabiani & Vargues 318; Effect of Plasmodium berghei on erythrocytes of rats, CORRADETTI & VEROLINI 224; Behaviour of Plasmodium berghei in cotton rats, RODHAIN 850; Susceptibility of squirrel to Plasmodium berghei, RAMAKRISHNAN & PRAKASH 809: Effect of splenectomy on Plasmodium berghei infection in vole, ZUCKERMAN & YOELI 1126; Adaptation of avian Plasmodium to mice, McGHEE 626; Effect of malarial infection on spleen respiration in fowl, Taliaferro & Moulder 987; Effect of Plasmodium on phosphorus content of chick blood, SRINIVASAN,

etc. 963; Course of Plasmodium infection in young geese and guineafowl, Becker 80; Plasmodium gallinaceum infection in mosquito, EYLES 313; Haemoglobinuria in rodents caused by Babesia, Rodhain & Demuylder 854; Toxoplasma in tissues of rats, Ruchman & Fowler 870; Effect of Toxoplasma infection in rabbit lung, Giroud & Galllard 392, 393; Enumeration of ciliates from intestine of horses, ADAM 19; Virulence of Balantidium for toad tadpoles, Speidel 956; Orchitophrya in starfish, Vevers 1052.

Transmission, infectivity: Effect of bacteria on infectivity of Entamoeba histolytica, LUTTERMOSER & PHILLIPS 614; Variation in virulence of different strains of Entamoeba histolytica to rats, NEAL 726: Effect of ascorbic acid deficiency on susceptibility of guineapigs to infection with Entamoeba histolytica, SADUN, etc. 878; Transmission of human Haemoflagellates by bugs, DIAS & CHANDLER 268; Infection of man with cultures of Leishmania, TREJOS & ECHANDI 1024; Experimental infection of hamsters and wild mice with Trypanosoma cruzi, CARIOLA, etc. 179; Experimental infection of rats with Trypanosoma vivax, Deso-WITZ & WATSON 265; Penetration of mucous membranes of mice by Trypanosoma brucei, Bordi 111: Transmission of Trypanosoma equipby blood-sucking insects. erdum ZARNOWSKI 1123: Contaminative transmission of intestinal flagellates in lizards, Amrein 31; Search for vectors of Hepatocystis kochi, Garn-HAM 374: Transmission of Plasmodium malariae by mosquitos, Shute & Maryon 937; Massive intraperitoneal infection of rats with Plasmodium, VARGUES & FABIANI 1043; Intracardial infection of rats with Plasmodium, VARGUES & FABIANI 1041, 1042; Infection of rats and mice with Plasmodium berghei through the skin, Fabiani, etc. 315; Experimental infection of golden hamster with Plasmodium berghei, DURAND MATHIS 292; Experimental infection of rabbits with Plasmodium berghei, DESCHIENS & LAMY 262; Non-infectivity of Plasmodium berghei to domestic animals, Durbin 293;

Transmission of Theileria annilata, Daubney & Said 248; Effect of duration of infection with Theileria on course of East Coast fever. Wilson 1104, 1105; Attempts to transmit Toxoplasma by Arthropods, Weyer 1081; Susceptibility of birds to infection with mammalian Toxoplasma, Manwell etc. 653; Manwell & Drobeck 652; Dispersal of ectoparasitic Urceolaria, Reynoldson 837.

"Carriers," reservoirs: Rats as reservoirs of human amoebiasis, NEAL 727; Pig as reservoir host of Surra in Phillipines, Jesus, etc. 512.

Immunity, serology: Serological reactions in human protozoal infections, Bozicevich 125; Immunity in human protozoal infections, Cul-BERTSON 236: Cold-agglutinins in trypanosomiasis and malaria, MAR-IENBERG 656; Complement-fixation test for amoebiasis, Fulton, etc. 362; Craig 231; Complement-fixation in Kala-azar, Ghosh, etc. 383; Effect of chemicals on immunity to Trypanosoma lewisi, BARNES 72, 73; Inhibition of antibody (ablastin) formation by sodium salicylate in Trypanosoma lewisi infection, Lysen-Ko 618, 619; Stability of Trypanosoma cruzi antigens, Pedreira de Freitas 770; Complement-fixation test for Chagas' disease, Pedreira de Frei-TAS 769; Heterophile antibodies in Chagas' disease, Muniz & Santos 705; "Conditioned haemolysis" in American trypanosomiasis, Muniz 704; Muniz & Santos 706; Protective action of placenta against Trypanosoma brucei in mice, CHEDID & BOYER 194; Serological reactions in Sleeping Sickness, Monnet & BAYLET 685; Complement fixation in bovine trichomoniasis, Corrias & Bass 225; "Muco-agglutination" in bovine trichomoniasis, FLORENT 352: Immunity in fowl coccidiosis. DICKINSON, etc. 271; GORDEUK, etc. 400; Immunity in Plasmodium infections, Viswanathan 1059, 1060; Immunity in human malaria, Mac-DONALD 624; Immunity in monkey malaria, Mukherjea & Roy 703; Natural resistance to Plasmodium infection in guineapigs, SERGENT & PONCET 921; Immunity to Plasmodium berghei infection, FABIANI & VARGUES 317: Immunity and relapse produced by splenectomy in rats infected with Plasmodium berghei, FABIANI, etc. 321: Serological changes in rats infected with Plasmodium berghei, VARGUES 1040; VARGUES, etc. 1044: Immunization against avian malaria, Coffin 215, 216; Inhibition of agglutinins for bird erythrocytes infected with Plasmodium, BECKER, etc. 85; Phagocytosis of Plasmodium by duck macrophages, Ben-Harel 90; Protective factors in plasma of ducks recovered from malaria. BECKER etc. 84; BECKER & SCHWINK 83: Age differences in resistance of ducks to Plasmodium infection, BECKER 82; Immunity to fowl Plasmodium, RAMA RAO, etc. 811; Role of fowl isohaemagglutinins in against Plasmodium. immunity SCHWINK & BECKER 905; In vitro agglutination of avian Plasmodium spp., STAUBER etc. 970; Agglutinins to Plasmodium in ducks, TRAGER etc. 1023: Reaction of Sarcosporidia to dye-test, MÜHLPFORDT 698; New complement-fixation test for toxoplasmosis, Westphal 1079; Effect of brand of methylene blue on dyetest for toxoplasmosis, Westphal 1078; Animal sera for neutralization test in toxoplasmosis, Blanc & BRUNEAU 101, 102.

Parasitized Protozoa: Epizoic bacteria in Centrophorella, Fauré-Fremier 327; Gymnostomatous ciliates parasitic on Peritrichid ciliates, Canella 175.

[Protozoa in relation to Disease—see under **Economics**.]

Parasitism: Hosts .--

General:

Haemoprotozoa recorded from animals in Italian East Africa, Archetti 38.

Protozoa in domestic animals of Venezuela, Vogelsang 1061.

Man:

Man, blood (Colombia): Trypanosoma ariarii sp. n. (Mastig.), Groot, Renjifo & Uribe 416.

Plasmodium ovale in Russia, Nico-LAEV 738.

Distribution of parasites in inhabitants of Arno Atoll, Marshall Islands, MARSHALL 660.

Other Mammalia:

Mammals of New Zealand: blood protozoa, Laird 567.

Ciliates recorded from ruminants of Italian East Africa, Moriggi 692.

Trypanosomes in California ground squirrel, Holdenried etc. 468.

Alouatta fusca (Howler Monkey), blood (Brazil): Plasmodium simium sp. n. (Spor. Haemospor.), Fonseca 353.

Bats: host-parasite list for Trypanosoma spp., Rodhain 849.

Fiji fruit bat: presence of Hepatocystis (Haemospor.), Shortt 929.

Cervus canadensis nelsoni (elk), intestine (U.S.A.): Coccidia recorded, Alderson 23.

Citellus citellus intestine (Yugoslavia): record of parasitic protozoa, Simitch & Teodorovitch 943.

Eptesicus f. fuscus, blood (N. America): Trypanosoma vespertilionis Battaglia, new host (Mastig.), TROMBA 1027.

Heterohyrax syriacus, blood (Sudan) : Echinozoon hoogstraali gen. n., sp. n. (Piroplasm), Garnham **375.**

Hipposideros caffer (bat.), blood (Belgian Congo): Trypanosoma leleupi sp. n. (Mastigoph.), RODHAIN 849.

Horse, intestine: ciliates found, ADAM 19.

Odocoileus hemionus, intestine (U.S.A.): Eimeria mccordocki sp. n. (Coccidi), LANDRAM 573, 574.

Roussettus leachi, blood (Belgian Congo): Plasmodium roussetti sp. n. (Haemospor.), RIEL etc. 841.

Sheep and goats, stomach (Pakistan): Globidium (first local record) (Sporozoa), SARWAR 887.

Malayan squirrel: infection with Hepatocystis vassali (Haemospor.), EDESON & FIELD 297.

Zebu cattle, stomach (E. Africa): Diplodinium (D.) psittaceum f. n. psittaceum, D. (D.) p. f. n. longicaudatum (Cil. Entodiniomorpha), Moriggi 692.

Aves:

Birds, blood (India): protozoa recorded, Bozzo 126.

Birds, blood (Brazil): record of protozoa found, Paraense 764.

Egyptian birds: blood protozoa, MOHAMMED 680.

Birds of paradise, blood (Java): Haemoproteus and Trypanosoma, Kraneveld & Mansjoer **554**.

Fowls, blood (Java): Trypanosoma gallinarum recorded, Kraneveld & Mansjoer 553.

Ducks and geese, blood (California): blood protozoa found, Herman 449.

Anser anser (Volga region): parasitic protozoa, Dubinina 284.

Arctonetta fischeri, blood (U.S.A.): Plasmodium circumflexum: first record of natural occurrence in duck, SAVAGE & McTAVISH 888.

Branta canadensis interior (1) intestine (U.S.A.): Eimeria magnalabia sp. n. (Sporoz.), Levine **591**; (2) blood (U.S.A.): Haemosporidia recorded, Levine & Hanson **592**.

Columba livia and Passer domesticus, blood (India): incidence of Haemosporidia, Jaswant Singh etc. 510.

Diphyllodes respublica and Paradisaea minor (Birds of Paradise), blood (Java): Trypanosoma sp. and Haemoproteus sp., Kraneveld & Mansjoer 554.

Gallus gallus (domestic fowl), blood (U.S.A.): Leucocytozoon andrewsi sp. n. (Spor. Haemospor.), ATCHLEY 41.

Pternistes afer swynnertoni, blood (Portuguese E. Africa): Leucocytozoon peãolopesi sp. n. (Haemospor.), DIAS 269.

Quiscalus quiscala, blood (U.S.A.): Haemosporidia found, MANWELL 649.

Ramphastos toco, blood (Brazil): Plasmodium huffi sp. n. (Spor. Haemospor.), Muniz etc. 707.

Sturnus vulgaris (starling), intestine (U.S.A.): record of Isospora lacazei and a flagellate, Boyd 122.

Turkey, intestine (U.S.A.): Eimeria adenoeides sp. n. (Spor. Coccid.), Moore & Brown 687.

Reptilia:

Protozoa, parasitic in reptiles (general), Hawes 441.

Chamaeleon chamaeleo jacksoni, gut (Zool. Garden: U.S.A.): Trichomonas dispar sp. n. (Mastigoph.), Moskowitz 695.

Lygosoma moco (skink), blood (New Zealand): Plasmodium lygosomae sp. n. (Spor. Haemospor.), LAIRD **562**.

Pelusios sinuatus zuluensis (terrapin), blood (Portuguese E. Africa): Trypanosoma sheppardi sp. n., T. neitzi sp. n. (Mastigoph.), DIAS 270.

Sceloporus sp. and Ameiva ameiva, gut (? loc.): Chilomastix bursa sp. n. (Mastigoph.), Moskowitz 695.

Snakes and lizards, gut (Various loc.): Trichomonas acosta sp. n. (Mastigoph.), Moskowitz 695.

Turtles, blood (U.S.A.): occurrence of *Haemoproteus metchnikovi* (Spor. Haemospor.), DE GIUSTI & BATTEN **254**.

Varanus salvator, Iguana iguana etc., gut (Various loc.): Trichomonas apectus sp. n. (Mastigoph.), Moskowitz 695.

Vipera ammodytes, gut (Bulgaria): Trichomonas batrachorum Perty (Mastigoph.), Whittington 1088.

Amphibia:

Protozoa parasitic in amphibians, Hawes 441.

Records of parasitic protozoa in Amphibia, Walton 1069.

Cacopus systoma, rectum (India): Nyctotherus cacopusi sp. n. (Cil. Heterotrich,) and other ciliates recorded, UTTANGI 1037.

Molge (Pleurodeles) waltlii, intestine (Spain): Balantidium galianoi sp. n. (Ciliata), Fernandez-Galiano 335.

Rana palustris, blood (U.S.A.): Trypanosoma rotatorium (Mayer, 1843), new host (Mastig.), LAIRD **563**.

Rana ridibunda (Volga Delta) : parasitic protozoa, DUBININA 286.

Pisces:

Parasitic protozoa of British and Indian fishes, QADRI 802, 803.

Nile fishes: occurrence of Opalinid ciliates, Sandon 885.

Myxosporidia in Latvian fishes, Sulman 981.

Various marine fishes, skin and gills: Cryptocaryon irritans gen. n., sp. n. (Ciliata), Brown 152.

Caulopsetta scapha and Rhombosolea piebeia, blood (New Zealand coasts): Trypanosoma caulopsettae sp. n. (Mastigoph.), LAIRD 564

Coelorhynchus australis and Physiculus bachus, blood (New Zealand coasts): Trypanosoma coelorhynchi sp. n. (Mastigoph.), LAIRD 564.

Congiopodus leucopaecilus, blood (New Zealand coast): Trypanosoma congiopodi sp. n. (Mastigoph.), LAIRD 564.

Cottus rhotheus and C. aleuticus, blood (U.S.A.): Cryptobia lynchi sp. n. (Mastig.), KATZ 521.

Oncorhynchus kisutch, blood. (U.S.A.): Cryptobia salmositica sp. n. (Mastig.), KATZ 521.

Parapercis colias, blood (New Zealand coast): Trypanosoma parapercis sp. n. (Mastigoph.), LAIRD **564.**

Raja nasuta, blood (New Zealand coast): Trypanosoma gargantua sp. n. (Mastigoph.), LAIRD **564.**

Raja spp. (skates), blood: records of Trypanosoma spp., LAIRD 564.

Salarias fasciatus, blood (Fiji): Haemogregarina salariasi sp. n. (Spor. Coccid.), LAIRD **566**.

Tripterygium varium, T. medium, blood (New Zealand coasts): Trypanosoma tripterygium sp. n. (Mastigoph.), LAIRD 564.

Insecta:

Akis elegans, gut (Morocco): Sphaerorhynchus chabaudi sp. n. (Gregarin.), Tuzet & Théodoridès 1031.

Akis punctata, gut (Corsica): Sphaerochynchus hamoni sp. n. (Gregarin.), Tuzet & Théodorides 1031.

Anacanthotermes ochraceus, gut (N. Africa): Kirbynia pulchra sp. n. Rhizonympha jahieri sp. n. (Mastigoph.), Grassé & Hollande 401.

Asida sericea, gut (France); Stylocephalus variabilis sp. n., Hirmocystis inaequalis sp. n. (Gregarin.), Tuzet & Théodoridès 1031.

Blaps gibba (larvae), gut (Italy): Gregarina larvarum sp. n. (Spor. Gregar.), FILIPPONI 340.

Blaps spp.: Stylocephalus spp. (Gregarines) recorded, Filipponi 341.

Cletus ochraceus, gut (S. Africa): Leptomonas capsularis sp. n. (Mastigoph.), Gibbs 387.

Dermestes frischi, gut (France): Pyxinia foliacea sp. n. (Gregarin.), Tuzet & Théodorides 1032.

Holopterna alata, gut (S. Africa): Crithidia sandoni sp. n. (Mastig. Protomon.), GIBBS 386.

Lithobius piceus, gut (France): Capillicephalus lithobii gen. n., sp. n. (Gregarin.), Tuzet & Ormières 1030.

Otiorhynchus ligustici, Malpighian tubes (Czechoslovakia): Nosema otiorhynchi sp. n. (Microspor.), Weiser 1071.

Pimelia angulata angulosa, gut Mauretania): Cystocephalus algerianus var. n. mauritanicus (Gregarin.), Tuzet & Théodoridès 1031. Tentyria mucronata, gut (France): Stylocephalus variabilis sp. n., Sphaerocystis tentyriae sp. n. (Gregarin.), Tuzet & Théodorides 1031.

Termites [indet.]: Rhizonymphidae fam. nov. (Mastig.), Grassé & Hollande 403.

Triatoma rubrofasciata, gut (India): trypanosome (Mastigoph.), Gноsн & Biswas 384.

Arachnida:

Opercularia reifi from Tardigrada, Matthes 665.

Crustacea:

Branchinella kugenumaensis, coelom (Japan): Polycarium ozakii sp. n. (Haplospor.), Kanai & Watanabe 518.

Calappa flammea, gut (Bermuda): Carcinoecetes calappae sp. n. (Gregar.), BALL **57.**

Clausocalamus furcatus, Paracalanus arcuicornis, gonads (Arabian Sea): Blastodinium apsteini sp. n. (Dinoflag.), SEWELL **923.**

Copepods (various), gonads (Arabian Sea): Blastodinium chattoni sp. n. (Dinoflag.), Sewell 923.

Copepoda from plankton of Arabian sea: ectoparasitic Ciliophora and parasitic Dinoflagellates, Sewell 923.

Euchaeta spp., body surface (Arabian Sea): Acineta euchatae sp. n. (Suctoria), SEWELL 923.

Gaetanus spp., appendages (Arabian Sea): Paracineta gaetani sp. n. (Suctoria), SEWELL 923.

Mithrax forceps, gut (Bermuda): Carcinoecetes mithraxi sp. n. (Gregar.) BALL 57

Pachygrapsus crassipes, gut (Pacific coast, U.S.A.): Nematopsis sp., first record for Pacific Crustacea (Spor. Gregar.), BALL 56.

Pachygrapsus transversus, gut (Bermuda): Carcinoecetes bermudensis sp. n. (Gregar.), Ball 57.

Panopeus occidentalis, P. herbstii, gut (Bermuda): Nematopsis panopei sp. n. (Gregar.), Ball 57.

Porcellidium fimbriatum, P. tenuicauda, body surface (Coast of France): Acineta bocqueti sp. n. (Suctoria), Guilcher 422.

Psamathe longicauda, body surface (coast of France): Ophryodendron faurei sp. n. (Suctoria), GUILCHER 422.

Scottocalanus dauglishi, antennae (Arabian Sea): Hallezia scottocalani sp. n. (Suctoria), Sewell 923.

Tisbe sp., body surface (coast of France): Acineta tisbei sp. n. (Suctoria), Guilcher 422.

Echinodermata:

Cucumaria obunca, gut (Ussuri Bay, Sea of Japan): Polycycla discophora gen. n., sp. n. (Cil. Peritrich.), Polyanskij 792.

Strongylocentrotus spp., gut (no locality): Cryptochilidium caudatum sp. n., Entorhipidium triangularis sp. n. Plagiopyliella pacifica gen. n., sp. n. (Ciliata), POLJANSKIJ 793.

Mollusca:

Aeolis sp., gills (Ussuri Bay, Sea of Japan): Licnophora aeolis sp. n. (Ciliata), Poljanskij 792.

Cardium sp., gills (Vladivostok): Sphenophrya minor sp. n. (Ciliata), Poljanskij 792.

Nemathelminthes:

Parasitic nematodes: list of parasitic protozoa recorded, Weiser 1070.

Platyhelminthes:

Cestodes and trematodes: list of parasitic protozoa recorded, Weiser 1070.

Moniezia benedeni, parenchyma (Yugoslavia): Nosema bischoffi sp. n. (Microspor.), Weiser 1070.

Coelenterata:

Diplomorpha gen. n., protist from ectoderm of Siphonophora, Rose & Calhon 865.

Symbiosis. — Symbiotic protozoa (general), Caullery 187; Symbiosis between flagellates and termites, Pierantoni 780; Zoochlorella symbiosis in Ciliates, Schulze 901.

ECONOMICS.

General. — Economic importance of plankton in Portuguese waters, Pinto 783; Presence of *Diplodinium* in tannery soak waters, KAY 523.

Petroleum sources. — Value of planktonic microfossils in zonation, STAINFORTH 968; Work of petroleum companies in Venezuela [mainly foraminifera], DUSENBURY 294; Work of the petroleum companies in Chile [mainly Foraminifera], MORDOJOVICH 690.

Soil protozoa.—Review of soil protozoa, Franz 355; Destruction of bacteria by soil amoeba, CZEKALOWSKI etc. 241; Rhizopoda of forest soils, Volz 1063; Soil protozoa of the Ciliata group, Horvath 481.

Sewage protozoa. — Entamoeba moshkovskii from sewage in Brazil, Amaral & Leal 30.

Protozoa in relation to disease.—
(See also under Parasitism.)

General.—Parasitic and symbiotic protozoa (general), CAULLERY 187; Protozoa and diseases caused by them in man, CRAIG & FAUST 232; Medical protozoological problems of the world, WRIGHT 1112; RUSSELL 876; Role of protozoal diseases in world economy, SHORTT 928; HOARE 459; Economic importance of human protozoal diseases, Self 912; New iodine-staining technique for diagnosis of intestinal protozoa, SAPERO etc. 886; Immunity in human protodiseases, Culbertson zoal Coprological diagnosis of human intestinal protozoa, FAIGUENBAUM 322; Protozoal diseases of fishes, Heusch-MANN 451; Protozoal diseases in animals of London Zoological gardens, HILL 453; Protozoal diseases of livestock in Africa, NEITZ 733; Du Toit etc. 295; Protozoal diseases of animals in Australia (with list of diseases which do not occur there), SEDDON 911; Protozoa of veterinary importance, CAMERON 173; Parasitic protozoa of domestic animals in Venezuela, Vogelsang 1061: Bugs as vectors of human Haemoflagellates, DIAS & CHANDLER 268: Intestinal protozoa of man in relation to dermatoses, Costa 228; Efficiency of flotation technique for detection of human intestinal protozoa in faeces, Tobie etc. 1016; Diagnosis of infections with human intestinal protozoa, Stoll 974; Serological diagnosis of human protozoal infections, Bozicevich 125; Dysenteries due to human protozoal infections, BOYD 123; Incidence of infection with human intestinal protozoa in Rome (1937-1950), URSO & ROSSI 1036; Human intestinal protozoa in Sicily, RICCI 838; Human protozoal infections in Canary Isles. MILLARES 675: Protozoal diseases in Belgian Congo, DUBOIS 288: Human intestinal protozoa in Abyssinia, Rizzotti & NERI 846; Intestinal protozoa among Eskimos, HITCHCOCK 457; Human intestinal protozoa in Korea, HUNTER etc. 489; Human intestinal protozoa in Japan, RITCHIE etc. 842, 844; HUNTER etc. 490, 491; Human intestinal protozoa in Ryukyu Islands, HUNTER etc. 492; Parasitic protozoa of man in Arno Atoll, MARSHALL 660: Intestinal protozoa of children in Bahamas, THOMAS 1006; Human intestinal protozoa in Dominican Republic, MACKIE etc. 630; Human intestinal protozoa in Detroit, Kaspar etc. 519; Human intestinal protozoa in Brazil, Causey etc. 188; Human intestinal protozoa in Amazonia region of Brazil, Costa 227; Human intestinal protozoa in Argentina, Rosas Costa 864; Carri & CELLERINO 181; Human intestinal protozoa in Chile, NEGHME & SILVA 731, 732; Intestinal protozoa in Chilean school children, Anon. 7: Human intestinal protozoa in Venezuela, IRIARTE 501.

Amoebiasis. — Amoebic dysentery (general), Westphal 1075; Diagnosis of amoebiasis, Napier 722; Laboratory diagnosis of amoebiasis, Amaral 29; Complement-fixation test in amoebiasis, Craig 231; Fulton etc. 362; Fixation and staining of parasitic amoebae, Brandis & Pöhn 133; Evaluation of diagnostic methods for human amoebiasis and incidence of infection in Illinois, Young etc. 1122; Cultivation of E. histolytica, Mukherjea 700, 701, 702; Effect of bacteria on E. histolytica in culture, Mukherjea 700, 701, 702; Cultivation of E. histolytica with single

species of bacteria, RAO 819; Cultivation and metabolism of E. histolytica, FRYE 360: Nutrition of E. histolytica, Deschiens 260; Pathogenesis of human amoebiasis, Anon 14; Cyst-formation by E. histolytica in gut lesions, RADKE 806; E. histolytica in urinary tract, Bucco 162; Role of hyalurodinase in pathogenesis of amoebiasis, Bradin 127: Effect of bacteria on infectivity of E. histolytica, LUTTERMOSER & PHILLIPS 614; Role of bacteria in infections with E. histolytica, ABD EL-GHAFFAR & ABD EL-GHAFFAR 16; Effect of drying on cysts of E. histolytica and E. coli, REARDON etc. 823: Human amoebiasis in Britain, MORTON etc. 694; E. histolytica and other human amoebae in Germany, Pöнn 789; Amoebiasis in Egypt, HALAWANI etc. 433; Human amoebiasis in Italy, Cagidiaco 171; Amoebiasis within the French Union, DESCHIENS & LAMY 261; E. histolutica in wild rats of Buenos Aires, VANNI 1039; Experimental amoebiasis in rats, Montézin & Schnei-DER 686; Experimental amoebic liver abscess in rats, RAO 817, 818; Duration of E. histolytica infection in rats and their epidemiological significance, NEAL 727; Behaviour of different human strains of E. histolytica in rats, NEAL 726; Amoebio hepatitis in hamsters, Reinertson & THOMPSON 831; Entamoeba indistinguishable from E. histolytica in sewage of S. Paulo, AMARAL & LEAL 30; E. gingivalis recovered from lungs, SUTLIFF etc. 982.

Leishmaniasis. — Diagnostic methods in leishmaniasis, RANQUINI 816; Complement-fixation test for Kala-azar, Gноян etc. 383; Diagnosis of human and canine kala azar, RANQUE, etc. 814; Canine visceral leishmaniasis in Yugoslavia and its relation to human infection, CVJE-TANOVIĆ 239, 240; Canine visceral leishmaniasis in Algeria, MANDOUL & LOUFRANI 644; Value of formol gel reaction in canine leishmaniasis, CVJETANOVIĆ 240; Epidemiology of Oriental sore in Algeria, SIMONET 944; Visceral leishmaniasis in cotton rat, Fulton & Niven 363; Behaviour of L. brasiliensis in hamsters, GUIMARÃES 423, 425; Behaviour of

L. brasiliensis in mice and cotton rats, Guimarães 424, 426; Infection of man with cultures of L. brasiliensis, Trejos & Echandi 1024;

Trypanosomiasis.—West African Institute for Trypanosomiasis Research, Anon. 15; Sleeping sickness and other trypanosome diseases, WESTPHAL 1077: Method for counting trypanosomes in blood, Toranzos 1018: Effect of trypanosomes on respiration of rats, BRAND 131; T. ariarii sp. n., new parasite of man in S. America, possibly related or identical to T. rangeli, GROOT etc. 416; Human trypanosomiasis (T. cruzi and T. rangeli) in Venezuela, Torrealba 1019; Chagas' disease (general), Romana 861; Differential diagnosis of T. cruzi, Pessôa & Pedreira de Freitas 775; Lifecycle of T. cruzi, Elkeles 302; Sites of initial infection by T. cruzi, Romaña & Mondolfo 862; Incubation period in Chagas' disease, ROMAÑA & TORANZOS 863; Time of appearance of trypanosomes in bugs used for xenodiagnosis of Chagas' disease, THIERMANN 1004; Chagas' disease in Argentinian children revealed by xenodiagnosis, Briones 136; Chagas' disease in Brazil, DIAS 266; Chagas' disease among blood donors in Brazil, Pellegrino etc., 772; Xenodiagnosis of Chagas' disease, Pedreira de Freitas 768; Complement-fixation test for Chagas' disease, Pedreira de Freitas 769; Diagnosis of Chagas' disease by "conditioned haemolysis", MUNIZ 704; MUNIZ & SANTOS 706; Course of T. cruzi infection in mice, Goble 397; Infected vectors of Chagas' disease in Texas, Elkins 303; T. cruzi in Arizona Triatoma, Gililland & Dowell 390; The probable occurrence of Chagas' disease in U.S.A., DIAS 267; Effect of T. cruzi on tumours in mice, Christen etc. 200; Experimental infection of hamsters and wild mice with T. cruzi, CARIOLA etc. 179: Experimental infection of Australian possum with T. cruzi, BACKHOUSE & BOLLIGER 44; Effect of drugs on Trypanosoma cruzi, GAL-LIARD & BOUTET 368; Trypanosomiasis in Mozambique, SILVA 941; Trypanosome infections in Glossina caligenea, ROUBAUD, etc. 868: RouBAUD 867; Cryptic phase of infection in bovine trypanosomiasis, Fiennes 338; Seasonal variation in incidence of T. vivax in tsetse-flies, SQUIRE 961; Trypanosomes of vivax group in cattle of Abyssinia, Spena 957; Infection of rats with T. vivax, Desowitz & Watson 265; Porcine trypanosomiasis due to T. simiae, Mols & Lenaerts 684; Diagnosis of Sleeping Sickness, McGowan 627; CHESTERMAN 198; DUKE ROBERTSON 848: CATES & McIlroy 186; Comparative value of blood cultures in the diagnosis of Sleeping Sickness, Neujean & Evens 735: Blood changes in and serological diagnosis of Sleeping Sickness, Mon-NET & BAYLET 685; Neurotropic race of T. gambiense, ROUBAUD & PRO-VOST 869; Persistance of metacyclic forms of T. rhodesiense in the blood, HAWKING & THURSTON 444; Hybridization among trypanosomes of brucei group with loss of infectivity to man in the human trypanosomes, 237; Effect Culwick etc. of temperature on T. evansi, NANI 720; Experimental infection with T. evansi, NANI & VERGATI 721: First record of infection of goats with T. evansi in India, Manjrekar 645; Pig as reservoir host of T. evansi in Philippines, JESUS, etc. 512; Transmission of Dourine by blood-sucking insects, ZARNOWSKI 1123; Akinetoplastic strain of T. equiperdum, Tobie 1015.

Animal flagellosis.—Flagellates in gut of honey bee, GIAVARINI 385; Incidence of Trichomonas vaginalis in women of Devon and effect of contraceptives on the parasite, Whit-TINGTON 1086: Trichomonas vaginalis in semen, Whittington 1087; Survival of Trichomonas vaginalis below 37°C., Whittington 1085; Survival of Trichomonas vaginalis in vaginal discharge in relation to its transmission, Kessel & Thompson 525: Pathogenesis of Trichomonas vaginalis, HILLMANN 454; Transmission of Trichomonas vaginalis, Anon. 10; Trichomonas in human lungs, Bar-BOSA & AMARAL 70; World distribution of bovine trichomoniasis, RA-MON 812; Trichomonas foetus and the disease produced by it in bovines. SCHUCKALL 899; Pathogenesis of

Trichomonas in bovines, WILLEMS 1098; BAREGGI 71; Diagnosis of bovine trichomoniasis. FLORENT 351: Course and diagnosis of bovine trichomoniasis, HARDING 435; Lifecycle of Trichomonas foetus, GALASSI 366; Cultivation of Trichomonas foetus, Boccadoro 106; Bovine trichomoniasis in Great Britain, WILSON 1103; Bovine trichomoniasis in Spain, Boto 113; Effect of Trichomonas gallinae on pigeons, STABLER 965; Incidence of Trichomonas gallinae in American pigeons and doves, STABLER 964: Staining method for Giardia, URSO 1035; Giardia infections in man: hostparasite relations. McMurray & CAYER 635; Giardiasis of rats, HAIBA 431.

Coccidiosis. — Human coccidiosis due to Isospora belli and I. hominis in Brazil, Meira & Corrêta 669; Coccidiosis (Eimeria spp.) of N. American sheep, Radke 805; Effect of Eimeria stiedae on cytochrome oxidase activity in rabbit liver, SMITH 951; Coccidiosis of Kangaroo rats in U.S.A., Doran 277; Effect of coccidiosis on eggs of hens, Berg etc. 91; Effect of caecal coccidiosis on fowls, Bressler & Gordeuk 135; Immunity in fowl coccidiosis, Dickinson etc. 271; Gordeuk etc. 400; Renal coccidiosis of N. American goose, Levine 591; Turkey coccidiosis in Argentina, Morini etc. 693; New Eimeria sp. causing disease in turkeys, Moore & Brown 687.

Malaria.-Human malaria (general), COVELL 229; Malaria (popular account), LECLERCQ 585; Textbook of malariology, Boyd 124; History of malaria research, Reichenow 830; Significance of excerythrocytic development of malaria parasites, HUFF 487; History of discoveries of life-cycle of Plasmodium, Manson-BAHR 647; History of the discovery of the exoerythrocytic development of Plasmodium, LEVADITI 590; History of researches on the excerythrocytic development of malaria parasites, Shortt 930; Patterns of excerythrocytic schizogony in Plasmodium, GARNHAM 373; Life-cycle of

mammalian malaria parasites. Shortt 927: Biochemistry and metabolism of malaria parasites, McKee 628, 629; Metabolism of malaria parasites, FULTON 361; Immunity in malaria, VISWANATHAN 1059, 1060; Appearance of oocystic pigment as diagnostic character of human malaria parasites, Shute 936; Shute & Maryon 938; Course of induced human malaria and infection of mosquitos, SHUTE 932; Cultivation of malaria parasites, GEIMAN 381; Tissue culture of Plasmodium, HAWK-ING 443: Induced human malaria. COVELL & NICOL 230; Immunity in human malaria, MACDONALD 624; Premunition against human malaria, SERGENT & PARROT 919; Malaria therapy of general paralysis of the insane, Shute 934; Detection of human malaria parasites in blood films, Anon. 9; Characteristics and differential diagnosis of human malaria, Shute 933; Differential parasitological diagnosis of human malaria parasites, WILCOX 1096; FIELD Congenital human malaria, SICÉ & BINDER 940; Gametocyte rates in African children, BRUCE-CHWATT 159; Loss of gametocytes in P. falciparum, JEFFERY 511; Nature of pathological processes in human malaria, MAEGRAITH 639; Gametocyteproduction in P. falciparum, SHUTE & MARYON 939; Transmission of P. malariae by Anopheline mosquitos, Shute & Maryon 937; Course of Quartan malaria induced by bites of Anopheles, Shute 936; Pre-erythrocytic development of P. falciparum, SHORTT etc. 931; Plasmodium ovale in Russia, NICOLAEV 738; P. ovalelike forms of P. vivax, Mohi-Ud-Din & RAHIM 681; Distribution of malaria vectors (map), May 666; Malaria in England, MacArthur 620: Malaria in Greece, Hüsing 486; Malaria in Africa, De Meillon & Davis 258; Malaria in Nigeria, Bruce-Chwatt 157; Malaria in French West Africa, HOLSTEIN 469; Malaria in Belgian Congo, SCHWETZ 904; Malaria in S.W. Africa, DE MEILLON 257; Malaria in U.S.A., FAUST 332; Malaria in Amazonia region of Brazil, DEANE 252; Search for vectors of Hepatocystis kochi, GARNHAM 374; Immunity in monkey malaria, Mukherjea & Roy 703;

Mosquito transmission and preerythrocytic development of P. inui, GARNHAM 378; Factors governing incubation period of P. berghei. FABIANI etc. 320: Infection Anopheles with P. berghei, RODHAIN & VINCKE 856: Early development of P. berghei in Anopheles, Draper & Wall 280; Sporogony of P. berghei in Anopheles, Yoell & Wall 1119; Relapses in P. berghei infections, BLACK 99; Congenital infection of murine by P. berghei, Fabiani etc. 316; Various methods of infection of murines with P. berghei, FABIANI etc. 319; P. berghei in cotton rats, RODHAIN 850; Infection of hibernating marmots with P. berghei, Rod-HAIN 851; Course of P. berghei infection in mice. MERCADO & COATNEY 671: Course of P. berghei infection in rats, MERCADO & COAT-NEY 670, 672; GALLIARD & LAPIERRE 370; Effect of splenectomy on course of P. berghei infection in vole, Zuckerman & Yoeli 1126; Activation by suprarenalectomy of latent P. berghei infection in rats, Fabiani etc. 314; Experimental infection of rabbits with P. berghei, Deschiens & LAMY 262; P. berghei in Bank voles, BRAY 134; Excerythrocytic forms of P. elongatum and P. berghei in elements of haemopoietic system, GARN-HAM 377: Immunization against avian malaria, Coffin 215, 216; Agedifferences in resistance of ducks to Plasmodium infection, BECKER 82: P. elongatum in Japanese birds, TOKURA & KAWAHATA 1017; Transmission of P. relictum by Anopheles, Mok 682; Mineral components of P. gallinaceum, Kruszynski 556; Course of infection of fowls with P. gallinaceum, Oddo & Bruno-Smiraglia 746; Strain differences in P. gallinaceum, TREMBLEY etc. 1025, 1026; Greenberg etc. 408; P. gallinaceum infection in mosquito, EYLES 313; Course of P. lophurae infection in young geese and guinea-fowl, BECKER 80; P. juxtanucleare in Brazilian fowls, Paraense 764; Acute malaria in a jay, MANWELL 651.

Firoplasmosis.—Bovine and ovine piroplasmoses in Indo-China, Tou-MANOFF & TRUONG TAN NGOC 1021; Premunition against bovine piroplasmoses, SERGENT & PARROT 919; Effect of climate on distribution of equine piroplasmosis, ENIGK 310; Evidence of exoerythrocytic phase in Babesia canis, Paraense 756; Canine piroplasmosis in Portugal, Marques & Leitão 659; Haemoglobinuria in rodents caused by Babesia rodhaini, Rodhain & Demuylder 854; Bovine piroplasmosis due to Theileria annulata in Persia, Delly 256; Transmission of Theileria annulata by Hyalomma, Daubney & Said 248; Effect of duration of infection in ticks on East Coast fever symptoms, Wilson 1104, 1105.

Other Sporozoa.—" Milkiness" in hake caused by Chloromyxum sp., FLETCHER etc. 349; Economic importance of Nosema apis infection in bees, Palmer-Jones & Robinson 763; Dye-test in sarcosporidiosis, Mühlefordt 698; Sarcosporidiosis of domestic animals in India, Ramanujachari & Alwar 810; Sarcosporidiosis in Indian cattle, Sen 916; Nematopsis (gregarine) infection of oysters in U.S. waters, Landau & Galtsoff 572; Undetermined sporozoon causing skin disease in young fish (Colisa lalia), Schäperclaus 889

Ciliates.—Ciliates from intestine of horse, Adam 19; "White spot disease" in marine fish caused by Cryptocaryon gen. n., Brown 152; Fatal disease in fish caused by Trichodina, Reichenbach-Klinke 827; Balantidiosis in man and pigs of Bolivia, Torrico 1020; Balantidiosis in Puerto Ricans, Shookhoff 926; Human balantidiosis in Chile, Neghme 728.

Toxoplasmosis.—New impression of paper (1917) on Toxoplasma gondii, Chatton & Blanc 193; Toxoplasmosis (general), Lavier 581; Christen 199; Hart etc. 438; Bionomics of Toxoplasma, Buttitta 168; Survival of Toxoplasma in various fluids, Jacobs etc. 506; Nature of pseudocyst membrane in toxoplasms, Rodhain & Gerebtzoff 855; Diagnostic methods in toxoplasmosis, Ranquini 815; The dyetest for toxoplasmosis, Piekarski & Westphal 779; Diagnosis of toxoplasmosis by phase contrast microscopy, Lelong & Desmonts 587;

Detection of parasites and antibodies in toxoplasmosis, WILDFÜHR 1097; Animals sera for neutralization test in toxoplasmosis, Blanc & BRUNEAU 101, 102; New complementfixation test for toxoplasmosis, West-PHAL 1079; Effect of brand of methylene blue on dye-test for toxoplasmosis, Westphal Transmission and diagnosis of toxoplasmosis, Cuboni 235; Transmission of toxoplasmosis by arthropods, Blanc etc. 103; Attempts to transmit Toxoplasma by Arthropods, Weyer 1081; Toxoplasmosis as an occupational disease in dog-handlers, OTTEN & WESTPHAL 752; Presence of parasites in blood of infants suffering from congenital toxoplasmosis, Verlinde & Makstenieks 1051; Toxoplasmosis in English children, FISHER 348; Human toxoplasmosis in Germany, WESTPHAL 1080; Human and animal toxoplasmosis in Sicily, BUTTITTA 167: Human toxoplasmosis in Sicily revealed by intradermal reaction. BUTTITTA & TERRANA 169; First record of human toxoplasmosis in Yugoslavia, Stankovic & Stankovic 969; Toxoplasmosis in Chile detected by Sabin-Feldman test, THIER-MANN 1005; Relationship of toxoplasmosis to endangiitis and arteriosclerosis, Schrader & Westphal 898; Toxoplasmosis in animals and its veterinary importance, Otten etc. 752: Toxoplasmosis in captive wild animals. RATCLIFFE & WORTH 820: Toxoplasmosis in dogs, FANKHAUSER 325; Epidemiology of toxoplasmosis and role of dogs as source of human infection, OTTEN etc. 755; Canine toxoplasmosis and the role of dog as source of human infection, FRITZ 358; Canine toxoplasmosis in Germany, OTTEN etc. 754; Canine toxoplasmosis in Denmark, Møller 683; Course of Toxoplasma infection in laboratory rodents, MARIANI 655; Toxoplasma in tissues of rats, RUCH-MAN & FOWLER 870; Toxoplasmosis in hares, Christiansen & Siim 202; Infection of rabbit lungs with Toxoplasma, GIROUD & GAILLARD 392, 393; Toxoplasma in birds and their experimental infection with the mammalian parasite, MANWELL etc. 653; MANWELL & DROBECK 652; Toxoplasmosis in domestic fowl,

FANKHAUSER 324.

Protista incertae sedis. — Fatal pneumonia in infants caused by Pneumocystis carinii, Vaněk 1038.

Chemotherapy.—Chemotherapy of protozoal diseases in relation to the physiology of the parasites, Brand 130; Effect of antibiotics in protozoal diseases, Shookhoff 925; Technique for screening amoebicidal compounds, Bradner & Rawson 128; Effect of drugs on Entamoeba histolytica, NAKAMURA 716; NAKAMURA & Anderson 718; Anderson 35; Comparison of amoebicidal drugs, Wilmor etc. 1101; Measurement of amoebicidal activity of drugs, Phil-LIPS 778; Direct amoebicidal action of drugs, NAKAMURA & ANDERSON 719: Chemotherapy of experimental amoebiasis, Wagner 1067; Effect of drugs on Entamoeba histolytica in rats, NEAL 726; Effect of terramycin on Entamoeba histolytica, Most & VAN ASSENDELFT 696: HRENOFF 483: Effect of fumagillin on Entamoeba histolytica, HRENOFF & NAKAMURA 484; McCowen etc. 622; Effect of prodigiosin on Entamoeba histolytica, BALAMUTH & BRENT 54; Effect of antibiotics on Entamoeba histolytica and Trichomonas hominis, BIEGE-LEISEN & SHAFFER 95; SHAFFER & BIEGELEISEN 924: Ineffectiveness of aureomycin in treatment of leishmaniasis, Chang & Liu 191: Chemotherapeutic aspects of metabolism of trypanosomes, Launov 578; Effect of drugs on trypanosomes, Anon. 11; Mode of action of trypanocidal drugs, PILLE 782; Basophilic inclusions produced in trypanosomes by drugs, ORMEROD 751; Chemotherapy of animal trypanosomiasis, CEBE 190; Mode of action of antrycide on trypanosomes, Ormerod 750; Action of antrycide in trypanosomiasis, DAVEY 249: Effect of new arsenical trypanosomes, Cantrell McGeachin 176: Effect of drugs on Trypanosoma cruzi, JARPA etc. 509; Effect of drugs on Trypanosoma cruzi in the vector, Galliard & Boutet 369; Effect of primaquine on Trypanosoma cruzi, Pizzi 786; Combined action of quinine and pentaquine on Trypanosoma cruzi, CHRISTEN etc. 201; Effect of antibiotics on Trypanosoma cruzi, Betti-NOTTI 93: Effect of cortisone etc. on Trypanosoma cruzi, NEGHME etc. 729: JARPA etc. 508: Effect of terramycin on Trypanosoma cruzi, Agosin etc. 20; Drug-resistance in Trypanosoma gambiense, FRIEDHEIM 357; Melarsen-resistance in Trypanosoma rhodesiense, Rollo & Williamson 860: Effect of diamidines on Trypanosoma gambiense, LAUNOY 579; Effect of penicillin on Trypanosoma gambiense, PIRES 785; Effect of chloromycetin on Trypanosoma equiperdum, Gruhzit & Fisken 420; Treatment of Trichomonas vaginalis infections, PETER etc. 776; Effect of fluoro-sulphonamides on Trichomonas vaginalis, HILLMANN 454; Effect of enheptin on pigeon Trichomonas, STABLER & MELLENTIN 966; Effect of drugs on murine Giardia, BRUMPT & ANSARI 160; Effect of drugs on Nosema infection of bees, Palmer-Jones & Robinson 763: History of chemotherapy of malaria, KIKUTH 531; Chemotherapy of malaria, DAVEY 250; Effect of antimalarial drugs in relation to biochemistry of Plasmodium, McKee 628; Drug action in relation to physiology of malaria parasites, Anon. 13; Effect of drugs on malaria parasites, BARANGER 65; BRUCE-CHWATT 158; COATNEY 214; Drug-resistance in malaria parasites, BISHOP 96; Effect of antimalarials on structure of Plasmodium, Thurs-TON 1011; McFadzean 625; Mode of action of paludrine on Plasmodium, SRINIVASAN & DE 962: Effect of paludrine metabolite on Plasmodium, CARRINGTON etc. 182; Effect of diaminopyrimidines on paludrineresistant Plasmodium, GREENBERG & RICHESON 406; ROLLO 859; Correlation between effect on sporozoites and curative action of drugs in vivax malaria, Terzian etc. 995; Paludrine-resistance in simian Plasmodium, HAWKING & THURSTON 445: Effect of drugs on Plasmodium berghei, MUDROW-REICHENOW 697: Effect of arsenicals on Plasmodium berghei, Williamson & Bray 1100: Effect of neoarsphenamine on Plasmodium berghei, BLACK 98; Effect of aminoquinolines on fowl Plasmodium, GREENBERG etc. 407: Effect of cinchona on tissue forms of fowl Plasmodium, BARANGER & FILER 66: Drug-resistance in latent infections with bird Plasmodium, McConnachie 621; Inhibition of paludrine-resistance in fowl Plasmodium, Bishop & McConnachie 97; Failure to produce chloroquine-resistance in fowl Plasmodium, Seaton 909; Effect of drugs on Babesia rodhaini, Rodhain 853; Effect of antibiotics on Toxoplasma, Giroud & Gaillard 394; Effect of endochin on Toxoplasma, Girgeich & Darrow 391; Effect of diasone and promin on Toxoplasma, Cross 233; Effect of antibiotics on Balantidium, Neghme etc. 730.

DISTRIBUTION

(a) GEOGRAPHICAL

General. — Abundance of radiolaria in oceanic deposits, REIDEL 839; World distribution of bovine trichomoniasis, RAMON 812; Map of distribution of malaria vectors, MAY 666.

1. Land and Freshwater.—Palaearctic Region. — Europe. — Ciliate protozoa of a British chalk stream, Gray 405; Brackish water protozoa of Cheshire, Galliford & Williams 371; Flagellates of the River Dee, near Chester, Williams 1099; Freshwater lake protozoa of Jamtland and Lappland, Thomasson 1007; A new vorticellid from the Paris region, Fauré-Fremiet 328; Rhizopoda from Luxemburg, Oye 758; Population studies of Ciliata in Lake Balaton, Hungary, Sebestyén 910; Malaria in Turkey, Noyan 743; Protozoa in the Veselovsk Reservoir, Manitch River, Russia, Kharin 526.

Australian Region and Polynesia.— Occurrence of Volvox and Volvulina in New Zealand, Pocock '788.

Ethiopian Region. — Lists of freshwater protozoa from Northern Rhodesia, Sklower 947.

Nearctic Region.—North America.
—Stentor coeruleus in Iowa, Sprugel
960.

South America. — The camoe bous moss-rhizopods from South America, HOGGENRAAD & GROOT 476.

2. Marine. — Arctic. — New suctorial protozoan from Greenland waters, GRØNTVED 415.

North Temperate. -- Marine Protozoa of the St. Malo coastal area, Franc 354; Distribution of Fora-minifera in the Danish Waddensea, SMIDT 950; Plankton of the Bornholm region, HENTSCHEL 448; Dinoflagellates of Oslo fjord, HASLE 440; Plankton of Portuguese waters. PINTO 783: Protozoan distribution the Castellon coastal marine areas. Western Mediterranean. Mar-GALEF 654; Tintinnid populations of the Western Mediterranean, DURAN 291: Foraminifera from the Bay of Naples, Hofker 467; Foraminifera of the Bulgarian coast of the Black Sea, CASPERS 184; Folliculinids of the Adriatic, HADZI 428; Sand dwelling ciliates of Cape Cod, FAURÉ-FREMIET 330: Foraminifera of Narragansett Bay, SAID 880; Foraminiferal assemblages of North African coast, MURAOUR & HOLLANDE 709; Japanese coastal marine plankton, YA-MAZI 1116, 1117.

Tropical. — Foraminifera from West Africa, Pinto 784; Protozoa of Gulf of Mexico, Sprague 959; Two new genera of foraminifera from Gulf Coast, U.S.A., Anderson 33; Foraminiferal distribution in the Gulf Coast marine areas, Post 794; Planktonic protozoa of coastal Brazil, Souza 953; Foraminifera of the East Indies, Hofker 467; Peneroplids from the East Indies, Hofker 463; Marine protozoa of the western coast of peninsular India, Patil 767; Foraminifera of the Travancore coast, Kurian 561; Gromia oviformis on the Californian coast, Arnold 39.

(b) GEOLOGICAL

General: Variation in Loxostomum gemmum (Cushman), Hussey & West 495; Globorotalia lacerti Cushman and Renz as an indicator of the age of the Lizard Springs Formation, Trinidad, B.W.I., Renz 835; Foraminifera of the Lizard Springs Formation, Trinidad, B.W.I., Renz 834; Paleocene Foraminifera from the Atlantic Coastal Plain, McLean 633; Distribution of Pelagic Foraminifera in Oligo-Miocene of Trinidad, B.W.I., Brönnimann 146; Foraminiferal bioherms in the Ishimbaev Pre-Ural, Khvorova 527;

Ecological control of foraminiferal distribution, SAID 883; Ecological control of recent foraminiferal distribution in Japanese coastal areas. NAGAHAMA 712: Breaking strain of fusulinid tests, Kahler 517: Fossilisation of Foraminifera, MÜLLER 699: Problem of remainie microfossils, Vašiček 1049; Zonal value of planktonic microfossils, STAIN-FORTH 968; Distribution of foraminiferal tests by current action in Pliocene, CARTER 183; Stratigraphical value of coiling in Oligo-Miocene Rotalid Foraminifera, Bolli 108; Possible stratigraphical value of foraminiferal pores, Hofker 466; Stratigraphical value of Radiolaria, GALAVIO 367; Value of the "globi-gerinic ratio" in stratigraphy, Colom 221: Foraminiferal Zones of Australian Tertiary, GLAESSNER 395; Stratigraphical value of Tintinnids, Colom 219; Revision of the Smaller Foraminifera of the Miocene of the Vienna Basin, MARKS 657.

Primary: Upper Silurian Radiolaria from Betpak-Dala, Russia, Borovikov 112; Devonian foraminifera from Kazan, Russia, Tikhi 1012: Fusulinids from the Upper Palaeozoic. Washington, U.S.A., McLaughlin & Simons 631; Upper Palaeozoic Foraminifera from the Arctic and Northern European areas, FREBOLD 356: Distribution of Howchinia bradyana (Howchin) in the English Lower Carboniferous, Davis 251; Occurrence of Fusulinids in Carboniferous of Europe, DELEPINE 255: Carboniferous Foraminifera and Radiolaria in Erratics of English Chalk. HAWKES 442: Carboniferous Foraminifera from the Central and Northern Urals, MALAKHOVA 642; Distribution of Foraminifera in the Middle Carboniferous of the Central Russian Platform, REITLINGER 833; Foraminiferal distribution in the Russian Carboniferous, Teodoro-VITCH 994; Carboniferous Foraminifera from the gravels of the Apsheron Peninsula, VISTELIUS & MIKLUKHO-MAKLAI 1058; Carboniferous Foraminifera from Arizona, McNair 636; Permian Foraminifera from Transcaucasus, Einor 300; Permian Foraminifera of Armenia, EINOR 301; Permian species of Globivalvulina in

Venezuela, SELLIER DE CIVRIEUX 913; New genera of Fusulinid Foraminifera, Thompson 1009; Permian Fusulinid from Apache Mountains, Texas, Johnson 514; Smaller Foraminifera of the Australian Permian, Clarke etc. 208; Permian Fusulinids from New Zealand, Hornibrook 480; Permian Foraminifera of Western Australia, Teichert 991.

Secondary: Mesozoic Foraminifera from Alaska, Tappan 988; New Triassic foraminifera from the Tyrol, Weynschenck 1082: Liassic Spirillinids, Schweighauser 902; Jurassic Foraminifera from the Hanover Area, Walther 1068: Jurassic Foraminifera of the Lake Elfon area, Russia, Boyarinova & Ilin 121; Portlandian and Neocomian Tintinnids from Italy, Colom 219; Calpionella in Upper Jurassic of Australia, BRUNNSCHWEILER 161; Foraminifera of the Austrian Cretaceous, NOTH 741; Globotruncana recorded from Eastern Serbia, Kochansky-DEVIDÉ 545; Cretaceous Foraminifera from Holland, HOFKER 467; Cretaceous Foraminifera from Holland, HOFKER 465; Erratics of English Chalk with Carboniferous Foraminifera and Radiolaria. HAWKES 442: Cretaceous Foraminifera of Germany, Hagn 430; Cretaceous foraminifera from Hanover, DIETZ & HILTERMANN 273: Albian Foraminifera from the Low Countries, Dam 244; Structure of Cretaceous orbitoids, ABRARD 17; Cretaceous Foraminifera from Central Europe, ALLERMANN & BLASER 24; Cretaceous Foraminifera of the Filijos River, Turkey, ALTINLI 27; Cretaceous Foraminifera in the Grey Flysch of Iliksu, Turkey, ALTINLI 28; Albian-Cenomanian Foraminifera in the Donbass, Russia, Dubinski 287: Cretaceous foraminifera and radiolaria from Venezuela, SELLIER DE CIVRIEUX 915; Trocholina in Venezuelan Cretaceous, SELLIER DE CIV-RIEUX 914; Age of the Lizard Springs Formation, Trinidad, B.W.I., RENZ 835; Cretaceous Foraminifera from Santa Barbara, California, PAGE etc. 762; Foraminifera of the Comanche Cretaceous, LOEBLICH & TAPPAN 607: Distribution of Globotruncana Cushman in Cretaceous, Trinidad, B.W.I.,

Bolli 109; Cretaceous foraminifera from Algeria, MURAOUR 708; Foraminifera and radiolaria from Cretaceous of North Borneo, REINHARD & WENK 832; Cretaceous dino-flagellates from Belgium, Lejeune-CARPENTIER 586; Lower Cretaceous foraminifera and radiolaria from the Rhone Valley, CHAMOT 185; Lower Cretaceous foraminifera of Germany, BARTENSTEIN & BRAND 75; Lower Cretaceous foraminifera from Texas, STEAD 971; Calpionella in the Lower Cretaceous of the Rhone valley, CHAMOT 185; Upper Cretaceous Larger Foraminifera of Hanover, Voigt 1062: Maestrichtian Foraminifera from the Netherlands type locality, VISSER 1057; Upper Cretaceous species of Stensiöina in Moravia, Vašiček 1046; Probable Upper Cretaceous Foraminifera and Radiolaria from pebble of 100 ft. Thames Valley Terrace, Sujkowski 980: Upper Cretaceous Foraminifera of Germany, SCHMID 894; Senonian foraminifera from Belgrade, MILO-VANOVIC 678; Chalk Foraminifera of Eastern Carpathia, MURATOV & Maslakova 711; Upper Chalk Foraminifera of the Odessa Region, KORTZENSHSTEIN 550: Upper Cretaceous Foraminifera from Southern Montana, Young 1120: Upper Cretaceous Foraminifera from Curação. DROOGER 282; Upper Cretaceous Foraminifera of Algeria, Hilly & SIGAL 455; Equivalence of Austrian Upper Cretaceous in Gulf Coast and Mexican successions, Noth 742.

Tertiary: Tertiary Foraminifera of the Filijos River, Turkey, Altinli 27; Some Nummulites from the Polish Tertiary, Bieda 94; Spanish Lower Tertiary foraminifera, Colom 218; Spanish Tertiary palaeogeography based on the distribution of globigerinic sediments, Colom 221; Late Tertiary foraminifera of the French Mediterranean, Denizor 259; Italian Lower Tertiary foraminifera, Gandolfi 372; Austrian Tertiary foraminifera, Hegedüs 446; Tertiary Foraminifera of Central Europe, Jorg 513; Some Central European Tertiary foraminifera, Majzon 640; Tertiary foraminifera from Central Europe, Majzon 641; Italian Tertiary Foraminifera, Moretti 691; Lower Foraminifera, Moretti 691; Lower

Tertiary foraminifera from Czechoslovakia, Pokorný 790; Thalmannammina gen. n. from Lower Tertiary of Carpathia, POKORNÝ 791: New larger foraminifera from the Swiss Lower Tertiary, Schaub 891; Lower Tertiary occurrence of Stensiöina in Moravia, Vašiček 1046; Neogene foraminifera of Central Moravia, Schutznerová-Havelková 900; Mixed foraminiferal assemblages of Cretaceous and Neogene age indicative of East Moravian late Tertiary orogenic movements, Vašiček 1045: Neogene foraminifera of Southern Moravia, Vašiček 1047; Foraminifera in the Swiss Eccene, Allemann, BLASER & NÄNNY 25; Eocene Foraminifera of the Swiss Alps, Bolli 107; Eocene Nummulitids from the French and Belgian Basins, FEUGUEUR 336; Eocene Foraminifera from Central Europe, GÖTZINGER 398; Restudy of the "races" of Nummulites gizehensis, SAID 881; Paleoand Eocene Nummulites, SCHAUB 890: Eocene Larger Foraminifera from the Pyrenees, Schaub & SCHWEIGHAUSER 892: Neoalveolina and larger foraminifera in the Eocene of Northern Italy, Schweighauser 903; Hastigerinella in the European Eocene, Thalmann 999; Stratigraphical range and geographical distribution of Hantkenina, Vašiček 1048; Eocene foraminifera Italy, VIALLI 1053; Lower Eccene foraminifera from the Gironde, Vig-NEAUX 1056: Eocene Foraminifera from the Apennines, WIEDENMAYER 1094; Oligocene foraminifera from Netherlands, HOFKER 467; Arenaceous foraminifera from the Italian Oligocene, LIPPARINI 598; Oligocene foraminifera in Italy, LIPPARINI 600; Oligocene larger foraminifera of Northern Italy, ZINONI 1125; Miocene foraminifera of the Central Apennines, Alberti 22: Miocene foraminifera of Sicily, LIPPARINI 601: Miocene Smaller Foraminifera of the Vienna Basin, Marks 657; Miocene foraminifera from Moravia, Vašiček 1050: Distribution and occurrence of Foraminifera in the Pliocene Coralline Crag of Suffolk, England, CARTER 183: Pliocene foraminifera from Italy. Gaffurini Fenaroli 364: Pliocene Foraminifera from Italy, MARTINIS 661; Ecological distribu-

tion of Pliocene foraminifera, Voor-THUYSEN & PANNEKOEK 1066: Tertiary foraminifera from Maikop, Southern Dagestan, Russia, Gross-GEÏM & GMID 419; Foraminiferal distribution in Japanese Tertiary, UCHIO 1033; Palaeogene Foraminifera of the Eastern Carpathians, MASLAKOVA & MURATOV 662: Palaeogene foraminifera from western Odessa, Russia, Kortzenshtein 551: Neogene Foraminifera from Moldavia DIDKOVSKI 272: Eocene Nummulites and smaller foraminifera from Turkey, Daci 242; Some Lower Eccene foraminifera from Assam, NAGAPPA 714; Eocene Foraminifera in Pakistan, etc., SINGH 946; Miocene foraminiferal distribution in Japan, INOUE & NAKASEKO 500; Austro-trillina in Southern India, JACOB & Sastri 503; Variation in Japanese Lepidocyclinidae, Koike 546; Miocene foraminifera from Car Nicobar [the Pliocene of Schwager], JACOB & SASTRI 504; Miocene Cyclammina in Japan, MURATA 710; Miocene foraminifera from Japan, Uchio 1034; Pliocene foraminifera in Kolkhidsk, Russia, Dzvelaya 296; Heminwayina gen, n. and its species in the Lower Tertiary of Puerto Rico, BERMUDEZ 92; Tremastegina, a new foraminiferal genus from the Lower Tertiary of Trinidad and Barbados, Brönnimann 141; Distribution of the Larger Foraminifera in the Lower Tertiary of Venezuela, CIZAN-COURT 206; Tertiary foraminifera from the West Indies. DROOGER 281: Tertiary Foraminifera of Los Angeles Region, EDWARDS 298; Tertiary Foraminifera of Washington, RAU 821; Upper Cretaceous Foraminifera, California, BANDY 63; Two Lower Claiborne index fossils, Hussey 494; Paleocene Foraminifera from the Atlantic Coastal Plain, McLean 633; Eocene Hantkeninids, Brönnimann 139: Asterocyclinidae in the Upper Eocene of Trinidad, B.W.I., Brön-NIMANN 143; Eocene foraminifera from Coastal Ecuador, Cushman & STAINFORTH 238; Eocene Foraminifera from Atlantic Continental Slope of America, Northrop & Heezen 740; Eocene Foraminifera from Santa Barbara, California, PAGE etc. 762; Mid-Eocene Foraminifera from Washington, SNAVELEY etc. 952; Foraminifera from Middle Eccene of Peru, STONE 975; Oligocene Miogypsinidae from Cuba, DROOGER 283: Orbulina and allied genera in Oligo-Miocene, Trinidad, B.W.I., BRÖNNIMANN 146; Fusarchaias bermudezi gen. et sp. n. from Oligo-Miocene of Cuba, REICHEL 824; Globigerinita gen. n. naparimaensis sp. n. from Miocene, Trinidad, B.W.I., BRÖNNIMANN 144; New genera of Miocene arenaceous Foraminifera from Trinidad, B.W.I., Brönnimann 145; Miocene Foraminifera from Straits of Florida, BUSH 166; Miocene Foraminifera of Louisiana, Steig etc. 972; Nodosarella verneuili (D'Orbigny) in the Pliocene of the Los Angeles Basin, CROUCH 234; Stratigraphical value of Lower Tertiary genera, Miscellanea and Pellatispira, in India, Pakistan and Burma, NAGAPPA 713: Remanie Cretaceous foraminifera in Oligocene flysch of Algeria, DUPLAN 290; Arenonionella gen. nov. from the Miocene of Algeria, MARKS 658; Miocene Foraminifera from the Cape Verde Archipelago, Part 766; Foraminiferal Zones of Australian Tertiary, Glaessner 395; Alveolinids of Timor, RITSEMA 845; Tertiary foraminifera and radiolaria from North Borneo, REINHARD & WENK

Quaternary and Sub-Recent: Pleistocene foraminifera from Japan. Suzuki & Kitazaki 983: Pleistocene Foraminifera from Alaska, TAPPAN 988; Quaternary Foraminifera from terraces in Bay of Naples, MINIERI 679: Polish Pleistocene foraminifera, Pozaryski 796; Pebble from 100 ft. Thames Valley Terrace with probable Upper Cretaceous Foraminifera and Radiolaria, Sujkowski 980; Fossil rhizopods of peat, HOGGENRAAD 475; Post-glacial moss Rhizopoda, HARNISCH 437; Recent foraminifera of North African coast, MURAOUR & HOLLANDE 709; Abundance of radiolaria in ocean cores, REIDEL 839; Eccene Foraminifera from Atlantic Continental Slope of America, Non-THROP & HEEZEN 740; Foraminifera of Narragansett Bay, SAID 880: Distribution of Radiolaria in bottom deposits of Indian Ocean and their significance, Reidel 840.

III.—SYSTEMATIC INDEX.

PROTOZOA: GENERAL

Legitimacy of generic homonyms in protozoology and bacteriology, BECKER 79.

Stabilization of nomenclature of human parasitic protozoa, Beltran 88.

I.—RHIZOPODA

Rhizopoda from Luxemburg, OYE 758.

(a) Amoebida

Amoeba limicola Rhumbler 1984, transferred to gen. Pelomyxa, Bovee 115; A. radiosa: proposed suppression of species as invalid, Bovee 119.

Validation of Arcella amphora van Oye 1926 [included by Deflandre 1928 in Arcella apicata Schaudinn 1898], Oye 759.

Didascalus gen. n. (p. 583) [genotype Didascalus soli (Martin & Lewin)] (nom. nud.), SINGH Nature London 167 1951 pp. 582-4 figs.

Entamoeba terrapinae and E. invadens in snakes: differences in host-parasite relationship, Miller 677.

Flagellipodium gen. n. (p. 5) separated from Vexillifera [type-species not designated], BOVEE Proc. Amer. Soc. Protozool. 2 1951 pp. 4-5.

Hartmannella rhysodes, leptochemus spp. n. (p. 584) [nom. nud.], SINGH Nature, London 167 1951 pp. 582-584 figs.

Oscillosignum gen. n. (p. 5) separated from Vexillifera [type-species not designated], Bovee Proc. Amer. Soc. Protozool. 2 1951 pp. 4-5.

Phloxamoeba gen. n. (p. 586) for monoflagellate amoebae related to Dimastigamoeba (type-species not indicated), BOVEE Anat. Rec. 111 1951 p. 586.

Proteus Mueller 1786, is preoccupied by Proteus Laurenti 1768 (Amphibia), BECKER 79.

Schizopyrenus gen. n. (p. 584) (genotype not designated); S.russelli, erythaenusa, atopus spp. n. (nom. nud.) (p. 584), SINGH Nature, London 167 1951 pp. 582-4 figs.

Subulamoeba gen. n. (p. 585) for Amoeba saphirina Penard 1902 as type-species, Bovee Anat. Rec. 111 1951 pp. 585-586.

Vexillifera Schaeffer 1925: amendment of genus, Bovee 118.

(b) Testacea

Cyclopyxis arcelloides var. n. minima (p. 102) from moss, Luxemburg, OYE Biol. Jaarb. 18 1951 pp. 82-121 figs.

Jungia sundanensis var. n. ovoidalis (p. 104) from moss, Luxemburg, OYE Biol. Jaarb. 18 1951 pp. 82-121 figs.

(c) Foraminifera

Higher systematic grouping of the foraminifera, HOFKER 462.

†Eocene foraminifera from Italy, VIALLI 1053.

†New Triassic foraminifera, WEY-NSCHENCK 1082.

†Dutch Cretaceous foraminifera, HOFKER 465.

†New Maestrichtian foraminifera from the Netherlands type locality, VISSER 1057.

†Albian foraminifera from the Low Countries, Dam 244.

†Foraminifera of the German Lower Cretaceous, Bartenstein & Brand 75.

†New larger foraminifera from the Swiss Lower Tertiary, Schaub 891.

†Cretaceous foraminifera from Austria, Noth 741.

†Revision of the Miocene Smaller foraminifera of the Vienna Basin, MARKS 657.

†Oligocene larger foraminifera of Northern Italy, Zinoni 1125.

†Paleogene foraminifera of the Eastern Carpathians, Maslakova & Muratov 662.

†New Carboniferous foraminifera from Russia, Reitlinger 833.

†Polish Pleistocene foraminifera, Pozaryski 796.

†Neogene foraminifera of Moldavia, Didkovski 272. †Foraminifera of the Armenian Permian, Einor 301.

†Paleocene foraminifera of the Atlantic Coastal Plain, McLean 633.

†Tertiary foraminifera of the West Indies, DROOGER 281.

†Cretaceous foraminifera from Southern U.S.A., LOEBLICH & TAP-PAN 607.

†Tertiary foraminifera of Washington, RAU 821.

†Lower Cretaceous foraminifera from Texas, Stead 971.

†Upper Cretaceous foraminifera of Southern Montana, Young 1120.

†New foraminifera from Alaska, Tappan 988.

†Upper Cretaceous foraminifera, California, BANDY 63.

†Larger foraminifera of the Venezuelan Lower Tertiary, CIZANCOURT 206.

†Eocene foraminifera from Coastal Ecuador, Cushman & Stainforth 238.

Foraminifera from the East Indies, HOFKER 467.

†New Miocene foraminifera from Japan, INOUE & NAKASEKO 500.

†New foraminifera from the Japanese Miocene, UCHIO 1034.

†Alabamina cretacea sp. n. (p. 12) Cretaceous, Netherlands, HOFKER Publ. natuurh. Genoot. Limburg 4 1951 pp. 1-40 figs.

Allomorphina pacifica sp. n. (p. 139) South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Aluvigerina gen. n. (p. 201) (genotype not designated); A. indonesiae sp. n. (p. 206) East Java Sea, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Alveovalvulina gen. n. (p. 100) suteri sp. n. (p. 102) (genotype) Miocene, Trinidad, B.W.I., BRÖNNI-MANN Contr. Cushman Fdn. 2 (3) 1951 pp. 97-105 figs.

†Ammobaculites irregulariformis sp. n. (p. 270); A. eocretaceous sp. n. (p. 271); Lower Cretaceous, Germany, Bartenstein & Brand Abh.

senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; † A. parvispira nom. n. (p. 10) [for Haplophragmium aequale Chapman 1892 (non H. aequale Roemer 1841)] Albian, Low Countries, Dam Mem. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Ammodiscus parvus, variabilis, tenuissimus spp. n. (p. 14); A. gigas, turbulentus spp. n. (p. 15); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow. ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Ammovertella elegantissima, lata spp. n. (p. 23); A. vaga, delicata spp. n. (p. 24); Carboniferous, Russia. Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.; †A. cellensis sp. n. (p. 267) [nomen nudum. A. cellensis Brand 1949—now validated] Lower Cretaceous, Germany. Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Amphistegina schoeffleri sp. n. (p. 59) Lower Tertiary, Venezuela, Cizancourt Mem. Soc. géol. Fr. Paléont. 64 1951 pp. 1-68 figs.; †A. angulata (Cushman) var. n. christmani (p. 62) Tertiary, West Indies, Drooger Proc. K. ned. Akad. Wet. Amsterdam 54B (1) 1951 pp. 54-65 figs.

†Anomalina bighornensis sp. n. (p. 66) Upper Cretaceous, Southern Montana, Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.; †A. berthelini nom. n. (p. 56) Albian, Low Countries, DAM Mém. Soc. péol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Archaediscus probatus, karreriformis spp. n. (p. 83); A. subbashkiricus var. n. grandis (p. 84); A. timanicus var. n. minima (p. 85); A. permodiscoides sp. n. (p. 85); A. variabilis sp. n. (p. 86); Carboniferous, Russia, Rettlinger Trev. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Arenonionella gen. n. (p. 377) voutei sp. n. (p. 378) (genotype), Miocene, Algeria, MARKS Proc. K. ned. Akad. Wet. 54B (4) 1951 pp. 375-378 figs.

Arenoparrella gen. n. (p. 31) (genotype Trochammina inflata (Montague) var. mexicana Kornfeld 1931) Gulf Coast, U.S.A., ANDERSEN J. Paleont. 25 (1) 1951 pp. 31-34 figs.;

†A. (Addenda to original description, Andersen 1951], Andersen 34.

†Articulina sulcata Reues var. n. nuda (p. 37) Miocene, Vienna Basin, MARKS Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.

†Assilina reicheli sp. n. (p. 215), Lower Tertiary, Switzerland, Schaub Schweiz. paláont. Abh. 68 1951 pp. 1–222 figs.

†Asterigina tatumi sp. n. (p. 19) Middle Eocene (Claiborne), Alabama, U.S.A., HUSSEY Contr. Cushman Fdn. 2 (1) 1951 pp. 19-20 figs.

Asterorotalia gen. n. (p. 502) (genotype A. pulchella (d'Orbigny)), Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Bermudezella gen. n. (p. 224) (genotype Carpenterella truncata Bermudez 1949) [nom. n. for Carpenterella Bermudez 1949 non Collenette 1933], Middle Oligocene, Haiti, Thalmann Ecl. geol. helv. 43 1950 [1951] p. 224.

†Bermudezina extans sp. n. (p. 492), Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.

†Bigenerina antiquissima sp. n. (p. 275) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239–336 figs.

Bisaccium gen. n. (p. 32) imbricatum (genotype) sp. n. Gulf Coast, Andersen J. Paleont. 25 (1) 1951 pp. 31-34 figs.

Bolivina ramosa sp. n. (p. 52), South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.; †B. crassiseptata sp. n. (p. 59); B. trajectina, viennensis spp. n. (p. 60) Miocene, Vienna Basin, Marks Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.; †B. asanoi sp. n. (p. 373), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.

†Bontourina saturniformis sp. n. (p. 55) Lower Tertiary, Venezuela, CIZANCOURT Mem. Soc. géol. Fr. Paléont. 64 1951 pp. 1-68 figs.

†Bradyina concinna sp. n. (p. 39); B. eonautiliformis, pseudonautiliformis spp. n. (p. 41); B. samarica sp. n. (p. 42); B. s. var. n. grandis (p. 43); B. lepida sp. n. (p. 43); B. venusta, minima spp. n. (p. 44); B. pauciseptata sp. n. (p. 45); Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Brunsiella gen. n. (p. 16) [genotype Brunsiella ammodiscoidea (Rauser) 1938]; Brunsiella densa sp. n. (p. 18); B. densa var. n. parva (p. 18); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Mos cow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Bulimina bulletella sp. n. (p. 64) Upper Cretaceous, Southern Montana, Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.; †B. affectata sp. n. (p. 154) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

†Buliminella loeblichi sp. n. (p. 324) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; †B. peruviana var. nobesa (p. 151) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

†Cassidella gen. n. (p. 264) [on p. 264 Virgulina (Bolivina) tegulata (Reuss) designated as genotype; on p. 265 genotype designated as C. oligocenica Hofker.]; Cassidella oligocenica sp. n. (p. 265) [for Virgulina schriebersiana Czjzek (partim) and V. squamosa Egger (non d'Orbigny)] Oligocene, Netherlands, HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1–513 figs.: C. pacifica sp. n. (p. 273) East Indies, HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1–513 figs.

†Cassidulina cruysi sp. n. (p. 68) Miocene, Vienna Basin, Marks Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.; †C. teretis sp. n. (p. 7) Pleistocene, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.

†Choffatella stenzeli sp. n. (p. 590) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs. Cibicides hyalina sp. n. (p. 359)
South Sumatra; C. aequipunctata
sp. n. (p. 362) South Sumatra,
Hofker Siboga Exped. Monogr. 4a
1951 pp. 1-513 figs.; †C. roestae
sp. n. (p. 291) Maestrichtian, Netherlands, Visser Leidse Geol. Mededel.
16 1951 pp. 197-359 figs.; †C.
kennedyi sp. n. (p. 66) Upper Cretaceous, Southern Montana, Young
J. Paleont. 25 (1) 1951 pp. 35-68
figs.; †C. praeventratumides sp. n.
(nom. nud.) p. 450 Palaeogene,
Poland, MASLAKOVA & MURATOR C.R.
Acad. Sci URSS N.S. 81 (3) 1951 pp.
449-452.

†Cibicidoides cederstromi sp. n. (p. 28) Paleocene, New Jersey, McLean Contr. Cushman Fdn. 2 (1) 1951 pp. 20–29 figs.

†Citharina seitzi sp. n. (p. 296); C. pseudostriatula sp. n. (p. 298); C. rudocostata sp. n. (p. 299); Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; †C. glaberrima sp. n. (p. 26) Albian, Low Countries, Dam Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Citharinella laevis sp. n. (p. 38) Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paleont. 63 1950 pp. 1-66 figs.

†Climacammina elegantula, aljutovica spp. n. (p. 60); C. procera, tenuicribrata spp. n. (p. 61); C. fragilis, obscura spp. n. (p. 62); C. keltmensis, ivanovae spp. n. (p. 63); C. obsoleta, moelleri spp. n. (p. 64); C. m. var. n. timanica (p. 65); C. grandis sp. n. (p. 66); C. apliatula sp. n. (p. 67); Carboniferous, Russia, RETILINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Colomia californica sp. n. (p. 512); C. californica var. n. mundula (p. 512); Upper Cretaceous, California, Bandy J. Paleont. 25 (4) 1951 pp. 488-513 figs.

Conorbella gen. n. (p. 466) (genotype Conorbella pulvinata (Brady)), HOFKER Siboya Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Conorbis gen. n. (p. 418) mitra sp. n. (p. 418) (genotype) Lower Cretaceous, Holland, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.; †C. hofkeri sp. n. (p. 325); C. valendisensis sp. n. (p. 326); Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†?Cornuspira primitiva sp. n. (p. 279) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Coscinophragma gen. n. (p. 221) (genotype Lichenopora cribrosa Reuss 1845-6) [nom. n. for Polyphragma Reuss 1871] Cretaceous, THALMANN Ecl. geol. helv. 43 1950 [1951] p. 221.

†Coscinophragminae subfam. n. (p. 221) [nom. n. for Polyphragminae Cushman 1948] Upper Palaeozoic to Recent, Thalmann Ecl. geol. helv. 43 1950 [1951] p. 221.

†Cribroelphidium arcticum sp. n. (p. 6) Pleistocene, Alaska, TAPPAN Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.

†Cribrostomoides frizzeli sp. n. (p. 588) Lower Cretaceous, Texas, STEAD Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.

†Cribrostomum posteximium sp. n. (p. 56); C. brevis sp. n. (p. 57). Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Cuneolina trinitensis sp. n. (p. 592) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.

†Cyclammina polygonata sp. n. (р. 32) Cretaceous, Austria, Nотн Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.

†Deckerella tenuissima, gracilis spp. n. (p. 68); D. composita, mjachkovensis spp. n. (p. 69); D. dvinensis sp. n. (p. 70); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Deckerellina gen. n. (p. 57) istiensis sp. n. (p. 58) (genotype); D. mirabilis sp. n. (p. 57); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs. Dendritina striato-punctata sp. n. (p. 233); D. striata sp. n. (p. 234) East Indian Archipelago, HOFKER J. R. Mier. Soc. London III 71 (2) 1951 pp. 223-239 figs.

†Dentalina porcatulata sp. n. (p. 88) Cretaceous, United States, Loeblich & Tappan Fondren Sei. Ser. 4 1951 pp. 65-92 figs.; †D. annloomisae sp. n. (p. 25) Paleocene, New Jersey, McLean Contr. Cushman Fdn. 2 (1) 1951 pp. 20-29 figs.; †D. filistoma sp. n. (p. 29) Albian, Low Countries, Dam Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Discamminoides gen. n. (p. 103) tobleri sp. n. (p. 103) (genotype) Miocene, Trinidad, B.W.I., Brönnr-MANN Contr. Cushman Fdn. 2 (3) 1951 pp. 97-105 figs.

Discobolivina nitida sp. n. (p. 428) South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Discocyclina (Discocyclina) vautrini sp. n. (p. 52); D. (D.) evremondi sp. n. (p. 53); Lower Tertiary, Venezuela, Cizancourt Mem. Soc. géol. Fr. Paléont. 64 1951 pp. 1-68 figs.

Discopulvinulina gen. n. (p. 448) (genotype D. bertheloti (d'Orbigny)); D. pacifica sp. n. (p. 452) East Indies; D. pseudolobatula sp. n. (p. 462) Java Sea; D. hyalina sp. n. (p. 466) South Sumatra and New Zealand; D. macropora sp. n. (p. 460) Bay of Naples, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Discorbis parri sp. n. (p. 222) [nom. n. for Discorbis umbonifer Parr 1950 non Discorbis umbonifera Schwager 1883] Recent, Tasmania, Thalmann Ecl. géol. helv. 43 1950 [1951] pp. 222-223; †D. stictata sp. n. (p. 4) Lower Cretaceous, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.; †D. magna sp. n. (p. 23), Eocene, Italy, Vialli Riv. ital. Paleont. 57 (1) 1951 p. 23 fig.

†Dorothia soapcreekensis sp. n. (p. 49) Upper Cretaceous, Montana, Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.

†Eggerellina mariae sp. n. (p. 15) Albian, Low Countries, Dam Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Elphidiella momiyamensis sp. n. (p. 372), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369–377 figs.

Elphidium littorale sp. n. (p. 251) brackish water, France, LE CALVEZ, J. & Y. Vie et Milieu 2 (2) 1951 pp. 237-254 figs.; †E. flexuosum (d'Orbigny) var. n. reussi (p. 52) Miocene, Vienna Basin, Marks Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.; $\dagger E$. microgranulosum sp. n. (p. 222) [nom. n. for Elphidium granulosum Galloway & Wissler 1927 non Elphidium macellum var. granulosum Sidebottom 1909], Pleistocene, California, THALMANN Ecl. geol. helv. 43 1950 [1951] pp. 222-223; †E. sagrai subsp. n. percrassum (p. 222) [nom. n. for Elphidium sagrai var. crassum Galloway & Heminway 1941 non Elphidium crispum var. crassa Möbius 1880], Middle Oligocene, Puerto Rico, THAL-MANN Ecl. geol. helv. 43 1950 [1951] pp. 222-223; †E. ozawai sp. n. (р. 372), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.

† Endothyra inusitata sp. n. (p. 31); E. bradyi var. n. simplex (p. 31); E. bradyi var. n. irregularis (p. 32); E. minuta sp. n. (p. 32); E. mosquensis, rzhevica spp. n. (p. 33); E. aljutovica, siviniensis spp. n. (p. 34); E. irinae, eostaffelloides spp. n. (p. 35); E. e. var. n. lata (p. 36); E. spirilliniformis var. n. evoluta (p. 36); E. mordovica sp. n. (p. 38); Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Eoeponidella strombodes sp. n. (p. 6) Upper Cretaceous, Alaska, TAPPAN Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.

†Eouvigerina Cushman 1926 (redefinition places Zeauvigerina Finlay 1939 in synonomy), LOEBLICH 605.

†Epistomina caracolla subsp. n. anterior (p. 326); Epistomina tenuicostata, praeornata spp. n. (p. 327); Lower Cretaceous, Germany, Bar-

TENSTEIN & BRAND Abh, senckenb, naturf. Ges. 485 1951 pp. 239-336 figs.

†Eponides tanaii sp. n. (p. 376) Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.; †E. cocoaensis Cushman 1928, validity thereof, McLean 634.

Euuvigerina gen. n. (p. 217) (genotype not designated), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Flabellammina astdthageni sp. n. (p. 269) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Flintina droogeri sp. n. (p. 41) Miocene, Vienna Basin, MARKS Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.

†Flourensina intermedia sp. n. (p. 15) Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Frondicularia microdisca subsp. n. dichotomiana (p. 304); F. hastata subsp. n. paucicostulata (p. 305); F. rehburgensis sp. n. (p. 305); F. pseudoconcinna sp. n. (p. 306); Lower Cretaceous, Germany, Bar-TENSTEIN & BRAND Abh. senckenb. naturf. Ges, 485 1951 pp. 239-336 figs.; F. mediostriata sp. n. (p. 32), F. simplissima nom. n. (p. 33) [for Frondicularia archiaciana Burrows, Sherborn et Bailey, 1890, et Chapman 1894 (non d'Orbigny)] Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.; †F. richardsi sp. n. (p. 26) Paleocene, North Carolina, McLean Contr. Cushman Fdn. 2 (1) 1951 pp. 20–29 figs.; †F. lustrata sp. n. (p. 2) Jurassic, Alaska. TAPPAN Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.; † F. imbricata, frontierensis spp. n. (p. 61) Upper Cretaceous, Southern Montana, Young J. Paleont. **25** (1) 1951 pp. 35–68 figs.

†Fusarchaias gen. n. (p. 459) bermudezi sp. n. (p. 460) (genotype) Oligo-Miocene, Cuba, REICHEL Ecl. geol. helv. 44 1951 pp. 458-464 figs.

†New genera of Fusulinid Foraminifera, Thompson 1009.

†Gaudryina manushukensis sp. n. (p. 2) Lower Cretaceous, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.; †G. glabrata subsp. n. papillata (p. 222) [nom. n. for Gaudryina glabrata var. maxima Galloway & Heminway 1941 non Gaudryina baccata var. maxima Egger 1893], Middle Oligocene, Puerto Rico, Thalmann Ecl. geol. helv. 43 1950 [1951] pp. 222-223; †G. arguta sp. n. (p. 492) Upper Cretaceous, California, Bandy J. Paleont. 25 (4) 1951 pp. 488-513 figs.; †G. vetustissima sp. n. (p. 276) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Gaudryinella hannoverana sp. n. (p. 276) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239–336 figs.; †G. tsuchidai sp. n. (p. 369), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369–377 figs.

†Gavelina gyroidiniformis sp. n. (p. 24) Albian, Holland, HOFKER Publ. natuurh. Genoot. Limburg 4 1951 pp. 1-40 figs.

Gavelinopsis gen. n. (p. 485) (genotype Discorbis praegeri Heron-Allen & Earland), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Globigerinita gen. n. (p. 18) naparimaensis sp. n. (p. 18) (genotype) Miocene, Trinidad, B.W.I., Brönnimann Contr. Cushman Fdn. 2 (1) 1951 pp. 16–18 figs.

†Globivalvulina minima sp. n. (p. 76); G. kamensis, pulchra spp. n. (p. 78); G. mosquensis, syzranica spp. n. (p. 79); G. granulosa sp. n. (p. 80); G. g. var. n. complicata (p. 80); G. g. varr. n. compressa, multiseptata (p. 81); G. rauserae sp. n. (p. 81); Carboniferous, Russia, Reittlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Globorotolia lacerti Cushman and Renz 1946 [correction of lettering of type figure], RENZ 835. †Globotruncana Cushman: species and distribution, Bolli 109; †G. gansseri sp. n. (p. 196); G. citae, intermedia spp. n. (p. 197); G. mayaroensis sp. n. (p. 198) Cretaceous, Trinidad, Bolli J. Paleont. 25 (2) 1951 pp. 187–199 figs.

†Glomospira pusilliformis sp. n. (p. 20); G. mikhailovi sp. n. (p. 21); Carboniferous, Russia, Rettlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Glomospirella gen. n. borealis sp. n. (p. 27) (genotype); G. biformis sp. n. (p. 27); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs. [Note: Generic name preoccupied by Glomospirella Pluminer Univ. Texas Publ. 4401, 1945, p. 233, Order Foraminifera, Upper Carboniferous].

†Glomospiroides gen. n. fursenki sp. n. (p. 28) (genotype); Carboniferous, Russia, Rettlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Guppyella gen. n. (p. 98) miocenica sp. n. (p. 99) (genotype) Miocene, Trinidad, B.W.I., BRÖNNI-MANN Contr. Cushman Fdn. 2 (3) 1951 pp. 97-105 figs.

†Gyroidina globosa var. n. orbicella (p. 505) Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.

†Notes on the Hantkeninids, Brönnimann 139.

†Haplophragmina gen. n. (p. 28) kashirica sp. n. (p. 29) (genotype); H. potensa sp. n. (p. 29); Carboniferous, Russia, Rettlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Haplophragmium inconstans sp. n. (p. 272); Haplophragmium inconstans inconstans subsp. n. (p. 272); H. inconstans erectum; H. i. gracile subspp. n. (p. 272); Lower Cretacceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Haplophragmoides? barrowensis sp. n. (p. 1) Jurassic, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.; †H. obliquicameratus sp. n. (p. 35) Miocene, Vienna Basin, Marks Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.

†Hemigordius simplex sp. n. (p. 86) Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Heminwayina gen. n. (p. 325) [genotype Discorbis multisectus Galloway & Hemingway 1941]; Lower Tertiary, Gulf Coast and Puerto Rico; H. gallowayi sp. n. (p. 329), Middle Oligocene, Puerto Rico, Bera-MUDEZ Mem. Soc. Cienc. nat. La Salle 11 (30) 1951 pp. 325-329 figs.

†Heterohelix navarroensis sp. n. (p. 107) Upper Cretaceous, Texas, U.S.A., LOEBLICH Contr. Cushman Fdn. 2 (3) 1951 pp. 106-110 figs.

Hyalinea gen. n. (p. 508) (genotype Anomalina baltica Schroeter), Hof-KER Siboga Exped. Mongr. 4a 1951 pp. 1-513 figs.

†Hyperammina aljutovica sp. n. p. 13, Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.; †H. gaultina sp. n. (p. 5) Albian, Low Countries, Dam Mem. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66, figs.

†Labyrinthina gen. n. (p. 793) mirabilis sp. n. (p. 793) (genotype) Upper Triassic, Tyrol, Weynschenck J. Paleont. 25 (6) 1951 pp. 793-795 figs.

†Lagena acuticosta var. n. brevipostica (p. 502); Lagena acuticosta var. n. proboscidialis (p. 503) Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.; †L. apiculata subsp. n. neocomiana (p. 317); Lagena hauteriviana sp. n. (p. 317); L. hauteriviana subsp. n. hauteriviana (p. 317); L. h. subsp. n. cylindracea (p. 318); Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Lagenonodosaria tubulata var. n. japonica (p. 371), Miocene, Japan, Uchro J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.

†Lamarckina bienfaiti sp. n. (p. 263) Maestrichtian, Netherlands, VISSER Leidse Geol. Mededel. 16 1951 pp. 197–359 figs.

†Lenticulina d'orbignyi subsp. n. multireticulosa (p. 282) Lower Cretaceous, Germany, BARTENSTEIN & Brand Abh. senckenb. naturf. Ges. **485** 1951 pp. 239–336 figs.; †L. morishimai sp. n. (p. 10) Miocene, Japan, Inoue & Nakaseko J. Geol. Soc. Japan 57 (664) 1951 pp. 7-11 figs.; †L. subarenacea sp. n. (p. 594) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577–605 figs.; †L. (Lenticulina) eichenbergi sp. n. (p. 285); L. (Lenticulina) guttata subsp. n. striata (p. 285); Lower Cretaceous, Germany, BAR-TENSETIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 $\dagger L.$ (Lenticulina) saxonica sp. n. (p. 284); L. (Lenticulina) saxonica saxonica subsp. n. (p. 284); L. (L.) saxonica bifurcilla subsp. n. (p. 284); Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239–336 figs.; †L. (Marginulinopsis) oldenburgensis sp. n. (p. 288); L. (M.) bettenstaedti sp. n. (p. 290) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. **485** 1951 pp. 239-336 figs.; †L. (Marginulinopsis) hemicylindrica sp. n. (p. 45) Cretaceous, Austria, Norn Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.; †L. (Vaginulinopsis) humilis subsp. n. praecur-soria (p. 287) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; †L. (Vaginulinopsis) korneubergensis sp. n. (p. 46); L. (Vaginulinopsis) angulata sp. n. (p. 47); L. (Vaginulinopsis) angulata var. n. decemcostata (p. 47); Cretaceous, Austria, Noth Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.; †L. (Saracenaria) praemeudonensis sp. n. (p. 47) Cretaceous, Austria, Nотн Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.; †L. (Saracenaria) valanginiana sp. n. (p. 291), Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Leptodermella maestrichtiensis sp. n. (p. 211), Maestrichtian, Netherlands, VISSER Leidse Geol. Mededel. 16 1951 pp. 197-359 figs.

†Lingulina alaskensis sp. n. (p. 1) Trias, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.; †L. biformis sp. n. (p. 300), Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

Listerella minuta sp. n. (p. 27) South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Lituotuba regularis sp. n. (p. 22), Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.; †L. nufsbachensis sp. n. (p. 28), Cretaceous, Austria, Noth Jahrb. geol. Bundes Anst. Wien Sonderband. 3 1951 pp. 1-91 figs.

Loxostoma incertum sp. n. (p. 55) East Java Sea; L. cuneatum sp. n. (p. 87) South Sumatra, HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Marginulina utsunomiyensis sp. n. (p. 370), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.; †M. similis var. n. obliquinodus (p. 498) Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.

†Marginulinopsis frontierensis, ammonitiformis spp. n. (p. 52); M. amplaspira sp. n. (p. 54) Upper Cretaceous, Southern Montana, Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.; †M. umiatensis sp. n. (p. 2) Lower Cretaceous, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.

†Miliammina valdensis sp. n. (p. 277) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Miogypsina (Miogypsinella) bermudezi sp. n. (p. 357) Lower Middle Oligocene, Cuba, Drooger Proc. K. ned. Akad. Wet. Amsterdam **54B** (4) 1951 pp. 356–365 figs.

†Notes on primitive Miogypsinidae, Drooger 283.

Marenda gen. n. (p. 91) nematoides sp. n. (p. 92) (genotype) Catalan coast of Mediterranean, Nyholm Contr. Cushman Fdn. 2 (3) 1951 pp. 91-95 figs.

†Neoalveolina vonderschmitti sp. n. (p. 468) Eocene, Northern Italy, Schweighauser Ecl. geol. helv. 44 1951 pp. 465-469 figs.

Neoconorbina gen. n. (p. 433) pacifica sp. n. (p. 438) (genotype), Sunda Strait; N. neapolitana sp. n. (p. 438) Bay of Naples; N. marginata sp. n. (p. 435) South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Neouvigerina gen. n. (p. 206) (genotype not designated), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Nodopthalmidium butellum sp. n. (p. 279) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Nodosarella bulbosa sp. n. (p. 45) Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Nodosaria shublikensis sp. n. (p. 1)
Trias, Alaska, Tappan Contr. Cushman Fdn. 2 (1) 1951 pp. 1-8 figs.;
†N. bighornensis sp. n. (p. 58);
N. xavierensis sp. n. (p. 59) Upper Cretaceous, Southern Montana,
Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.; †N. sceptrum subsp. n. spinicostata (p. 313) Lower Cretaceous
Germany, Bartenstein & Brand
Abh. senckenb. naturf. Ges. 485 1951
pp. 239-336 figs.

†Nonion troostae sp. n. (p. 250)
Maestrichtian, Netherlands, Visser
Leidse Geol. Mededel. 16 1951 pp.
197-359 figs.; †N. boueanum var. n.
multilobum (p. 371), Miocene, Japan,
UCHIO J. Geol. Soc. Japan 57 1951
pp. 369-377 figs.; †N. ecuadoranum
sp. n. (p. 149) Eocene, Ecuador,
CUSHMAN & STAINFORTH J. Paleont.
25 (2) 1951 pp. 129-164 figs.

†Nubecularia triloculina nom. n. (p. 19) [for Nubecularia lucifuga Jones Parker et Brady 1860 (non Defrance)] Albian, Low Countries, DAM Mem. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Nummulites buxtorfi (p. 190), praelaevigatus (p. 188), leupoldi (p. 159) spp. n.; N. planulatus subspp. n. planissimus (p. 181), thaliciformis (p. 179), cussacensis (p. 178); N. nitidus subspp. n. laxus (p. 163), inflatus (p. 164); N. exilis subspp. n. involutus, robustus (p. 168); N. silvanus sp. n. (p. 153); N. s. subsp. n. gallicus (p. 154); N. v. onderschmitti sp. n. (p. 171); N. v. subsp. n. tenuis (p. 174); N. pernotus sp. n. (p. 108); N. p. subspp. n. angustus (p. 113), paraburdigalensis (p. 111); N. partschi subsp. n. aequalispira (p. 152); N. praecursor subspp. n. alminus (p. 138) ornatus (p. 139). N. alpinus (p. 138), ornatus (p. 139); N. subplanulatus subsp. n. soerenbergensis (p. 101); N. globulus subsp. n. increscens (p. 107); N. burdigalensis subsp. n. pergranulatus (p. 122); N. rotularius subsp. n. praevius (p. 125); N. subramondi subsp. n. maior (p. 130); Lower Tertiary, Switzerland, SCHAUB Schweiz, palaont. Abh. 68 1951 pp. 1-222 figs.; †N. planulatus subsp. n. bearnensis (p. 237) Eocene, Pyrenees, Schaub & Schweighauser Ecl. geol. helv. **43** 1950 [1951] pp. 236-242 figs.; †N. inkermanensis nom. n. (p. 124) [for Nummulina taurica de la Harpe Forma B in Rozlszenik 1929 non Nummulina taurica de la Harpe Forma A in Rozlszenik 1929] Lower Tertiary, SCHAUB Schweiz. Switzerland, paláont. Abh. 68 1951 pp. 1-222 figs.; †N. delaharpei nom. n. [for Nummulites gizehensis var. viquesneli de la Harpe, 1883] Eocene, Middle East, Said 881; †N. (Nummulites) sanctijoanni, henrici spp. n. (p. 48) Lower Tertiary, Venezuela, CIZAN-COURT Mem. Soc. géol. Fr. Paléont. 64 1951 pp. 1-68 figs.; †N. gizehensis, restudy of the "races", SAID 881; †Nummulites, Palaeocene and Eccene, Schaub 890.

†Oketaella gen. n. (p. 116) fryei sp. n. (p. 116) (genotype) Carboniferous, U.S.A., THOMPSON Contr. Cushman Fnd. 2 (4) 1951 pp. 115-119 figs.

†Operculina labanae sp. n. (p. 253), Maestrichtian, Netherlands, VISSER Leidse Geol. Mededel. 16 1951 pp. 197–359 figs. †Orbitoides brinkae sp. n. (p. 296) Maestrichtian, Netherlands, VISSER Leidse Geol. Mededel. 16 1951 pp. 197-359 figs.

†Structure of Cretaceous orbitoids, ABRARD 17.

†Orbulina suturalis sp. n. (p. 135) Miocene, Trinidad, B.W.I., BRÖNNI-MANN Contr. Cushman Fdn. '2 (4) 1951 pp. 131–138 figs.

†Palaeonubecularia gen. n. fluxa sp. n. (p. 91) (genotype); P. uniserialis sp. n. (p. 91); P. rustica sp. n. (p. 92); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Palaeotextularia fragilis sp. n. (p. 49) (nomen nudum) Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

Palmula Lea, 1833, has priority over Palmula Prévot, 1938 (bacteria), BECKER 79.

†Paramillerella gen. n. (р. 115) genotype Millerella ? advena Thompson 1944; Carboniferous, U.S.A., Тномрзом Contr. Cushman Fnd. 2 (4) 1951 pp. 115-119 figs.

Parrellina gen. n. (p. 224) (genotype Polystomella imperatrix Brady 1884) [nom. n. for Elphidioides Parr 1950 non Cushman 1945] Recent Antarctic, Thalmann Ecl. geol. heiv. 43 1950 [1951] pp. 224-5.

†Pealerina gen. n. (p. 237) (genotype Ellisina spatula Lalicker 1950) [nom. n. for Ellisina Lalicker 1950 (preoc. Norman 1903 p. 596)] LALICKER J. Paleont. 25 (2) 1951 p. 237.

Pelosphaera Heron-Allen & Earland, 1932, is preceded by Pelosphaera Lauterborn, 1906 (bacteria), BECKER 79.

Recent Peneroplidae, Hofker 464.

†Placopsilina neocomiana sp. n. (p. 280) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs. †Planularia mariae sp. n. (p. 24) Albian, Low Countries, DAM Mem. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.; †P. crosswicksana sp. n. (p. 24) Paleocene, New Jersey, MCLEAN Contr. Cushman Fdn. 2 (1) 1951 pp. 20-29 figs.

†Planulina mascula, multipunctata spp. n. (p. 506) Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.

†Plectina nuttalli sp. n. (p. 144) [for Plectina dalmatina Nuttall 1935 (non Liebus)] Eocene, Ecuador, CUSHMAN & STAINFORTH J. Paleont. 25 (2) 1951 pp. 129–164 figs.

†Plectofrondicularia billmani sp. n. (p. 438) Tertiary, Washington, RAU J. Paleont. 25 (4) 1951 pp. 417-453 figs.; †P. niinoi sp. n. (p. 373). Miocene, Japan, Uchio J. Geol. Soc, Japan 57 1951 pp. 369-377 figs.

†Pleurostomella ecuadorana sp. n. (p. 156) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

Praeglobobulimina gen. n. (p. 248) (genotype Bulimina pyrula var. spiniscens Brady), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Praeuvigerina gen. n. (p. 188) (genotype Praeuvigerina westphalica (Franke) Upper Cretaceous, Maastricht), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Protoglobobulimina gen. n. (p. 252) (genotype P. pupoides (d.Orbigny)), HOFKER Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Psammosphaera eocenica p. ns. (p. 142) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

†Pseudobradyina gen. n. pulchra sp. n. (p. 45) (genotype) Carboniferous, Russia, Rettlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Pseudofusulinella gen. n. (p. 117) genotype Neofusulinella occidentalis Thompson & Wheeler, 1946, Thompson Contr. Cushman Fnd. 2 (4) 1951 pp. 115-119 figs. †Pseudoglandulina mutabilis subsp.
n. striata (p. 316) Lower Cretaceous,
Germany, Bartenstein & Brand
Abh, senckenb. naturf. Ges. 485 1951
pp. 239-336 figs.; †P. nallpeensis
sp. n. (p. 435) Tertiary, Washington,
RAU J. Paleont. 25 (4) 1951 pp.
417-453 figs.

†Pseudonubeculina lepida sp. n. (p. 278) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Pseudoparrella limburgensis, meeterenae, minisae spp. n. (p. 278) Maestrichtian, Netherlands, VISSER Leidse Geol. Mededel. 16 1951 pp. 197–359 figs.

†Pseudophragmina (Proporocyclina) renzi sp. n. (p. 53) Lower Tertiary, Venezuela, CIZANCOURT Mem. Soc. géol. Fr. Paléont. 64 1951 pp. 1-68 figs.

†Pullenoides gen. n. (p. 10) senoniensis sp. n. (p. 10) (genotype) [for Sphaeroidina bulloides Van Raadshoven 1940 (non d'Orbigny)] Upper Cretaceous, Maastricht, Hofker Publ. natuurh. Genoot. Limburg 4 1951 pp. 1-40 figs.

†Pyrgo pseudoinornata sp. n. (p. 145) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

†Quinqueloculina orbiculata sp. n. (p. 145) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.; †Q. triangulata sp. n. (p. 593) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.

†Ramulina protea sp. n. (p. 596) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.; †R. tappanae sp. n. (p. 322); R. aptiensis sp. n. (p. 323); Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Reophax minutissima sp. n. (p. 266) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; †R. inordinatus sp. n. (p. 48) Upper Cretaceous, Montana, Young J. Paleont. 25 (1) 1951 pp. 35-68 figs.

†Reussella comalensis sp. n. (p. 597) Lower Cretaceous, Texas, Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.; R. weberi sp. n. (p. 170) South Sumatra, Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

†Rhizammina grilli sp. n. (p. 21) Cretaceous, Austria, Noth Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.

†Robulus modestus sp. n. (p. 493) Upper Cretaceous, California, Bandy J. Paleont. 25 (4) 1951 pp. 488-513 figs.; †R. jerseyanus sp. n. (p. 23) Paleocene, New Jersey, McLEAN Contr. Cushman Fdn. 2 (1) 1951 pp. 20-29 figs.; †R. clericii (Fornasini) var. n. carinata (p. 42) Miocene, Vienna Basin, Marks Contr. Cushman Fdn. 2 (2) 1951 pp. 33-73 figs.: †R. becki, holcombensis spp. n. (p. 431) Tertiary, Washington, Rau J. Paleont. 25 (4) 1951 pp. 417-453 figs.

†Rotalia ikebei sp. n. (p. 11), Miocene, Japan, Inoue & Nakaseko J. Geol. Soc. Japan 57 (664) 1951 pp. 7-11 figs.; †R. tochigiensis sp.n. (p. 374), asanoi nom. n. (p. 375) [for Rotalia beccarii Asano (non Linnaeus)], Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.

†Saracenaria subglobosa sp. n. (p. 493) Upper Cretaceous, California, BANDY J. Paleont. 25 (4) 1951 pp. 488-513 figs.

Schwagerina von Möller, 1877, with type species S. borealis (Ehrenberg, 1842), S. moelleri Rauser-Chernoussova 1937: to be placed on official lists of genn. and spp. in zoology, Anon. 4.

†Sigmomorphina pseudoschencki sp. n. (p. 436) Tertiary, Washington, RAU J. Paleont. 25 (4) 1951 pp. 417–453 figs.; †S. kronenburgae sp. n. (p. 246), Maestrichtian, Netherlands, VISEER Leidse Geol. Mededel. 16 1951 pp. 197–359 figs.

†Spiroplectammina conspecta sp. n. (p. 70); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.; †S. rectangularis var. n. cretosa (p. 11), Albian, Low Countries, Dam Mem. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

†Spiroloculina duestensis sp. n. (p. 277) Lower Cretaceous, Germany, Bartenstein & Brand Abh, senckenb, naturf, Ges. 485 1951 pp. 239–336 figs.

†Spiropthalmidium gaultinum nom n. (p. 18) [for Spiroloculina nitida Chapman 1898 (non S. nitida d'Orbigny)], Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1–66 figs.

†Stensiöina, systematic position, Vašiček 1046; †S. brotzeni sp. n. (p. 85) Upper Eocene, Moravia; St. olgae sp. n. (p. 88) Upper Cretaceous, Moravia, Vašiček Sborn. geol. Úst. čsl. (Paleont.) 18 1951 pp. 85–96 figs.

Streblus batavus sp. n. (p. 501) North Sea; S. turgidus sp. n. (p. 502) East Indies and Philippine Islands; HOFKER Siboga Exped, Monogr. 4a 1951 pp. 1-513 figs.

†Syzrania gen. n. bella sp. n. (p. 92) (genotype); S. confusa sp. n. (p. 93); Carboniferous, Russia, REILLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

†Tetraplasia quadrata sp. n. (p. 275) Lower Cretaceous, Germany, Bar-TENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Tetrataxis minima var. n. latispiralis (p. 71); T. m. var. n. mosquensis (p. 72); T. planispiralis sp. n. (p. 73); T. angusta var. n. serpukhovensis (p. 74); T. numerabilis sp. n. (p. 74); T. paraconica sp. n. (p. 75); Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Textularia losangica sp. n. (p. 82) Cretaceous, United States, LOEBLICH & TAPPAN Fondren Sci. Ser. 4 1951 pp. 65-92 figs.; †T. eofragilis sp. n. (p. 49); T. primitiva sp. n. (p. 50); T. angusta sp. n. (p. 50); T. a. var. n. elongata (p. 50); T. a. var. n. maxima, decurta (p. 51); T. minutissima, fragilis, vulgaris spp. n. (p. 52); T. longissima, gibbosaeformis spp. n. (p. 54); T. ponderosa sp. n. (p. 54); T. bruta, paracommunis spp. n. (p. 55); T. grandis sp. n. (p. 56); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Thalmannammina gen. n. (p. 469) (genotype Haplophragmium subturbinatum Gryzbowski 1897), Upper Cretaceous and Lower Eocene, Carpathia, Pokorný Sbor. geol. Úst. Praha. 18 1951 pp. 469-479 figs.

†Tolypammina complicata sp. n. (p. 25); T. fortis sp. n. (p. 26); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Tremastegina gen. n. (p. 256) (genotype Amphistegina senni Cushman 1945 in Vaughan 1945) [recorded as nom. nud. Zoo. Record for 1950, now validated], Palaeocene and Eocene, West Indies, Brönnimann Ecl. geol. helv. 43 1950 [1951] pp. 255-265 figs.

†Triplasia emslandensis sp. n. (p. 273); T. emslandensis emslandensis, T. e. acuta subspp. n. (p. 274), Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239–336 figs.; †T. pseudoroemeri sp. n. (p. 274) Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239–336 figs.

†Tritaxia subrotunda sp. n. (p. 12) Albian, Low Countries, Dam Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.; †T. glenrosensis sp. n. (p. 592) Lower Cretaceous, Texas. Stead Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.

†Trocholina infragranulata sp. n. (p. 69) Cretaceous, Austria, Noth Jahrb. geol. Bundes Anst. Wien Sonderband 3 1951 pp. 1-91 figs.

†Tuberitina maljarkini var. n. grandis (p. 88); T. collosa sp. n. (p. 89); T. c. var. n. plana (p. 89); T. ? rotundata sp. n. (p. 90); Carboniferous, Russia, Reitlinger Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1–126 figs.

†Turrilina meata sp. n. (nom. nud.) (p. 450) Palaeogene, Poland, MASLAKOVA & MURATOV C.R. Acad. Sci. URSS N.S. 81 (3) 1951 pp. 449-452.

†Turrispira gen. n. (p. 18) mira sp. n. (p. 19) (genotype); T. ? irregularis sp. n. (p. 19); Carboniferous, Russia, REITLINGER Trav. Inst. Geol. Moscow ser. geol. 47 (126) 1950 pp. 1-126 figs.

† Vaginulina duestensis sp. n. (p. 292); V. riedeli sp. n. (p. 295); V. riedeli subsp. n. riedeli (p. 295); V. riedeli subsp. n. paucicostata (p. 295); V. thoerenensis sp. n. (p. 296); Lower Cretaceous, Germany, Bartenstein & Brand Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.; † V. eichenbergi sp. n. (p. 36); mediocarinata nom. n. (p. 36) [for Vaginulina strigillata Chapman 1894 (non Reuss)]; V. tappani nom. n. (p. 37) [for Vaginulina biochei var. elongata Eichenberg 1935 (non Roemer)], Albian, Low Countries, DAM Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.; † V. yoshihamaensis sp. n. (p. 10) Miocene, Japan, Inoue & Nakaseko J. Geol. Soc. Japan 57 (664) 1951 pp. 7-11 figs.; † V. loeblichi sp. n. (p. 26) Paleocene, New Jersey, McLean Contr. Cushman Fdn. 2 (1) 1951 pp. 20-29 figs.; † V. otukai sp. n. (p. 370), Miocene, Japan, Uchio J. Geol. Soc. Japan 57 1951 pp. 369-377 figs.; †V. rugosa sp. n. (p. 595) Lower Cretaceous, Texas, STEAD Texas J. Sci. 3 (4) 1951 pp. 577-605 figs.

†Vaginulinopsis tuberculata (Plummer) [for Cristellaria subaculeata var. tuberculata Plummer 1926], Paleocene, Atlantic Coastal Plain, U.S.A., McLean 633.

Valvobifarina gen. n. (p. 39) (genotype Bifarina mackinnoni (Millet)), Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Valvopavonina gen. n. (p. 35) (genotype Pavonina flabelliformis (d.Orbigny)), Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

Valvotextularia gen. n. (p. 30) (genotype V. catenata (Cushman), West Indies), Hofker Siboga Exped. Monogr. 4a 1951 pp. 1-513 figs.

† Valvulineria menloensis sp. n. (p. 446); Valvulineria willapaensis sp. n. (p. 447) Tertiary, Washington, RAU J. Paleont. 25 (4) 1951 pp. 417453 figs.; † V. compressa sp. n. (p. 9) Middle Eocene, Peru, Stone Contr. Cushman Fdn. 2 (1) 1951 p. 9 fig.; † V. nonionoides sp. n. (p. 504) Upper Cretaceous, California, Bandy J. Paleont. 25 (4) 1951 pp. 488-513 figs.; † V. eocenica sp. n. (p. 158) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.; † V. peruviana var. n. discrepans (p. 157) Eocene, Ecuador, Cushman & Stainforth J. Paleont. 25 (2) 1951 pp. 129-164 figs.

†Verneuilinoides inaequalis sp. n. (p. 276) Lower Cretaceous, Germany, BARTENSTEIN & BRAND Abh. senckenb. naturf. Ges. 485 1951 pp. 239-336 figs.

†Webbinella rugosa sp. n. (p. 5) Albian, Low Countries, Dam Mém. Soc. géol. Fr. Paléont. 63 1950 pp. 1-66 figs.

(d) Heliozoa

[No record].

(e) Radiolaria

New names and species of Radiolaria, CAMPBELL 174.

†Upper Silurian Radiolaria in Russia, Borovikov 112.

†Artoperina gen. n. (p. 529) (genotype Lithornithium loxia Ehrenberg 1854) [nom. n. for Artopera Haeckel 1887, p. 1452 (non Artopera Haeckel 1887, p. 1450 et Haeckel 1881, p. 438)] Eocene, B.W.I., CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

Calosphaera gen. n. (p. 527) (genotype Thalassosphaera belonium Haeckel 1887) [nom. n. for Thalassosphaera Haeckel 1887, p. 30 (non Thalassosphaera Haeckel 1862, p. 260)] Pacific, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

†Corythomelissa subgen. n. (p. 529) (of Lithomelissa) (subgenotype Lithomelissa corythium Ehrenberg 1875 p. 78) [nom. n. for Sethomelissa Haeckel 1887, p. 1207 (non Sethomelissa Haeckel 1881, p. 431)] Eccene and Recent, Campbell J. Paleont. 25 (4) 1951 pp. 527-530.

Dimelissa subgen. n. (p. 529) (of Lithomelissa) (subgenotype Lithomelissa thoracites Haeckel 1862 p. 301) [nom. n. for Micromelissa Haeckel 1887, p. 1205 (non Micromelissa Haeckel 1881, p. 433 et Sethomelissa Haeckel 1881, p. 431)] Mediterranean, Pacific and Indian Oceans, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

Eulophospyris gen. n. (p. 528) (genotype Lophospyris diplodiscus Haeckel 1887) [nom. n. for Lophospyris Haeckel 1887, p. 1080 (non Lophospyris Haeckel, 1881, p. 443 et 1887, p. 1066)] Pacific, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

†Glycobotrys gen. n. (p. 530) (genotype Lithobotrys geminata Ehrenberg 1875) [nom. n. for Lithobotrys Haeckel 1887, p. 1117 (non Lithobotrys Ehrenberg 1844, p. 74)] Eocene, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527–530.

Haliphormartidium gen. n. (p. 528) (genotype Haliphormis lagena Haeckel 1887) [nom. n. for Haliphormis Haeckel 1887, p. 1166 (non Haliphormis Ehrenberg, 1847, p. 54)] South Atlantie, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

Phormostichoartus subgen. n. (p. 530) (of Cyrtophormis) (subgenotype Cyrtophormis (Acanthocyrtis) cylindrica Haeckel 1887, p. 1461) [nom. n. for Acanthocyrtis Haeckel 1887, p. 1461 (non Acanthocyrtis Haeckel 1881, p. 437 et 1887, p. 1494)] Pacific, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

†Phyletripes gen. n. (p. 528) (genotype Hexastylus primaevus Rust 1885) Jurassic, Central Europe, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

Thalassorhaphis gen. n. (p. 527) (genotype Thalassoplancta brevispicula Haeckel 1887) [nom. n. for Thalassoplancta Haeckel 1887, p. 36 (non Thalassoplancta Haeckel, 1862 p. 261, et 1881, p. 470)] South Atlantic, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530.

†Thecotapus gen. n. (p. 528) (genotype Thecosphaera unica Rust 1885) Jurassic, Switzerland, CAMPBELL J. Paleont. 25 (4) 1951 pp. 527-530,

2.—MASTIGOPHORA

A. PHYTOMASTIGINA

(a) Chrysomonadida

(No record].

(b) Cryptomonadida

[No record].

(c) Dinoflagellata

†New Dinoflagellata from the Belgian Cretaceous, Lejeune-Carpentier 586.

Blastodinium apsteini sp. n. (p. 330), B. chattoni sp. n. (p. 332) parasitic in Copepods, Arabian Sea, Sewell Sci. Rep. Murray Exped. 9 (4) 1951 pp. 255-394 figs.

†Gymnodinium (?) avellana sp. n. (p. B309) Cretaceous, Belgium, Le-JEUNE-CARPENTIER Ann. Soc. géol. Belg. 74 (7-10) 1951 pp. B307-313 figs.

†Phanerodinium cayeuxi var. n. laeve (p. B310); P. fourmarieri sp. n. (p. B311); Cretaceous, Belgium, Lejeune-Carpentier Ann. Soc. géol. Belg. 74 (7-10) 1951 pp. B307-313 figs.

(d) Euglenoidida

Astasia Ehrenberg, 1830, has priority over Astasia Meyer, 1897 (bacteria) and Astasia Přibram, 1929 (bacteria), BECKER 79.

Gyropaigne lefevrei sp. n. (p. 454), France, Bourrelly & Georges Bull. Mus. Hist. nat. Paris 23 (4) 1951 pp. 453-455 figs.

Klebsiella Pascher, 1931, preoccupied by Klebsiella Meunier, 1908 (Insecta) and preceded by Klebsiella Trevisan, 1885 (bacteria), BECKER 79.

Trachelomonas compacta sp. n. (p. 230); T. guttata sp. n. (p. 231) Low Countries, Мідрецноєк, Нуdrobiologia 3 (3) 1951 pp. 228-243 figs.

List of Trachelomonids from the Low Countries, MIDDELHOEK 674.

(e) Phytomonadida

Coccomonas Stein, 1878, has priority over Coccomonas Orla-Jensen, 1921 (bacteria), Becker 79.

B. ZOOMASTIGINA

(f) Protomonadida

Castellanella Chalmers, 1918, has priority over Castellanella Pacheco & Rodrigues, 1930 (bacteria), BECKER 79.

Chilomastix bursa sp. n. (p. 272) from lizards, Moskowitz J. Morph. 89 1951 pp. 257-321 figs.

Crithidia sandoni sp. n. (p. 591) from S. African bug Holopterna alata. Gibbs J. Parasit. 37 1951 pp. 587-595 figs.

Cryptobia salmositica sp. n. (p. 247), C. lynchi sp. n. (p. 248) from N. American fishes, KATZ J. Parasit. 37 1951 pp. 245–250 figs.

Leptomonas capsularis sp. n. (p. 133) from S. African bug Cletus ochraceus, Gibbs Parasitology 41 1951 pp. 128-133 figs.

Phytomonas Donovan 1909, has priority over Phytomonas Bergey et al., 1923 (bacteria), Becker 79.

Trypanosoma spp. of bats: host-list and differential characters, Rod-HAIN 849.

Trypanosoma ariarii sp. n. (p. 673) from man, Colombia: its relation to T. rangeli, life-cycle and transmission, Groot, Renjifo & Uribe Amer. J. trop. Med. 31 1951 pp. 673-691 figs.; T. brucei var. n. kabetei (p. 23) for hybrid, T. brucei × T. rhodesiense, Culwick, Fairbairn & Culwick Ann. trop. Med. Parasit. 45 1951 pp. 11-29; T. gargantua spp. (p. 293), T. coelorhynchi sp. n. (p. 297), T. caulopsettae sp. n. (p. 299), T. tripterygium sp. n. (p. 303), T. parapercis sp. n. (p. 305) from New Zealand marine fishes, Laird Proc. Zool. Soc. London 121 1951 pp. 285-309 figs.; T. leleupi sp. n. (p. 136) from African bat, Hipposideros

caffer, Rodhain Ann. Parasitol. hum. comp. 26 1951 pp. 133-137 figs.; T. sheppardi sp. n. (p. 102), T. neitzi sp. n. (p. 107) from terrapin Pelusios sinuatus zuluensis Portuguese E. Africa, Dias Moçambique No. 68 1951 pp. 97-113 figs.

Trypanosomes of brucei group regarded as varieties of T. brucei, Culwick etc. 237.

(g) Trichomonadida

Kirbyna pulchra sp. n. (p. 8) from N. African termite Anacanthotermes ochraceus, Grassé & Hollande Ann. Sci. nat. (11) 13 1951 pp. 1-32 figs.

Polymastigoides gen. n. (p. 28) (nom. n. for Devescovina elongata Bernstein, 1928: type species), GRASSÉ & HOLLANDE Ann. Sci. nat. (11) 13 1951 pp. 1-32 figs.

Rhizonympha jahieri sp. n. (p. 13) from N. African termite Anacanthotermes ochraceus, Grassé & Hollande Ann. Sci. nat. (11) 13 1951 pp. 1-32 figs.

Rhizonymphidae fam. n. (p. 24) to include Rhizonympha, Grassé & Hollande Ann. Sci. nat. (11) 13 1951 pp. 1-32 figs.; Rhizonymphidae fam. nov. (p. 458) for Rhizonympha gen. n. (p. 459) jahieri sp. n. (genotype) from termite, Grassé & Hollande C.R. Acad. Sci., Paris 232 (6) 1951 pp. 458-460.

Trichomonas acosta sp. n. (p. 284), T. dispar sp. n. (p. 282), T. aspectus sp. n. (p. 298) from reptiles, Moskowitz J. Morph. 89 1951 pp. 257-321 figs.

Trichomonas spp. of amphibians and reptiles: comparative morphology and taxonomy, Honigberg 474.

Trichomonas foetus, nomenclature, Kirby 535.

(h) Hypermastigida

[No record].

(i) Diplomonadida

Giardia: systematics, structure, key to spp., Ansari 37.

Giardia marginalis sp. n. (p. 488), G. pseudoardeae sp. n. (p. 489), G. recurvirostrae sp. n. (p. 489), Ansari Ann. Parasitol. hum. comp. 26 1951 pp. 477–490.

(j) Polymonadida

[No record]

3. SPOROZOA

A. COCCIDIOMORPHA

(a) Gregarinida

Capillicephalus gen. n. lithobii sp. n. (p. 415) from earwig Lithobius piceus, France, Tuzet & Ormières Ann. Sci. nat. (11) 13 1951 pp. 413-416 figs.

Carcinoecetes bermudensis sp. n. (p. 351), C. mithraxi sp. n. (p. 353), C. calappae sp. n. (p. 353) from marine Crustacea Bermuda, BALL Univ. California Publ. Zool. 47 (14) 1951 pp. 351–368 figs.

Cystocephalus algerianus var. n. (p. 405) mauritanicus from beetle Pimelia angulata, Tuzet & Théodorides Ann. Parasitol. hum. comp. 26 1951 pp. 394-406 figs.

Gregarina larvarum sp. n. (p. 108) from larvae of Blaps gibba, Italy Filipponi Riv. Parassit. 12 1951 pp. 85-111 figs.

Hirmocystis inaequalis sp. n. (p. 400) from beetle Asida sericea, Tuzet & Théodorides Ann. Parasitol. hum. comp. 26 1951 pp. 394-406 figs.

Nematopsis panopei sp. n. (p. 353) from marine Crustacea Bermuda, BALL Univ. California Publ. Zool. 47 (14) 1951 pp. 351-368 figs.

Pyxinia: list of known spp. and their hosts; P. foliacea sp. n. (p. 165) from beetle Dermestes frischi, France, Tuzet & Théodorides Arch. Zool. exp. gén. 87 1951 (Notes and Rev.) pp. 162–168 figs.

Sphaerocystis tentyriae sp. n. (p. 396) from beetle Tentyria mucronata, Tuzet & Théodorides Ann. Parasitol. hum. comp. 26 1951 pp. 394–406 figs.

Sphaerorhynchus hamoni sp. n. (p. 400), S. chabaudi sp. n. (p. 403) from beetles Akis spp., Tuzet & Théodoridès Ann. Parasitol. hum. comp. 26 1951 pp. 394-406 figs.

Stylocephalus variabilis sp. n. (p. 395), from Tenebrionid beetles, Tuzer & Théodorides Ann. Parasitol. hum. comp. 26 1951 pp. 394-406 figs.

(b) Coccidiida

Eimeria: differential characters of spp. in turkeys; E. adenoeides sp. n. (p. 127) from turkey, U.S.A., Moore & Brown Cornell Vet. 41 1951 pp. 124-135 figs.; E. magnalabia sp. n. (p. 17) from Canada goose Branta canadensis interior, Levine Proc. Amer. Soc. Protozool. 2 1951 p. 17; E. mccordocki sp. n. (p. 154) from Mule Deer Odocoileus hemionus U.S.A. [No description given], Landram Univ. Wyoming Publ. 16 (1-4) 1951 p. 154.

Haemogregarina salariasi sp. n. (p. 3) from blenny Salarias fasciatus Fiji, LAIRD Zool, Publ. Vietoria Univ. Coll. 10 1951 pp. 1-15 figs.

Isopora belli and I. hominis from man: independence of these spp. confirmed, Meira & Corrêa 669.

Pfeifferella Labbé, 1899, has priority over Pfeifferella Buchanan, 1918 (bacteria), BECKER 79.

(c) Haemosporidia

Babesia Starcovici, 1893, is preceded by Babesia Trevisan, 1889 (bacteria): suppression of the latter recommended, Becker 79.

Echinozoon gen. n. hoogstraali sp. n. (p. 529) from hyrax Heterohyrax syriacus A. E. Sudan, Garnham J. Parasit. 37 1951 pp. 528-532 figs.

Hepatocystis correct name of Hepatocystes Levaditi & Schoen, 1932 which was mis-spelt, Garnham 374.

Laverania Feletti & Grassi, 1889 to be valid generic name, with L. falciparum (Welch, 1897) as type species, for Malignant Tertian malaria parasite, Anon, 5, Leucocytozoon andrewsi sp. n. (p. 487) from domestic fowl, U.S.A., ATCHLEY J. Parasit. 37 1951 pp. 483-488; L. peãolopesi sp. n. (p. 73) from E. African bird, Pternistes afer swynnertoni, Dias Moçâmbique No. 67 1951 pp. 71-92 figs.

Piroplasma annulatum to be attributed to Dschunkowsky & Luhs, 1905, Anon. 3.

Plasmodium huffi sp. n. from toucan, Ramphastos toco Brazil, Muniz, Soares & Batista Rev. Brasil. Malariol. 3 1951 pp. 339-362 figs.; P. lygosomae sp. n. (p. 184) from New Zealand skink, Lygosoma moco, LAIRD J. Parasit. 37 1951 pp. 183–189 figs.; P. roussetti sp. n. (p. 273) from African fruit-bat Rousettus leachi, RIEL, HIERNAUX-L'HOËST & HIERNAUX-L'HOËST Parasitology 41 1951 pp. 270-273 figs.; P. simium sp. n. (p. 550) from Howler Monkey, Alouatta fusca, Brazil, Fon-SECA Mem. Inst. O. Cruz. **49** 1951 pp. 543-553 figs.; *P. falciparum*: pre-erythrocytic stages of development in human liver, SHORTT etc. 931; P. Marchiafava & Celli, 1885 with type species P. malariae (Feletti & Grassi, 1889) (the Quartan Malaria parasite), Anon. 5.

B. CNIDOSPORIDIA

(d) Myxosporidia

[No record]

(e) Microsporidia

Nosema bischoffi sp. n. (p. 80) parasitic in ovine tapeworm Moniezia bischoffi, Weiser Acta Soc. zool. Bohemosloven. 15 1951 pp. 79-84 figs.; N. otiorhynchi sp. n. (p. 216) from Malpighian tubes of beetle Otiorhynchus ligustici, Czechoslovakia, Weiser Acta Soc. zool. Bohemosloven. 15 (2) 1951 pp. 209-218 figs.

(f) Actinomyxidia

[No record]

(g) Sarcosporidia

[No record]

(h) Haplosporidia

Polycarium ozakii sp. n. (p. 148) from Japanese Phyllopod Branchinella kugenumaensis, Kanai & Watanabe J. Sci. Hiroshima Univ. (Zool.) 12 1951 pp. 147–151 figs.

4. CILIOPHORA

A. OPALINATA

[No record]

B. CILIATA

Systematics of the Ciliata, FAURÉ-FREMIET 326.

(a) Holotrichida

Sand-dwelling ciliates of Cape Cod, FAURÉ-FREMIET 330; Anoplophrya attenuata sp. n. (p. 1772), France, PUYTORAC C.R. Acad. Sci. Paris 232 (19) 1951 pp. 1772-1774 figs.

Centrophorella lanceolata sp. n. (p. 65), fine sand, Barnstable Harbour, Cape Cod, FAURÉ-FREMIET Biol. Bull. 100 1951 pp. 59-70 figs.

Charon Jameson, 1925, is preoccupied by Charon Karsch, 1879 (Arachnida), and should therefore be suppressed, BECKER 79.

Colpidium - Glaucoma - Leucophrys-Tetrahymena group: principles of classification of strains, Corliss 223.

Cryptocaryon gen. n. irritans sp. n. (p. 1) from marine fishes, Brown Agenda and Abstr. Sci. Meet. Zool. Soc. London No. 11 1950 [1951] pp. 1-3.

Cryptochilidium caudatum sp. n. (p. 373) from gut of sea urchin, Strongylocentrotus nudus, Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 371–393 figs.

Entorhipidium triangularis sp. n. (p. 377) from gut of sea urchins Strongylocentrotus spp., Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 371–393 figs.

Geleia simplex sp. n. (p. 69), fine sand, Cape Cod, FAURÉ-FREMIET Biol. Bull. 100 1951 pp. 59-70 figs.

Plagiopyliella gen. n. pacifica sp. n. (p. 383) from gut of sea urchins, Strongylocentrotus spp., Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 371-393 figs. Remanella obtusa sp. n. (p. 68), coarse sand, Cape Cod, FAURÉ-FREMIET Biol. Bull. 100 1951 pp. 59-70 figs.

Sphenophrya minor sp. n. (p. 359) from gills of Cardium sp., Vladivostok, Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 355-370 figs.

(b) Heterotrichida

Ampullofolliculina gen. n. (p. 143) logeniformis sp. n. (p. 143) [for Folliculina (Vorticella) ampulla Andrews 1949], HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Ascobius claparèdei sp. n. (p. 117) [for Freia ampulla Claparède et Lachmann 1858]; A. fauré-fremiet sp. n. (p. 118) [for Folliculina ampulla Fauré-Fremiet 1932 (non Claparède et Lachmann 1858)]; A. siléni sp. n. (p. 121) [for Folliculina simplex Silén 1947 (non Dons)], HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs.

Atriofolliculina gen. n. (p. 124) [for Parafolliculina Andrews 1946 (partim) and Fauré-Fremiet 1936 (partim)]; A. andrewsi sp. n. (p. 124) [for Parafolliculina amphora Andrews 1946 (non Andrews 1941)]; A. fauréana sp. n. (p. 129) [for Parafolliculina hirundo Fauré-Fremiet 1936 (non Kent 1882)], HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Aulofolliculina gen. n. (p. 227) labyrinthica sp. n. (p. 228) on bryozoa, Adriatic, Hadzi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Balantidium galianoi sp. n. (p. 148) from newt Molge waltlii, Spain, FERNANDEZ-GALIANO Trab. Inst. Cienc. nat. Acosta (Biol.) 3 (3) 1951 pp. 111-158 figs.

Claustrofolliculina gen. n. (p. 147) clausa sp. n. (p. 147) from Cellaria salicornia, Hadzi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs. Diafolliculina gen. n. (p. 158) thomseni sp. n. (p. 159) [for Folliculina boltoni Thomsen 1924 (non Kent)]; D. rotunda sp. n. (p. 161) from bryozoans, Adriatic; D. similis sp. n. (p. 165) from Syncoryne and Cladonema, Adriatic; HADZI Dela Slov. Akad. Zuan. Umst. nat. Med. 4 1951 pp. 1-391 figs.

Donsia gen. n. (p. 132) [for Semifolliculina Dons 1917 (partim)] (Semifolliculina) mirabilis Dons 1917, HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Epifolliculina gen. n. (p. 222) diaphana sp. n. (p. 223) on Retepora beaneana, Adriatic, Hadzi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs.

Eufolliculina gen. n. (p. 16) [for Folliculina Laackmann 1910 (partim) ampullacea sp. n. (p. 16) [for Folliculina ampulla Laackmann 1910] from Adriatic, HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs.

Systematics of Folliculinids, Hadzi 428.

Halofolliculina gen. n. (p. 150) (Freia) elegans Claparède et Lachmann 1859, Haddi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Lagotia fauré-fremieti sp. n. (p. 47) [for Folliculina aculeata Fauré-Fremiet 1936 (non Claparède et Lachmann 1858)]; L. coerulea sp. n. (p. 87) [for Folliculina elegans Fauré-Fremiet 1936 (non Claparède et Lachmann 1858)]; L. donsi sp. n. (p. 89) on bryozoan, Adriatic; L. minima sp. n. (p. 94) on bryozoan, Adriatic; L. minima that it is p. n. (p. 94) on bryozoan, Adriatic, L. minima sp. n. (p. 94) on bryozoan,

Latifolliculina gen. n. (p. 130) [for Parafolliculina Fauré-Fremiet 1936 (partim)]; L. incolorea sp. n. (p. 131) [for Parafolliculina amphora Fauré-Fremiet 1936 (non Dons)] HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs. Licnophora aeolis sp. n. (p. 361) from gills of Aeolis sp., Ussuri Bay, Sea of Japan, Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 355–370 figs.

Nyctotherus cacopusi sp. n. (p. 210) from Indian frog Cacopus systoma, UTTANGI Current Sci. 20 (8) 1951 pp. 210–211 figs.; Nyctotherus: differential diagnosis of the "giant" spp., UTTANGI 1037.

Pachyfolliculina gen, n. (p. 33) [for Folliculina Dons 1927 (partim)] (Folliculina) gunneri Dons 1927, HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs.

Parafolliculina americana sp. n. (p. 183) [for Parafolliculina amphora Andrews 1941]; P. glutinata sp. n. (p. 179) from lamellae of Posidonia, Adriatic; HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Pedifolliculina gen. n. (p. 105)]for Pseudofolliculina Dons 1915 (partim)] (Pseudofolliculina) arctica Dons 1915 HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Perifolliculina gen. n. (p. 153) (Parafolliculina) röstensis Dons 1931, HADZI Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Planifolliculina gen. n. (p. 208) cumbens sp. n. (p. 208) from various habitats, Adriatic, Hadzi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1-391 figs.

Splitofolliculina gen. n. (p. 214) adherens sp. n. (p. 215) on Retepora beaneana, Adriatic; S. longicollis sp. n. (p. 218) on Anomia ephippium etc., Adriatic; Hadzi Dela Slov. Akad. Zuan. Umst. Hist. nat. Med. 4 1951 pp. 1–391 figs.

(e) Oligotrichida

†Mesozoic Tintinnids from Italy, COLOM 219.

†Calpionella in Australian Upper Jurassic, Brunnschweiler 161.

(d) Entodiniomorpha

Diplodinium (Diplodinium) psittacerum f. n. psittacerum (p. 114), D. (D.) p. f. n. longi-caudatrum (p. 115) from zebu cattle, E. Africa, Moriger Riv. Biol. Colon. 10 1950 pp. 103-134 figs.; D. dentatrum (Schuberg, 1888): gen. and sp. placed on official lists of generic and specific names in zoology, Anon. 2.

(e) Hypotrichida

[No record]

(f) Peritrichida

Polycycla gen. n. discophora sp. n. (p. 364) from gut of Cucumaria obunca Ussuri Bay, Sea of Japan, Poljanskij Mag. Parasit. (Moscow) 13 1951 pp. 355-370 figs.

Polycyclidae **fam. n.** (p. 364) to include *Polycycla* (q. v.), Poljanskij Mag. Parasit. (Moscow) **13** 1951 pp. 355–370 figs.

Telotrochidium johanninae sp. n. (p. 149) stream, Paris suburbs, FAURÉ-FREMIET Bull. Soc. zool. Fr. 75 1950 pp. 148-150 fig.

C. SUCTORIA

Acineta bocqueti sp. n. (p. 27), A. tisbei sp. n. (p. 28), ectoparasitic on Copepods, GUILCHER Arch. Zool. exp. gén. 87 1950 (Notes et Rev. No. 1 pp. 24-30 figs.); A. euchaetae sp. n. (p. 278) ectoparasitic on Copepods, Arabian Sea, SEWELL Sci. Rep. Murray Exped. 9 (4) 1951 pp. 255-394 figs.

Hallezia scottocalani sp. n. (p. 284) ectoparasitic on Copepod, Arabian Sea, Sewell Sci. Rep. Murray Exped. 9 (4) 1951 pp. 255-394 figs.

Ophryodendron faurei sp. n. (p. 25) ectoparasitic on Copepod, Guilcher Arch. Zool. exp. gén. 87 1950 (Notes et Rev. No. 1 pp. 24-30 figs.)

Paracineta gaetani sp. n. (p. 281) ectoparasitic on Copepods, Arabian Sea, Sewell Sci. Rep. Murray Exped. 9 (4) 1951 pp. 255-394 figs.

Trichophrya danae sp. n. (p. 14) from Greenland waters, GRØNTVED Medd. Grønland 143 (8) 1951 pp. 13– 21 figs.

PROTISTA INCERTAE SEDIS

Diplomorpha gen. n. (p. 451) paradoxa sp. n. (p. 451) in ectoderm of Siphonophora, Rose & Calhon C.R. Acad. Sci., Paris 233 (5) 1951 pp. 451-452 figs.

